


付け刃エンドミル

OCEB形

- 2枚刃・中心刃付き・外周インサート継目無し、
エキセントリックリリーフ形、ねじれ角30°




材質: ノンコート超硬K種

形 番 Cat. No.	在庫 Stock	寸 法 (mm) Dimensions (mm)					
		φD	l ₁	l ₂	L	φd	C
OCEB-100	■	10	20	55	80	12	0.15~0.2
OCEB-101	■	10.1	20	55	80	12	0.15~0.2
OCEB-102	■	10.2	20	55	80	12	0.15~0.2
OCEB-103	■	10.3	20	55	80	12	0.15~0.2
OCEB-104	■	10.4	20	55	80	12	0.15~0.2
OCEB-105	■	10.5	20	55	80	12	0.15~0.2
OCEB-106	■	10.6	20	55	80	12	0.15~0.2
OCEB-107	■	10.7	20	55	80	12	0.15~0.2
OCEB-108	■	10.8	20	55	80	12	0.15~0.2
OCEB-109	■	10.9	20	55	80	12	0.15~0.2
OCEB-110	■	11	20	55	80	12	0.15~0.2
OCEB-111	■	11.1	20	55	80	12	0.15~0.2
OCEB-112	■	11.2	20	55	80	12	0.15~0.2
OCEB-113	■	11.3	20	55	80	12	0.15~0.2
OCEB-114	■	11.4	20	55	80	12	0.15~0.2
OCEB-115	■	11.5	20	55	80	12	0.15~0.2
OCEB-116	■	11.6	20	55	80	12	0.15~0.2
OCEB-117	■	11.7	20	55	80	12	0.15~0.2
OCEB-118	■	11.8	20	55	80	12	0.15~0.2
OCEB-119	■	11.9	20	55	80	12	0.15~0.2
OCEB-120	■	12	20	55	80	12	0.15~0.2
OCEB-121	■	12.1	25	60	95	16	0.15~0.2
OCEB-122	■	12.2	25	60	95	16	0.15~0.2
OCEB-123	■	12.3	25	60	95	16	0.15~0.2
OCEB-124	■	12.4	25	60	95	16	0.15~0.2
OCEB-125	■	12.5	25	60	95	16	0.15~0.2
OCEB-126	■	12.6	25	60	95	16	0.15~0.2
OCEB-127	■	12.7	25	60	95	16	0.15~0.2
OCEB-128	■	12.8	25	60	95	16	0.15~0.2
OCEB-129	■	12.9	25	60	95	16	0.15~0.2
OCEB-130	■	13	25	60	95	16	0.15~0.2
OCEB-131	■	13.1	25	60	95	16	0.15~0.2
OCEB-132	■	13.2	25	60	95	16	0.15~0.2
OCEB-133	■	13.3	25	60	95	16	0.15~0.2
OCEB-134	■	13.4	25	60	95	16	0.15~0.2
OCEB-135	■	13.5	25	60	95	16	0.15~0.2
OCEB-136	■	13.6	25	60	95	16	0.2~0.4
OCEB-137	■	13.7	25	60	95	16	0.2~0.4
OCEB-138	■	13.8	25	60	95	16	0.2~0.4
OCEB-139	■	13.9	25	60	95	16	0.2~0.4
OCEB-140	■	14	25	60	95	16	0.2~0.4
OCEB-141	■	14.1	25	60	95	16	0.2~0.4
OCEB-142	■	14.2	25	60	95	16	0.2~0.4
OCEB-143	■	14.3	25	60	95	16	0.2~0.4
OCEB-144	■	14.4	25	60	95	16	0.2~0.4
OCEB-145	■	14.5	25	60	95	16	0.2~0.4
OCEB-146	■	14.6	25	60	95	16	0.2~0.4
OCEB-147	■	14.7	25	60	95	16	0.2~0.4
OCEB-148	■	14.8	25	60	95	16	0.2~0.4
OCEB-149	■	14.9	25	60	95	16	0.2~0.4
OCEB-150	■	15	25	60	95	16	0.2~0.4
OCEB-151	■	15.1	25	60	95	16	0.2~0.4
OCEB-152	■	15.2	25	60	95	16	0.2~0.4
OCEB-153	■	15.3	25	60	95	16	0.2~0.4
OCEB-154	■	15.4	25	60	95	16	0.2~0.4
OCEB-155	■	15.5	25	60	95	16	0.2~0.4
OCEB-156	■	15.6	25	60	95	16	0.2~0.4
OCEB-157	■	15.7	25	60	95	16	0.2~0.4
OCEB-158	■	15.8	25	60	95	16	0.2~0.4
OCEB-159	■	15.9	25	60	95	16	0.2~0.4
OCEB-160	■	16	25	60	95	16	0.2~0.4
OCEB-161	■	16.1	30	70	110	20	0.2~0.4
OCEB-162	■	16.2	30	70	110	20	0.2~0.4
OCEB-163	■	16.3	30	70	110	20	0.2~0.4
OCEB-164	■	16.4	30	70	110	20	0.2~0.4
OCEB-165	■	16.5	30	70	110	20	0.2~0.4
OCEB-166	■	16.6	30	70	110	20	0.2~0.4
OCEB-167	■	16.7	30	70	110	20	0.2~0.4
OCEB-168	■	16.8	30	70	110	20	0.2~0.4
OCEB-169	■	16.9	30	70	110	20	0.2~0.4
OCEB-170	■	17	30	70	110	20	0.2~0.4
OCEB-171	■	17.1	30	70	110	20	0.2~0.4
OCEB-172	■	17.2	30	70	110	20	0.2~0.4
OCEB-173	■	17.3	30	70	110	20	0.2~0.4
OCEB-174	■	17.4	30	70	110	20	0.2~0.4
OCEB-175	■	17.5	30	70	110	20	0.2~0.4
OCEB-176	■	17.6	30	70	110	20	0.2~0.4
OCEB-177	■	17.7	30	70	110	20	0.2~0.4
OCEB-178	■	17.8	30	70	110	20	0.2~0.4
OCEB-179	■	17.9	30	70	110	20	0.2~0.4
OCEB-180	■	18	30	70	110	20	0.2~0.4
OCEB-181	■	18.1	30	70	110	20	0.2~0.4

付け刃エンドミル

OCEB形

(前ページの続き)



材質: ノンコート超硬K種


形 番 Cat. No.	在庫 Stock	寸 法 (mm) Dimensions (mm)					
		φD	l ₁	l ₂	L	φd	C
OCEB-182	■	18.2	30	70	110	20	0.2~0.4
OCEB-183	■	18.3	30	70	110	20	0.2~0.4
OCEB-184	■	18.4	30	70	110	20	0.2~0.4
OCEB-185	■	18.5	30	70	110	20	0.2~0.4
OCEB-186	■	18.6	30	70	110	20	0.2~0.4
OCEB-187	■	18.7	30	70	110	20	0.2~0.4
OCEB-188	■	18.8	30	70	110	20	0.2~0.4
OCEB-189	■	18.9	30	70	110	20	0.2~0.4
OCEB-190	■	19	30	70	110	20	0.2~0.4
OCEB-191	■	19.1	30	70	110	20	0.2~0.4
OCEB-192	■	19.2	30	70	110	20	0.2~0.4
OCEB-193	■	19.3	30	70	110	20	0.2~0.4
OCEB-194	■	19.4	30	70	110	20	0.2~0.4
OCEB-195	■	19.5	30	70	110	20	0.2~0.4
OCEB-196	■	19.6	30	70	110	20	0.3~0.6
OCEB-197	■	19.7	30	70	110	20	0.3~0.6
OCEB-198	■	19.8	30	70	110	20	0.3~0.6
OCEB-199	■	19.9	30	70	110	20	0.3~0.6
OCEB-200	■	20	30	70	110	20	0.3~0.6
OCEB-201	■	20.1	30	70	110	20	0.3~0.6
OCEB-202	■	20.2	30	70	110	20	0.3~0.6
OCEB-203	■	20.3	30	70	110	20	0.3~0.6
OCEB-204	■	20.4	30	70	110	20	0.3~0.6
OCEB-205	■	20.5	30	70	110	20	0.3~0.6
OCEB-206	■	20.6	30	70	110	20	0.3~0.6
OCEB-207	■	20.7	30	70	110	20	0.3~0.6
OCEB-208	■	20.8	30	70	110	20	0.3~0.6
OCEB-209	■	20.9	30	70	110	20	0.3~0.6
OCEB-210	■	21	30	70	110	20	0.3~0.6
OCEB-211	■	21.1	30	70	110	20	0.3~0.6
OCEB-212	■	21.2	30	70	110	20	0.3~0.6
OCEB-213	■	21.3	30	70	110	20	0.3~0.6
OCEB-214	■	21.4	30	70	110	20	0.3~0.6
OCEB-215	■	21.5	30	70	110	20	0.3~0.6
OCEB-216	■	21.6	30	70	110	20	0.3~0.6
OCEB-217	■	21.7	30	70	110	20	0.3~0.6
OCEB-218	■	21.8	30	70	110	20	0.3~0.6
OCEB-219	■	21.9	30	70	110	20	0.3~0.6
OCEB-220	■	22	30	70	110	20	0.3~0.6
OCEB-221	■	22.1	40	85	135	25	0.3~0.6
OCEB-222	■	22.2	40	85	135	25	0.3~0.6
OCEB-223	■	22.3	40	85	135	25	0.3~0.6
OCEB-224	■	22.4	40	85	135	25	0.3~0.6
OCEB-225	■	22.5	40	85	135	25	0.3~0.6
OCEB-226	■	22.6	40	85	135	25	0.3~0.6
OCEB-227	■	22.7	40	85	135	25	0.3~0.6
OCEB-228	■	22.8	40	85	135	25	0.3~0.6
OCEB-229	■	22.9	40	85	135	25	0.3~0.6
OCEB-230	■	23	40	85	135	25	0.3~0.6
OCEB-231	■	23.1	40	85	135	25	0.3~0.6
OCEB-232	■	23.2	40	85	135	25	0.3~0.6
OCEB-233	■	23.3	40	85	135	25	0.3~0.6
OCEB-234	■	23.4	40	85	135	25	0.3~0.6
OCEB-235	■	23.5	40	85	135	25	0.3~0.6
OCEB-236	■	23.6	40	85	135	25	0.3~0.6
OCEB-237	■	23.7	40	85	135	25	0.3~0.6
OCEB-238	■	23.8	40	85	135	25	0.3~0.6
OCEB-239	■	23.9	40	85	135	25	0.3~0.6
OCEB-240	■	24	40	85	135	25	0.3~0.6
OCEB-241	■	24.1	40	85	135	25	0.3~0.6
OCEB-242	■	24.2	40	85	135	25	0.3~0.6
OCEB-243	■	24.3	40	85	135	25	0.3~0.6
OCEB-244	■	24.4	40	85	135	25	0.3~0.6
OCEB-245	■	24.5	40	85	135	25	0.3~0.6
OCEB-246	■	24.6	40	85	135	25	0.3~0.6
OCEB-247	■	24.7	40	85	135	25	0.3~0.6
OCEB-248	■	24.8	40	85	135	25	0.3~0.6
OCEB-249	■	24.9	40	85	135	25	0.3~0.6
OCEB-250	■	25	40	85	135	25	0.3~0.6
OCEB-251	■	25.1	40	85	135	25	0.3~0.6
OCEB-252	■	25.2	40	85	135	25	0.3~0.6
OCEB-253	■	25.3	40	85	135	25	0.3~0.6
OCEB-254	■	25.4	40	85	135	25	0.3~0.6
OCEB-255	■	25.5	40	85	135	25	0.3~0.6
OCEB-256	■	25.6	40	85	135	25	0.3~0.6
OCEB-257	■	25.7	40	85	135	25	0.3~0.6
OCEB-258	■	25.8	40	85	135	25	0.3~0.6
OCEB-259	■	25.9	40	85	135	25	0.3~0.6
OCEB-260	■	26	40	85	135	25	0.3~0.6
OCEB-261	■	26.1	40	85	135	25	0.3~0.6
OCEB-262	■	26.2	40	85	135	25	0.3~0.6
OCEB-263	■	26.3	40	85	135	25	0.3~0.6

6541

付け刃エンドミル

OCEB形

(前ページの続き)



材種: ノンコート超硬K種

形 番	在庫	寸 法 (mm)					
		Dimensions (mm)					
Cat. No.	Stock	φD	l ₁	l ₂	L	φd	C
OCEB-264	■	26.4	40	85	135	25	0.3~0.6
OCEB-265	■	26.5	40	85	135	25	0.3~0.6
OCEB-266	■	26.6	40	85	135	25	0.3~0.6
OCEB-267	■	26.7	40	85	135	25	0.3~0.6
OCEB-268	■	26.8	40	85	135	25	0.3~0.6
OCEB-269	■	26.9	40	85	135	25	0.3~0.6
OCEB-270	■	27	40	85	135	25	0.3~0.6
OCEB-271	■	27.1	40	85	135	25	0.3~0.6
OCEB-272	■	27.2	40	85	135	25	0.3~0.6
OCEB-273	■	27.3	40	85	135	25	0.3~0.6
OCEB-274	■	27.4	40	85	135	25	0.3~0.6
OCEB-275	■	27.5	40	85	135	25	0.3~0.6
OCEB-276	■	27.6	40	85	135	25	0.3~0.6
OCEB-277	■	27.7	40	85	135	25	0.3~0.6
OCEB-278	■	27.8	40	85	135	25	0.3~0.6
OCEB-279	■	27.9	40	85	135	25	0.3~0.6
OCEB-280	■	28	40	85	135	25	0.3~0.6
OCEB-281	■	28.1	55	85	150	32	0.3~0.6
OCEB-282	■	28.2	55	85	150	32	0.3~0.6
OCEB-283	■	28.3	55	85	150	32	0.3~0.6
OCEB-284	■	28.4	55	85	150	32	0.3~0.6
OCEB-285	■	28.5	55	85	150	32	0.3~0.6
OCEB-286	■	28.6	55	85	150	32	0.3~0.6
OCEB-287	■	28.7	55	85	150	32	0.3~0.6
OCEB-288	■	28.8	55	85	150	32	0.3~0.6
OCEB-289	■	28.9	55	85	150	32	0.3~0.6
OCEB-290	■	29	55	85	150	32	0.3~0.6
OCEB-291	■	29.1	55	85	150	32	0.3~0.6
OCEB-292	■	29.2	55	85	150	32	0.3~0.6
OCEB-293	■	29.3	55	85	150	32	0.3~0.6
OCEB-294	■	29.4	55	85	150	32	0.3~0.6
OCEB-295	■	29.5	55	85	150	32	0.3~0.6
OCEB-296	■	29.6	55	85	150	32	0.3~0.6
OCEB-297	■	29.7	55	85	150	32	0.3~0.6
OCEB-298	■	29.8	55	85	150	32	0.3~0.6
OCEB-299	■	29.9	55	85	150	32	0.3~0.6
OCEB-300	■	30	55	85	150	32	0.3~0.6
OCEB-305	■	30.5	55	85	150	32	0.3~0.6
OCEB-310	■	31	55	85	150	32	0.3~0.6
OCEB-315	■	31.5	55	85	150	32	0.3~0.6
OCEB-320	■	32	55	85	150	32	0.3~0.6

形 番	在庫	寸 法 (mm)					
		Dimensions (mm)					
Cat. No.	Stock	φD	l ₁	l ₂	L	φd	C
OCEB-325	■	32.5	55	85	150	32	0.3~0.6
OCEB-330	■	33	55	85	150	32	0.3~0.6
OCEB-335	■	33.5	55	85	150	32	0.3~0.6
OCEB-340	■	34	55	85	150	32	0.3~0.6
OCEB-345	■	34.5	55	85	150	32	0.3~0.6
OCEB-350	■	35	55	85	150	32	0.3~0.6
OCEB-355	■	35.5	55	85	150	32	0.3~0.6
OCEB-360	■	36	55	85	150	32	0.3~0.6
OCEB-370	■	37	55	85	150	32	0.3~0.6
OCEB-380	■	38	55	85	150	32	0.3~0.6
OCEB-390	■	39	55	85	150	32	0.5~0.8
OCEB-400	■	40	65	85	160	32	0.5~0.8
OCEB-410	■	41	65	85	160	32	0.5~0.8
OCEB-420	■	42	65	85	160	32	0.5~0.8
OCEB-430	■	43	65	85	160	32	0.5~0.8
OCEB-440	■	44	65	85	160	32	0.5~0.8
OCEB-450	■	45	65	85	160	32	0.5~0.8
OCEB-460	■	46	65	85	160	32	0.5~0.8
OCEB-470	■	47	65	85	160	32	0.5~0.8
OCEB-480	■	48	65	85	160	32	0.5~0.8
OCEB-490	■	49	65	85	160	32	0.5~0.8
OCEB-500	■	50	65	85	160	32	0.5~0.8
OCEB-510	■	51	65	85	160	42	0.5~0.8
OCEB-520	■	52	65	85	160	42	0.5~0.8
OCEB-530	■	53	65	85	160	42	0.5~0.8
OCEB-540	■	54	65	85	160	42	0.5~0.8
OCEB-550	■	55	70	85	170	42	0.5~0.8
OCEB-560	■	56	70	85	170	42	0.5~0.8
OCEB-570	■	57	70	85	170	42	0.5~0.8
OCEB-580	■	58	70	85	170	42	0.5~0.8
OCEB-590	■	59	70	85	170	42	0.5~0.8
OCEB-600	■	60	70	85	170	42	0.5~0.8