

AQRVDR


アクアREVOドリルレギュラ

AquaREVO Drills Regular



超硬 REVO D h7 135° 30° h6 5DC 2.0-16.0

工具材料 コーティング 直径許容差 先端角 ねじれ角 シャンク径許差 加工穴深さ 直径範囲



LIST 9862 オーダ方法 Order 商品記号 Code

商品記号 Code	直径 DC	有効長 LU	溝長 LCF	シャンク長 LS	全長 OAL	シャンク径 DCONMS	先端 PL	在庫 Stock	参考価格(円) Price(¥)
AQRVDR0200	2.00	10.0	15	32.1	49	3	0.4	●	7,360
AQRVDR0205	2.05	10.3	18	29.2	49	3	0.4	●	7,360
AQRVDR0210	2.10	10.5	18	29.2	49	3	0.4	●	7,360
AQRVDR0215	2.15	10.8	18	29.3	49	3	0.4	●	7,360
AQRVDR0220	2.20	11.0	18	29.3	49	3	0.5	●	7,360
AQRVDR0225	2.25	11.3	18	29.4	49	3	0.5	●	7,360
AQRVDR0228	2.28	11.4	18	29.4	49	3	0.5	●	7,360
AQRVDR0230	2.30	11.5	18	29.4	49	3	0.5	●	7,360
AQRVDR0233	2.33	11.7	18	29.4	49	3	0.5	●	7,360
AQRVDR0235	2.35	11.8	18	29.4	49	3	0.5	●	7,360
AQRVDR0240	2.40	12.0	18	29.5	49	3	0.5	●	7,360
AQRVDR0245	2.45	12.3	18	29.5	49	3	0.5	●	7,360
AQRVDR0250	2.50	12.5	18	29.6	49	3	0.5	●	7,360
AQRVDR0255	2.55	12.8	20	27.6	49	3	0.5	●	7,360
AQRVDR0260	2.60	13.0	20	27.7	49	3	0.5	●	7,360
AQRVDR0265	2.65	13.3	20	27.7	49	3	0.5	●	7,360
AQRVDR0270	2.70	13.5	20	27.7	49	3	0.6	●	7,360
AQRVDR0275	2.75	13.8	20	27.8	49	3	0.6	●	7,360
AQRVDR0276	2.76	13.8	20	27.8	49	3	0.6	●	7,360
AQRVDR0278	2.78	13.9	20	27.8	49	3	0.6	●	7,360
AQRVDR0280	2.80	14.0	20	27.8	49	3	0.6	●	7,360
AQRVDR0285	2.85	14.3	20	27.9	49	3	0.6	●	7,360
AQRVDR0290	2.90	14.5	20	27.9	49	3	0.6	●	7,360
AQRVDR0295	2.95	14.8	20	28.0	49	3	0.6	●	7,360
AQRVDR0300	3.00	15.0	20	28.0	49	3	0.6	●	7,360
AQRVDR0305	3.05	15.3	25	33.2	60	4	0.6	●	7,920
AQRVDR0310	3.10	15.5	25	33.2	60	4	0.6	●	7,920
AQRVDR0315	3.15	15.8	25	33.3	60	4	0.7	●	7,920
AQRVDR0320	3.20	16.0	25	33.3	60	4	0.7	●	7,920
AQRVDR0325	3.25	16.3	25	33.4	60	4	0.7	●	7,920
AQRVDR0330	3.30	16.5	25	33.4	60	4	0.7	●	7,920
AQRVDR0335	3.35	16.8	25	33.4	60	4	0.7	●	7,920
AQRVDR0340	3.40	17.0	25	33.5	60	4	0.7	●	7,920
AQRVDR0345	3.45	17.3	25	33.5	60	4	0.7	●	7,920
AQRVDR0350	3.50	17.5	25	33.6	60	4	0.7	●	7,920
AQRVDR0355	3.55	17.8	28	30.6	60	4	0.7	●	8,330
AQRVDR0360	3.60	18.0	28	30.7	60	4	0.7	●	8,330
AQRVDR0365	3.65	18.3	28	30.7	60	4	0.8	●	8,330
AQRVDR0366	3.66	18.3	28	30.7	60	4	0.8	●	8,330
AQRVDR0368	3.68	18.4	28	30.7	60	4	0.8	●	8,330
AQRVDR0370	3.70	18.5	28	30.7	60	4	0.8	●	8,330
AQRVDR0375	3.75	18.8	28	30.8	60	4	0.8	●	8,330
AQRVDR0380	3.80	19.0	28	30.8	60	4	0.8	●	8,330
AQRVDR0385	3.85	19.3	28	30.9	60	4	0.8	●	8,330
AQRVDR0390	3.90	19.5	28	30.9	60	4	0.8	●	8,330
AQRVDR0395	3.95	19.8	28	31.0	60	4	0.8	●	8,330
AQRVDR0400	4.00	20.0	28	31.0	60	4	0.8	●	8,330
AQRVDR0405	4.05	20.3	32	43.2	77	5	0.8	●	8,950
AQRVDR0410	4.10	20.5	32	43.2	77	5	0.8	●	8,950
AQRVDR0415	4.15	20.8	32	43.3	77	5	0.9	●	8,950
AQRVDR0420	4.20	21.0	32	43.3	77	5	0.9	●	8,950
AQRVDR0425	4.25	21.3	32	43.4	77	5	0.9	●	8,950
AQRVDR0430	4.30	21.5	32	43.4	77	5	0.9	●	8,950
AQRVDR0435	4.35	21.8	32	43.4	77	5	0.9	●	8,950
AQRVDR0440	4.40	22.0	32	43.5	77	5	0.9	●	8,950
AQRVDR0445	4.45	22.3	32	43.5	77	5	0.9	●	8,950
AQRVDR0450	4.50	22.5	32	43.6	77	5	0.9	●	8,950
AQRVDR0455	4.55	22.8	39	36.6	77	5	0.9	●	9,540
AQRVDR0460	4.60	23.0	39	36.7	77	5	1.0	●	9,540
AQRVDR0462	4.62	23.1	39	36.7	77	5	1.0	●	9,540

単位 (Unit):mm

商品記号 Code	直径 DC	有効長 LU	溝長 LCF	シャンク長 LS	全長 OAL	シャンク径 DCONMS	先端 PL	在庫 Stock	参考価格(円) Price(¥)
AQRVDR0464	4.64	23.2	39	36.7	77	5	1.0	●	9,540
AQRVDR0465	4.65	23.3	39	36.7	77	5	1.0	●	9,540
AQRVDR0470	4.70	23.5	39	36.7	77	5	1.0	●	9,540
AQRVDR0475	4.75	23.8	39	36.8	77	5	1.0	●	9,540
AQRVDR0480	4.80	24.0	39	36.8	77	5	1.0	●	9,540
AQRVDR0485	4.85	24.3	39	36.9	77	5	1.0	●	9,540
AQRVDR0490	4.90	24.5	39	36.9	77	5	1.0	●	9,540
AQRVDR0495	4.95	24.8	39	37.0	77	5	1.0	●	9,540
AQRVDR0500	5.00	25.0	39	37.0	77	5	1.0	●	9,540
AQRVDR0505	5.05	25.3	40	40.2	82	6	1.0	●	10,100
AQRVDR0510	5.10	25.5	40	40.2	82	6	1.1	●	10,100
AQRVDR0515	5.15	25.8	40	40.3	82	6	1.1	●	10,100
AQRVDR0520	5.20	26.0	40	40.3	82	6	1.1	●	10,100
AQRVDR0525	5.25	26.3	40	40.4	82	6	1.1	●	10,100
AQRVDR0530	5.30	26.5	40	40.4	82	6	1.1	●	10,100
AQRVDR0535	5.35	26.8	40	40.4	82	6	1.1	●	10,100
AQRVDR0540	5.40	27.0	40	40.5	82	6	1.1	●	10,100
AQRVDR0545	5.45	27.3	40	40.5	82	6	1.1	●	10,100
AQRVDR0550	5.50	27.5	40	40.6	82	6	1.1	●	10,100
AQRVDR0552	5.52	27.6	42	38.6	82	6	1.1	●	10,600
AQRVDR0554	5.54	27.7	42	38.6	82	6	1.1	●	10,600
AQRVDR0555	5.55	27.8	42	38.6	82	6	1.1	●	10,600
AQRVDR0557	5.57	27.9	42	38.6	82	6	1.2	●	10,600
AQRVDR0560	5.60	28.0	42	38.7	82	6	1.2	●	10,600
AQRVDR0565	5.65	28.3	42	38.7	82	6	1.2	●	10,600
AQRVDR0570	5.70	28.5	42	38.7	82	6	1.2	●	10,600
AQRVDR0575	5.75	28.8	42	38.8	82	6	1.2	●	10,600
AQRVDR0580	5.80	29.0	42	38.8	82	6	1.2	●	10,600
AQRVDR0585	5.85	29.3	42	38.9	82	6	1.2	●	10,600
AQRVDR0590	5.90	29.5	42	38.9	82	6	1.2	●	10,600
AQRVDR0595	5.95	29.8	42	39.0	82	6	1.2	●	10,600
AQRVDR0600	6.00	30.0	42	39.0	82	6	1.2	●	10,600
AQRVDR0610	6.10	30.5	43	39.2	84	7	1.3	●	10,600
AQRVDR0620	6.20	31.0	43	39.3	84	7	1.3	●	10,600
AQRVDR0630	6.30	31.5	43	39.4	84	7	1.3	●	10,600
AQRVDR0640	6.40	32.0	43	39.5	84	7	1.3	●	10,600
AQRVDR0650	6.50	32.5	43	39.6	84	7	1.3	●	10,600
AQRVDR0660	6.60	33.0	44	38.7	84	7	1.4	●	11,200
AQRVDR0670	6.70	33.5	44	38.7	84	7	1.4	●	11,200
AQRVDR0680	6.80	34.0	44	38.8	84	7	1.4	●	11,200
AQRVDR0690	6.90	34.5	44	38.9	84	7	1.4	●	11,200
AQRVDR0700	7.00	35.0	44	39.0	84	7	1.4	●	11,200
AQRVDR0710	7.10	35.5	46	43.2	91	8	1.5	●	12,000
AQRVDR0720	7.20	36.0	46	43.3	91	8	1.5	●	12,000
AQRVDR0730	7.30	36.5	46	43.4	91	8	1.5	●	12,000
AQRVDR0740	7.40	37.0	46	43.5	91	8	1.5	●	12,000
AQRVDR0750	7.50	37.5	46	43.6	91	8	1.6	●	12,000
AQRVDR0760	7.60	38.0	47	42.7	91	8	1.6	●	12,500
AQRVDR0770	7.70	38.5	47	42.7	91	8	1.6	●	12,500
AQRVDR0780	7.80	39.0	47	42.8	91	8	1.6	●	12,500
AQRVDR0790	7.90	39.5	47	42.9	91	8	1.6	●	12,500
AQRVDR0800	8.00	40.0	47	43.0	91	8	1.7	●	12,500
AQRVDR0810	8.10	40.5	55	42.2	99	9	1.7	●	13,300
AQRVDR0820	8.20	41.0	55	42.3	99	9	1.7	●	13,300
AQRVDR0830	8.30	41.5	55	42.4	99	9	1.7	●	13,300
AQRVDR0840	8.40	42.0	55	42.5	99	9	1.7	●	13,300
AQRVDR0850	8.50	42.5	55	42.6	99	9	1.8	●	13,300
AQRVDR0860	8.60	43.0	57	40.7	99	9	1.8	●	13,800
AQRVDR0870	8.70	43.5	57	40.7	99	9	1.8	●	13,800
AQRVDR0880	8.80	44.0	57	40.8	99	9	1.8	●	13,800

※0.01mmサイズの直径許容差は0~-0.009mm
Tolerance of diameter is 0 to -0.009mm for 0.01mm size

単位 (Unit):mm

商品記号	直径	有効長	溝長	シャンク長	全長	シャンク径	先端	在庫	参考価格(円)
Code	DC	LU	LCF	LS	OAL	DCONMS	PL	Stock	Price(¥)
AQRVDR0890	8.90	44.5	57	40.9	99	9	1.8	●	13,800
AQRVDR0900	9.00	45.0	57	41.0	99	9	1.9	●	13,800
AQRVDR0910	9.10	45.5	60	45.2	107	10	1.9	●	14,500
AQRVDR0920	9.20	46.0	60	45.3	107	10	1.9	●	14,500
AQRVDR0930	9.30	46.5	60	45.4	107	10	1.9	●	14,500
AQRVDR0940	9.40	47.0	60	45.5	107	10	1.9	●	14,500
AQRVDR0950	9.50	47.5	60	45.6	107	10	2.0	●	14,500
AQRVDR0960	9.60	48.0	62	43.7	107	10	2.0	●	15,100
AQRVDR0970	9.70	48.5	62	43.7	107	10	2.0	●	15,100
AQRVDR0980	9.80	49.0	62	43.8	107	10	2.0	●	15,100
AQRVDR0990	9.90	49.5	62	43.9	107	10	2.1	●	15,100
AQRVDR1000	10.00	50.0	62	44.0	107	10	2.1	●	15,100
AQRVDR1010	10.10	50.5	68	46.2	116	11	2.1	●	15,700
AQRVDR1020	10.20	51.0	68	46.3	116	11	2.1	●	15,700
AQRVDR1030	10.30	51.5	68	46.4	116	11	2.1	●	15,700
AQRVDR1040	10.40	52.0	68	46.5	116	11	2.2	●	15,700
AQRVDR1050	10.50	52.5	68	46.6	116	11	2.2	●	15,700
AQRVDR1060	10.60	53.0	70	44.7	116	11	2.2	●	16,500
AQRVDR1070	10.70	53.5	70	44.7	116	11	2.2	●	16,500
AQRVDR1080	10.80	54.0	70	44.8	116	11	2.2	●	16,500
AQRVDR1090	10.90	54.5	70	44.9	116	11	2.3	●	16,500
AQRVDR1100	11.00	55.0	70	45.0	116	11	2.3	●	16,500
AQRVDR1110	11.10	55.5	73	48.2	123	12	2.3	●	17,100
AQRVDR1120	11.20	56.0	73	48.3	123	12	2.3	●	17,100
AQRVDR1130	11.30	56.5	73	48.4	123	12	2.3	●	17,100
AQRVDR1140	11.40	57.0	73	48.5	123	12	2.4	●	17,100
AQRVDR1150	11.50	57.5	73	48.6	123	12	2.4	●	17,100
AQRVDR1160	11.60	58.0	76	45.7	123	12	2.4	●	17,700
AQRVDR1170	11.70	58.5	76	45.7	123	12	2.4	●	17,700
AQRVDR1180	11.80	59.0	76	45.8	123	12	2.4	●	17,700
AQRVDR1190	11.90	59.5	76	45.9	123	12	2.5	●	17,700
AQRVDR1200	12.00	60.0	76	46.0	123	12	2.5	●	17,700
AQRVDR1210	12.10	60.5	79	57.2	138	13	2.5	●	18,300
AQRVDR1220	12.20	61.0	79	57.3	138	13	2.5	●	18,300
AQRVDR1230	12.30	61.5	79	57.4	138	13	2.5	●	18,300
AQRVDR1240	12.40	62.0	79	57.5	138	13	2.6	●	18,300

商品記号	直径	有効長	溝長	シャンク長	全長	シャンク径	先端	在庫	参考価格(円)
Code	DC	LU	LCF	LS	OAL	DCONMS	PL	Stock	Price(¥)
AQRVDR1250	12.50	62.5	79	57.6	138	13	2.6	●	18,300
AQRVDR1260	12.60	63.0	81	55.7	138	13	2.6	●	18,900
AQRVDR1270	12.70	63.5	81	55.7	138	13	2.6	●	18,900
AQRVDR1280	12.80	64.0	81	55.8	138	13	2.7	●	18,900
AQRVDR1290	12.90	64.5	81	55.9	138	13	2.7	●	18,900
AQRVDR1300	13.00	65.0	81	56.0	138	13	2.7	●	18,900
AQRVDR1310	13.10	65.5	87	59.2	148	14	2.7	●	19,600
AQRVDR1320	13.20	66.0	87	59.3	148	14	2.7	●	19,600
AQRVDR1330	13.30	66.5	87	59.4	148	14	2.8	●	19,600
AQRVDR1340	13.40	67.0	87	59.5	148	14	2.8	●	19,600
AQRVDR1350	13.50	67.5	87	59.6	148	14	2.8	●	19,600
AQRVDR1360	13.60	68.0	90	56.7	148	14	2.8	●	20,200
AQRVDR1370	13.70	68.5	90	56.7	148	14	2.8	●	20,200
AQRVDR1380	13.80	69.0	90	56.8	148	14	2.9	●	20,200
AQRVDR1390	13.90	69.5	90	56.9	148	14	2.9	●	20,200
AQRVDR1400	14.00	70.0	90	57.0	148	14	2.9	●	20,200
AQRVDR1410	14.10	70.5	92	60.2	154	15	2.9	●	20,800
AQRVDR1420	14.20	71.0	92	60.3	154	15	2.9	●	20,800
AQRVDR1430	14.30	71.5	92	60.4	154	15	3.0	●	20,800
AQRVDR1440	14.40	72.0	92	60.5	154	15	3.0	●	20,800
AQRVDR1450	14.50	72.5	92	60.6	154	15	3.0	●	20,800
AQRVDR1460	14.60	73.0	94	58.7	154	15	3.0	●	21,500
AQRVDR1470	14.70	73.5	94	58.7	154	15	3.0	●	21,500
AQRVDR1480	14.80	74.0	94	58.8	154	15	3.1	●	21,500
AQRVDR1490	14.90	74.5	94	58.9	154	15	3.1	●	21,500
AQRVDR1500	15.00	75.0	94	59.0	154	15	3.1	●	21,500
AQRVDR1510	15.10	75.5	97	63.2	162	16	3.1	●	22,200
AQRVDR1520	15.20	76.0	97	63.3	162	16	3.1	●	22,200
AQRVDR1530	15.30	76.5	97	63.4	162	16	3.2	●	22,200
AQRVDR1540	15.40	77.0	97	63.5	162	16	3.2	●	22,200
AQRVDR1550	15.50	77.5	97	63.6	162	16	3.2	●	22,200
AQRVDR1560	15.60	78.0	99	61.7	162	16	3.2	●	22,800
AQRVDR1570	15.70	78.5	99	61.7	162	16	3.3	●	22,800
AQRVDR1580	15.80	79.0	99	61.8	162	16	3.3	●	22,800
AQRVDR1590	15.90	79.5	99	61.9	162	16	3.3	●	22,800
AQRVDR1600	16.00	80.0	99	62.0	162	16	3.3	●	22,800

直径φ2.00~6.00の0.01mmとび寸法と
下穴寸法を新たに追加

ものづくりの世界に革命を起こす

アクアREVOドリルレギュラ

AQRVDR AquaREVO Drills Regular

LIST 9862 オーダ方法 Order 商品記号 Code

商品記号	直径	有効長	溝長	シャンク長	全長	シャンク径	先端	在庫
Code	DC	LU	LCF	LS	OAL	DCONMS	PL	Stock
AQRVDR0201	2.01	10.0	18	29.1	49	3	0.4	<input type="checkbox"/>
AQRVDR0202	2.02	10.1	18	29.2	49	3	0.4	<input type="checkbox"/>
AQRVDR0203	2.03	10.1	18	29.2	49	3	0.4	<input type="checkbox"/>
AQRVDR0204	2.04	10.2	18	29.2	49	3	0.4	<input type="checkbox"/>
AQRVDR0206	2.06	10.3	18	29.2	49	3	0.4	<input type="checkbox"/>
AQRVDR0207	2.07	10.3	18	29.2	49	3	0.4	<input type="checkbox"/>
AQRVDR0208	2.08	10.4	18	29.2	49	3	0.4	<input type="checkbox"/>
AQRVDR0209	2.09	10.4	18	29.2	49	3	0.4	<input type="checkbox"/>
AQRVDR0211	2.11	10.5	18	29.2	49	3	0.4	<input type="checkbox"/>
AQRVDR0212	2.12	10.6	18	29.2	49	3	0.4	<input type="checkbox"/>
AQRVDR0213	2.13	10.6	18	29.2	49	3	0.4	<input type="checkbox"/>
AQRVDR0214	2.14	10.7	18	29.3	49	3	0.4	<input type="checkbox"/>
AQRVDR0216	2.16	10.8	18	29.3	49	3	0.4	<input type="checkbox"/>
AQRVDR0217	2.17	10.8	18	29.3	49	3	0.4	<input type="checkbox"/>
AQRVDR0218	2.18	10.9	18	29.3	49	3	0.5	<input type="checkbox"/>
AQRVDR0219	2.19	10.9	18	29.3	49	3	0.5	<input type="checkbox"/>
AQRVDR0221	2.21	11.0	18	29.3	49	3	0.5	<input type="checkbox"/>
AQRVDR0222	2.22	11.1	18	29.3	49	3	0.5	<input type="checkbox"/>
AQRVDR0223	2.23	11.1	18	29.3	49	3	0.5	<input type="checkbox"/>
AQRVDR0224	2.24	11.2	18	29.3	49	3	0.5	<input type="checkbox"/>
AQRVDR0226	2.26	11.3	18	29.4	49	3	0.5	<input type="checkbox"/>
AQRVDR0227	2.27	11.3	18	29.4	49	3	0.5	<input type="checkbox"/>
AQRVDR0229	2.29	11.4	18	29.4	49	3	0.5	<input type="checkbox"/>
AQRVDR0231	2.31	11.5	18	29.4	49	3	0.5	<input type="checkbox"/>
AQRVDR0232	2.32	11.6	18	29.4	49	3	0.5	<input type="checkbox"/>
AQRVDR0234	2.34	11.7	18	29.4	49	3	0.5	<input type="checkbox"/>
AQRVDR0236	2.36	11.8	18	29.4	49	3	0.5	<input type="checkbox"/>
AQRVDR0237	2.37	11.8	18	29.5	49	3	0.5	<input type="checkbox"/>
AQRVDR0238	2.38	11.9	18	29.5	49	3	0.5	<input type="checkbox"/>
AQRVDR0239	2.39	11.9	18	29.5	49	3	0.5	<input type="checkbox"/>
AQRVDR0241	2.41	12.0	18	29.5	49	3	0.5	<input type="checkbox"/>
AQRVDR0242	2.42	12.1	18	29.5	49	3	0.5	<input type="checkbox"/>
AQRVDR0243	2.43	12.1	18	29.5	49	3	0.5	<input type="checkbox"/>
AQRVDR0244	2.44	12.2	18	29.5	49	3	0.5	<input type="checkbox"/>
AQRVDR0246	2.46	12.3	18	29.5	49	3	0.5	<input type="checkbox"/>
AQRVDR0247	2.47	12.3	18	29.5	49	3	0.5	<input type="checkbox"/>
AQRVDR0248	2.48	12.4	18	29.5	49	3	0.5	<input type="checkbox"/>
AQRVDR0249	2.49	12.4	18	29.6	49	3	0.5	<input type="checkbox"/>
AQRVDR0251	2.51	12.6	20	27.6	49	3	0.5	<input type="checkbox"/>
AQRVDR0252	2.52	12.6	20	27.6	49	3	0.5	<input type="checkbox"/>
AQRVDR0253	2.53	12.7	20	27.6	49	3	0.5	<input type="checkbox"/>
AQRVDR0254	2.54	12.7	20	27.6	49	3	0.5	<input type="checkbox"/>
AQRVDR0256	2.56	12.8	20	27.6	49	3	0.5	<input type="checkbox"/>
AQRVDR0257	2.57	12.8	20	27.6	49	3	0.5	<input type="checkbox"/>
AQRVDR0258	2.58	12.9	20	27.6	49	3	0.5	<input type="checkbox"/>
AQRVDR0259	2.59	12.9	20	27.6	49	3	0.5	<input type="checkbox"/>
AQRVDR0261	2.61	13.1	20	27.7	49	3	0.5	<input type="checkbox"/>
AQRVDR0262	2.62	13.1	20	27.7	49	3	0.5	<input type="checkbox"/>
AQRVDR0263	2.63	13.2	20	27.7	49	3	0.5	<input type="checkbox"/>
AQRVDR0264	2.64	13.2	20	27.7	49	3	0.5	<input type="checkbox"/>
AQRVDR0266	2.66	13.3	20	27.7	49	3	0.6	<input type="checkbox"/>
AQRVDR0267	2.67	13.4	20	27.7	49	3	0.6	<input type="checkbox"/>

単位 (Unit):mm

商品記号	直径	有効長	溝長	シャンク長	全長	シャンク径	先端	在庫
Code	DC	LU	LCF	LS	OAL	DCONMS	PL	Stock
AQRVDR0268	2.68	13.4	20	27.7	49	3	0.6	<input type="checkbox"/>
AQRVDR0269	2.69	13.5	20	27.7	49	3	0.6	<input type="checkbox"/>
AQRVDR0271	2.71	13.6	20	27.7	49	3	0.6	<input type="checkbox"/>
AQRVDR0272	2.72	13.6	20	27.8	49	3	0.6	<input type="checkbox"/>
AQRVDR0273	2.73	13.7	20	27.8	49	3	0.6	<input type="checkbox"/>
AQRVDR0274	2.74	13.7	20	27.8	49	3	0.6	<input type="checkbox"/>
AQRVDR0277	2.77	13.8	20	27.8	49	3	0.6	<input type="checkbox"/>
AQRVDR0279	2.79	13.9	20	27.8	49	3	0.6	<input type="checkbox"/>
AQRVDR0281	2.81	14.0	20	27.8	49	3	0.6	<input type="checkbox"/>
AQRVDR0282	2.82	14.1	20	27.8	49	3	0.6	<input type="checkbox"/>
AQRVDR0283	2.83	14.2	20	27.9	49	3	0.6	<input type="checkbox"/>
AQRVDR0284	2.84	14.2	20	27.9	49	3	0.6	<input type="checkbox"/>
AQRVDR0286	2.86	14.3	20	27.9	49	3	0.6	<input type="checkbox"/>
AQRVDR0287	2.87	14.4	20	27.9	49	3	0.6	<input type="checkbox"/>
AQRVDR0288	2.88	14.4	20	27.9	49	3	0.6	<input type="checkbox"/>
AQRVDR0289	2.89	14.5	20	27.9	49	3	0.6	<input type="checkbox"/>
AQRVDR0291	2.91	14.6	20	27.9	49	3	0.6	<input type="checkbox"/>
AQRVDR0292	2.92	14.6	20	27.9	49	3	0.6	<input type="checkbox"/>
AQRVDR0293	2.93	14.7	20	27.9	49	3	0.6	<input type="checkbox"/>
AQRVDR0294	2.94	14.7	20	27.9	49	3	0.6	<input type="checkbox"/>
AQRVDR0296	2.96	14.8	20	28.0	49	3	0.6	<input type="checkbox"/>
AQRVDR0297	2.97	14.9	20	28.0	49	3	0.6	<input type="checkbox"/>
AQRVDR0298	2.98	14.9	20	28.0	49	3	0.6	<input type="checkbox"/>
AQRVDR0299	2.99	15.0	20	28.0	49	3	0.6	<input type="checkbox"/>
AQRVDR0301	3.01	15.1	25	33.1	60	4	0.6	<input type="checkbox"/>
AQRVDR0302	3.02	15.1	25	33.2	60	4	0.6	<input type="checkbox"/>
AQRVDR0303	3.03	15.2	25	33.2	60	4	0.6	<input type="checkbox"/>
AQRVDR0304	3.04	15.2	25	33.2	60	4	0.6	<input type="checkbox"/>
AQRVDR0306	3.06	15.3	25	33.2	60	4	0.6	<input type="checkbox"/>
AQRVDR0307	3.07	15.4	25	33.2	60	4	0.6	<input type="checkbox"/>
AQRVDR0308	3.08	15.4	25	33.2	60	4	0.6	<input type="checkbox"/>
AQRVDR0309	3.09	15.5	25	33.2	60	4	0.6	<input type="checkbox"/>
AQRVDR0311	3.11	15.6	25	33.2	60	4	0.6	<input type="checkbox"/>
AQRVDR0312	3.12	15.6	25	33.2	60	4	0.6	<input type="checkbox"/>
AQRVDR0313	3.13	15.7	25	33.2	60	4	0.6	<input type="checkbox"/>
AQRVDR0314	3.14	15.7	25	33.3	60	4	0.7	<input type="checkbox"/>
AQRVDR0316	3.16	15.8	25	33.3	60	4	0.7	<input type="checkbox"/>
AQRVDR0317	3.17	15.9	25	33.3	60	4	0.7	<input type="checkbox"/>
AQRVDR0318	3.18	15.9	25	33.3	60	4	0.7	<input type="checkbox"/>
AQRVDR0319	3.19	16.0	25	33.3	60	4	0.7	<input type="checkbox"/>
AQRVDR0321	3.21	16.1	25	33.3	60	4	0.7	<input type="checkbox"/>
AQRVDR0322	3.22	16.1	25	33.3	60	4	0.7	<input type="checkbox"/>
AQRVDR0323	3.23	16.2	25	33.3	60	4	0.7	<input type="checkbox"/>
AQRVDR0324	3.24	16.2	25	33.3	60	4	0.7	<input type="checkbox"/>
AQRVDR0326	3.26	16.3	25	33.4	60	4	0.7	<input type="checkbox"/>
AQRVDR0327	3.27	16.4	25	33.4	60	4	0.7	<input type="checkbox"/>
AQRVDR0328	3.28	16.4	25	33.4	60	4	0.7	<input type="checkbox"/>
AQRVDR0329	3.29	16.5	25	33.4	60	4	0.7	<input type="checkbox"/>
AQRVDR0331	3.31	16.6	25	33.4	60	4	0.7	<input type="checkbox"/>
AQRVDR0332	3.32	16.6	25	33.4	60	4	0.7	<input type="checkbox"/>
AQRVDR0333	3.33	16.7	25	33.4	60	4	0.7	<input type="checkbox"/>
AQRVDR0334	3.34	16.7	25	33.4	60	4	0.7	<input type="checkbox"/>




AQRVDR

アクアREVOドリルレギュラ

AquaREVO Drills Regular



NEW SIZE



LIST 9862 オーダ方法 Order 商品記号 Code

商品記号	直径	有効長	溝長	シャンク長	全長	シャンク径	先端	在庫
Code	DC	LU	LCF	LS	OAL	DCONMS	PL	Stock
AQRVDR0336	3.36	16.8	25	33.4	60	4	0.7	□
AQRVDR0337	3.37	16.9	25	33.5	60	4	0.7	□
AQRVDR0338	3.38	16.9	25	33.5	60	4	0.7	□
AQRVDR0339	3.39	17.0	25	33.5	60	4	0.7	□
AQRVDR0341	3.41	17.1	25	33.5	60	4	0.7	□
AQRVDR0342	3.42	17.1	25	33.5	60	4	0.7	□
AQRVDR0343	3.43	17.2	25	33.5	60	4	0.7	□
AQRVDR0344	3.44	17.2	25	33.5	60	4	0.7	□
AQRVDR0346	3.46	17.3	25	33.5	60	4	0.7	□
AQRVDR0347	3.47	17.4	25	33.5	60	4	0.7	□
AQRVDR0348	3.48	17.4	25	33.5	60	4	0.7	□
AQRVDR0349	3.49	17.5	25	33.6	60	4	0.7	□
AQRVDR0351	3.51	17.6	28	30.6	60	4	0.7	□
AQRVDR0352	3.52	17.6	28	30.6	60	4	0.7	□
AQRVDR0353	3.53	17.7	28	30.6	60	4	0.7	□
AQRVDR0354	3.54	17.7	28	30.6	60	4	0.7	□
AQRVDR0356	3.56	17.8	28	30.6	60	4	0.7	□
AQRVDR0357	3.57	17.9	28	30.6	60	4	0.7	□
AQRVDR0358	3.58	17.9	28	30.6	60	4	0.7	□
AQRVDR0359	3.59	18.0	28	30.6	60	4	0.7	□
AQRVDR0361	3.61	18.1	28	30.7	60	4	0.7	□
AQRVDR0362	3.62	18.1	28	30.7	60	4	0.7	□
AQRVDR0363	3.63	18.2	28	30.7	60	4	0.8	□
AQRVDR0364	3.64	18.2	28	30.7	60	4	0.8	□
AQRVDR0367	3.67	18.4	28	30.7	60	4	0.8	□
AQRVDR0369	3.69	18.5	28	30.7	60	4	0.8	□
AQRVDR0371	3.71	18.6	28	30.7	60	4	0.8	□
AQRVDR0372	3.72	18.6	28	30.8	60	4	0.8	□
AQRVDR0373	3.73	18.7	28	30.8	60	4	0.8	□
AQRVDR0374	3.74	18.7	28	30.8	60	4	0.8	□
AQRVDR0376	3.76	18.8	28	30.8	60	4	0.8	□
AQRVDR0377	3.77	18.9	28	30.8	60	4	0.8	□
AQRVDR0378	3.78	18.9	28	30.8	60	4	0.8	□
AQRVDR0379	3.79	19.0	28	30.8	60	4	0.8	□
AQRVDR0381	3.81	19.1	28	30.8	60	4	0.8	□
AQRVDR0382	3.82	19.1	28	30.8	60	4	0.8	□
AQRVDR0383	3.83	19.2	28	30.9	60	4	0.8	□
AQRVDR0384	3.84	19.2	28	30.9	60	4	0.8	□
AQRVDR0386	3.86	19.3	28	30.9	60	4	0.8	□
AQRVDR0387	3.87	19.4	28	30.9	60	4	0.8	□
AQRVDR0388	3.88	19.4	28	30.9	60	4	0.8	□
AQRVDR0389	3.89	19.5	28	30.9	60	4	0.8	□
AQRVDR0391	3.91	19.6	28	30.9	60	4	0.8	□
AQRVDR0392	3.92	19.6	28	30.9	60	4	0.8	□
AQRVDR0393	3.93	19.7	28	30.9	60	4	0.8	□
AQRVDR0394	3.94	19.7	28	30.9	60	4	0.8	□
AQRVDR0396	3.96	19.8	28	31.0	60	4	0.8	□
AQRVDR0397	3.97	19.9	28	31.0	60	4	0.8	□
AQRVDR0398	3.98	19.9	28	31.0	60	4	0.8	□
AQRVDR0399	3.99	20.0	28	31.0	60	4	0.8	□
AQRVDR0401	4.01	20.1	32	43.1	77	5	0.8	□
AQRVDR0402	4.02	20.1	32	43.2	77	5	0.8	□

単位 (Unit):mm

商品記号	直径	有効長	溝長	シャンク長	全長	シャンク径	先端	在庫
Code	DC	LU	LCF	LS	OAL	DCONMS	PL	Stock
AQRVDR0403	4.03	20.2	32	43.2	77	5	0.8	□
AQRVDR0404	4.04	20.2	32	43.2	77	5	0.8	□
AQRVDR0406	4.06	20.3	32	43.2	77	5	0.8	□
AQRVDR0407	4.07	20.4	32	43.2	77	5	0.8	□
AQRVDR0408	4.08	20.4	32	43.2	77	5	0.8	□
AQRVDR0409	4.09	20.5	32	43.2	77	5	0.8	□
AQRVDR0411	4.11	20.6	32	43.2	77	5	0.9	□
AQRVDR0412	4.12	20.6	32	43.2	77	5	0.9	□
AQRVDR0413	4.13	20.7	32	43.2	77	5	0.9	□
AQRVDR0414	4.14	20.7	32	43.3	77	5	0.9	□
AQRVDR0416	4.16	20.8	32	43.3	77	5	0.9	□
AQRVDR0417	4.17	20.9	32	43.3	77	5	0.9	□
AQRVDR0418	4.18	20.9	32	43.3	77	5	0.9	□
AQRVDR0419	4.19	21.0	32	43.3	77	5	0.9	□
AQRVDR0421	4.21	21.1	32	43.3	77	5	0.9	□
AQRVDR0422	4.22	21.1	32	43.3	77	5	0.9	□
AQRVDR0423	4.23	21.2	32	43.3	77	5	0.9	□
AQRVDR0424	4.24	21.2	32	43.3	77	5	0.9	□
AQRVDR0426	4.26	21.3	32	43.4	77	5	0.9	□
AQRVDR0427	4.27	21.4	32	43.4	77	5	0.9	□
AQRVDR0428	4.28	21.4	32	43.4	77	5	0.9	□
AQRVDR0429	4.29	21.5	32	43.4	77	5	0.9	□
AQRVDR0431	4.31	21.6	32	43.4	77	5	0.9	□
AQRVDR0432	4.32	21.6	32	43.4	77	5	0.9	□
AQRVDR0433	4.33	21.7	32	43.4	77	5	0.9	□
AQRVDR0434	4.34	21.7	32	43.4	77	5	0.9	□
AQRVDR0436	4.36	21.8	32	43.4	77	5	0.9	□
AQRVDR0437	4.37	21.9	32	43.5	77	5	0.9	□
AQRVDR0438	4.38	21.9	32	43.5	77	5	0.9	□
AQRVDR0439	4.39	22.0	32	43.5	77	5	0.9	□
AQRVDR0441	4.41	22.1	32	43.5	77	5	0.9	□
AQRVDR0442	4.42	22.1	32	43.5	77	5	0.9	□
AQRVDR0443	4.43	22.2	32	43.5	77	5	0.9	□
AQRVDR0444	4.44	22.2	32	43.5	77	5	0.9	□
AQRVDR0446	4.46	22.3	32	43.5	77	5	0.9	□
AQRVDR0447	4.47	22.4	32	43.5	77	5	0.9	□
AQRVDR0448	4.48	22.4	32	43.5	77	5	0.9	□
AQRVDR0449	4.49	22.5	32	43.6	77	5	0.9	□
AQRVDR0451	4.51	22.6	39	36.6	77	5	0.9	□
AQRVDR0452	4.52	22.6	39	36.6	77	5	0.9	□
AQRVDR0453	4.53	22.7	39	36.6	77	5	0.9	□
AQRVDR0454	4.54	22.7	39	36.6	77	5	0.9	□
AQRVDR0456	4.56	22.8	39	36.6	77	5	0.9	□
AQRVDR0457	4.57	22.9	39	36.6	77	5	0.9	□
AQRVDR0458	4.58	22.9	39	36.6	77	5	0.9	□
AQRVDR0459	4.59	23.0	39	36.6	77	5	1.0	□
AQRVDR0461	4.61	23.1	39	36.7	77	5	1.0	□
AQRVDR0463	4.63	23.2	39	36.7	77	5	1.0	□
AQRVDR0466	4.66	23.3	39	36.7	77	5	1.0	□
AQRVDR0467	4.67	23.4	39	36.7	77	5	1.0	□
AQRVDR0468	4.68	23.4	39	36.7	77	5	1.0	□
AQRVDR0469	4.69	23.5	39	36.7	77	5	1.0	□

LIST 9862 オーダ方法 Order 商品記号 Code

商品記号	直径	有効長	溝長	シャンク長	全長	シャンク径	先端	在庫
Code	DC	LU	LCF	LS	OAL	DCONMS	PL	Stock
AQRVDR0471	4.71	23.6	39	36.7	77	5	1.0	□
AQRVDR0472	4.72	23.6	39	36.8	77	5	1.0	□
AQRVDR0473	4.73	23.7	39	36.8	77	5	1.0	□
AQRVDR0474	4.74	23.7	39	36.8	77	5	1.0	□
AQRVDR0476	4.76	23.8	39	36.8	77	5	1.0	□
AQRVDR0477	4.77	23.9	39	36.8	77	5	1.0	□
AQRVDR0478	4.78	23.9	39	36.8	77	5	1.0	□
AQRVDR0479	4.79	24.0	39	36.8	77	5	1.0	□
AQRVDR0481	4.81	24.1	39	36.8	77	5	1.0	□
AQRVDR0482	4.82	24.1	39	36.8	77	5	1.0	□
AQRVDR0483	4.83	24.2	39	36.9	77	5	1.0	□
AQRVDR0484	4.84	24.2	39	36.9	77	5	1.0	□
AQRVDR0486	4.86	24.3	39	36.9	77	5	1.0	□
AQRVDR0487	4.87	24.4	39	36.9	77	5	1.0	□
AQRVDR0488	4.88	24.4	39	36.9	77	5	1.0	□
AQRVDR0489	4.89	24.5	39	36.9	77	5	1.0	□
AQRVDR0491	4.91	24.6	39	36.9	77	5	1.0	□
AQRVDR0492	4.92	24.6	39	36.9	77	5	1.0	□
AQRVDR0493	4.93	24.7	39	36.9	77	5	1.0	□
AQRVDR0494	4.94	24.7	39	36.9	77	5	1.0	□
AQRVDR0496	4.96	24.8	39	37.0	77	5	1.0	□
AQRVDR0497	4.97	24.9	39	37.0	77	5	1.0	□
AQRVDR0498	4.98	24.9	39	37.0	77	5	1.0	□
AQRVDR0499	4.99	25.0	39	37.0	77	5	1.0	□
AQRVDR0501	5.01	25.1	40	40.1	82	6	1.0	□
AQRVDR0502	5.02	25.1	40	40.2	82	6	1.0	□
AQRVDR0503	5.03	25.2	40	40.2	82	6	1.0	□
AQRVDR0504	5.04	25.2	40	40.2	82	6	1.0	□
AQRVDR0506	5.06	25.3	40	40.2	82	6	1.0	□
AQRVDR0507	5.07	25.4	40	40.2	82	6	1.1	□
AQRVDR0508	5.08	25.4	40	40.2	82	6	1.1	□
AQRVDR0509	5.09	25.5	40	40.2	82	6	1.1	□
AQRVDR0511	5.11	25.6	40	40.2	82	6	1.1	□
AQRVDR0512	5.12	25.6	40	40.2	82	6	1.1	□
AQRVDR0513	5.13	25.7	40	40.2	82	6	1.1	□
AQRVDR0514	5.14	25.7	40	40.3	82	6	1.1	□
AQRVDR0516	5.16	25.8	40	40.3	82	6	1.1	□
AQRVDR0517	5.17	25.9	40	40.3	82	6	1.1	□
AQRVDR0518	5.18	25.9	40	40.3	82	6	1.1	□
AQRVDR0519	5.19	26.0	40	40.3				