


## ●鋼からステンレス鋼そしてアルミまで、汎用コーティングドリルです。

This is general coated drills having jobbers length.



新商品

LIST 620P

オーダー方法 GTD 直径

直径2.0~6.9  
在庫品限り

単位 (Unit) : mm

直径 DC	溝長 ℓ	全長 LF	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
2.0	29	105	0.6	1	□	-
2.1						-
2.2	33	110	0.7			-
2.3						-
2.4	35					-
2.5						-
2.6	37		0.8			-
2.7						-
2.8	39	115				-
2.9						-
3.0	42		0.9			-
3.1						-
3.2		122	1			-
3.3	45					-
3.4						-
3.5						-
3.6	48	128	1.1			-
3.7						-
3.8	51					-
3.9						-
4.0			1.2			-
4.1	54	135				-
4.2			1.3			-
4.3						-
4.4	56					-
4.5			1.4			-
4.6	59	140				-
4.7						-
4.8			1.5			-
4.9	62					-
5.0						-
5.1			1.6			-
5.2	64	145				-
5.3						-
5.4			1.7			-
5.5	67	148				-
5.6						-
5.7			1.8			-
5.8	70	152				-
5.9						-
6.0			1.9			-
6.1						-
6.2						-
6.3			2			-
6.4	73	155				-
6.5						-
6.6						-
6.7						-
6.8						-
6.9						-
7.0			2.1			8,180
7.1	67	148				-
7.2			2.2			-
7.3						-
7.4						-
7.5						8,560
7.6						-
7.7	73	154	2.3			-
7.8						-
7.9			2.4			-

直径 DC	溝長 ℓ	全長 LF	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
8.0			2.4	1	●	8,600
8.1					-	-
8.2	73	154			□	-
8.3			2.5		-	-
8.4					-	-
8.5					●	8,790
8.6					-	-
8.7			2.6		□	-
8.8					-	-
8.9					-	-
9.0	79	160			●	9,040
9.1			2.7		-	-
9.2					□	-
9.3			2.8		-	-
9.4					-	-
9.5					●	9,250
9.6					-	-
9.7			2.9		□	-
9.8					-	-
9.9					-	-
10.0	85	166			●	9,810
10.1			3		-	-
10.2					□	-
10.3			3.1		-	-
10.4					-	-
10.5					●	10,100
10.6					-	-
10.7			3.2		□	-
10.8					-	-
10.9					-	-
11.0			3.3		●	10,900
11.1					-	-
11.2	91	172			□	-
11.3			3.4		-	-
11.4					-	-
11.5					●	11,500
11.6			3.5		-	-
11.7					□	-
11.8					-	-
11.9					-	-
12.0			3.6		●	11,700
12.1					-	-
12.2					□	-
12.3			3.7		-	-
12.4					-	-
12.5					●	12,300
12.6					-	-
12.7			3.8		□	-
12.8					-	-
12.9					-	-
13.0			3.9		●	12,400
13.1					-	-
13.2					□	-
13.3			4		-	-
13.4					-	-
13.5					●	13,700
13.6					-	-
13.7	105	186	4.1		□	-
13.8					-	-
13.9			4.2		-	-

超硬ドリル

ハイスドリル

タップ

超硬  
エンドミルハイス  
エンドミル

切断工具

バック・  
セット商品  
その他

精密工具

技術資料  
索引

新商品

超硬ドリル

← 前頁 Previous Page

単位 (Unit) : mm

直径 DC	溝長 ℓ	全長 LF	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
14.0	105	186	4.2	1	●	14,400
14.1						-
14.2						-
14.3			4.3		□	-
14.4						-
14.5	111	209			●	15,800
14.6						-
14.7			4.4		□	-
14.8						-
14.9						-
15.0			4.5		●	15,800
15.1						-
15.2						-
15.3			4.6		□	-
15.4						-
15.5	116	214			●	16,800
15.6						-
15.7			4.7		□	-
15.8						-
15.9						-
16.0			4.8		●	16,900
16.1						-
16.2						-
16.3			4.9		□	-
16.4						-
16.5	121	219			●	17,600
16.6						-
16.7			5		□	-
16.8						-
16.9						-
17.0			5.1	2	●	17,600
17.1						-
17.2						-
17.3			5.2		□	-
17.4						-
17.5	126	224			●	19,700
17.6						-
17.7			5.3		□	-
17.8						-
17.9						-
18.0			5.4		●	19,700
18.1						-
18.2						-
18.3			5.5		□	-
18.4						-
18.5	130	228			●	20,700
18.6						-
18.7			5.6		□	-
18.8						-
18.9						-
19.0			5.7		●	20,700
19.1						-
19.2						-
19.3			5.8		□	-
19.4						-
19.5	135	233			●	22,300
19.6						-
19.7			5.9		□	-
19.8						-
19.9			6			-

直径 DC	溝長 ℓ	全長 LF	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
20.0	135	233	6		●	22,300
20.1						-
20.2						-
20.3			6.1		□	-
20.4						-
20.5	140	238			●	25,900
20.6						-
20.7			6.2		□	-
20.8						-
20.9						-
21.0			6.3		●	25,900
21.1						-
21.2						-
21.3			6.4		□	-
21.4						-
21.5	145	243			●	28,400
21.6						-
21.7			6.5		□	-
21.8						-
21.9						-
22.0			6.6		●	28,900
22.1						-
22.2						-
22.3			6.7		□	-
22.4						-
22.5	149	247			●	30,100
22.6						-
22.7			6.8		□	-
22.8						-
22.9						-
23.0			6.9		●	31,600
23.1						-
23.2						-
23.3		270	7		□	-
23.4						-
23.5	154	275			●	32,500
23.6						-
23.7			7.1		□	-
23.8						-
23.9						-
24.0			7.2		●	35,100
24.1						-
24.2						-
24.3			7.3		□	-
24.4						-
24.5	159	280			●	37,000
24.6						-
24.7			7.4		□	-
24.8						-
24.9						-
25.0			7.5		●	37,500
25.1						-
25.2						-
25.3			7.6		□	-
25.4						-
25.5						-
25.6			7.7		●	38,500
25.7						-
25.8						-
25.9			7.8		□	-

単位 (Unit) : mm

直径 DC	溝長 ℓ	全長 LF	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)	
26.0	159	280	7.8	3	●	40,300	
26.1							
26.2							
26.3							
26.4							
26.5						●	41,900
26.6							
26.7							
26.8						□	
26.9							
27.0	163	284	8				
27.2							
27.3							
27.5							
27.6							
27.8							
28.0							
28.2						●	43,200
28.3							
28.5						□	
28.6	168	289	8.1				
28.7							
28.8							
29.0							
29.2							
29.3							
29.5							
29.6						●	45,100
29.7							
29.8						□	
29.9	172	293	8.5				
30.0							
30.5							
31.0							
31.5							
32.0					●	46,300	
32.5							
33.0					□		
33.5							
34.0					●	48,000	
34.5	177	298	8.6				
35.0							
35.5							
36.0							
36.5							
37.0							
37.5							
38.0							
38.5							
39.0							
39.5	200	345	8.7				
40.0							
40.5							
41.0							
41.5							
42.0							
42.5							
43.0							
43.5							
44.0							
44.5	205	350	8.8				
45.0							
45.5							
46.0							
46.5							
47.0							
47.5							
48.0							
48.5							
49.0							
49.5	210	355	8.9				
50.0							
50.5							
51.0							
51.5							
52.0							
52.5							
53.0							
53.5							
54.0							
54.5	215	360	9.0				
55.0							
55.5							
56.0							
56.5							
57.0							
57.5							
58.0							
58.5							
59.0							
59.5	220	365	9.1				
60.0							
60.5							
61.0							
61.5							
62.0							
62.5							
63.0							
63.5							
64.0							
64.5	225	370	9.2				
65.0							
65.5							
66.0							
66.5							
67.0							
67.5							
68.0							
68.5							
69.0							
69.5	230	375	9.3				
70.0							
70.5							
71.0							
71.5							
72.0							
72.5							
73.0							
73.5							
74.0							
74.5	235	380	9.4				
75.0							
75.5							
76.0							
76.5							
77.0							
77.5							
78.0							
78.5							
79.0							

直径 DC	溝長 ℓ	全長 LF	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
47.5	240	385	14.3	4		-
48.0			14.4			-
48.5			14.6			-
49.0			14.7			-
49.5			14.9			-
50.0	245	390	15	5		-
51.0			15.3			-
52.0			15.6			-
53.0			15.9			-
54.0			16.2			-
55.0	250	430	16.5		□	-
56.0			16.8			-
56.5			17			-
57.0			17.1			-
57.5			17.3			-
58.0	255	435	17.4			-
59.0			17.7			-
60.0			18			-
74.0			22.2			-
75.0	305	485	22.5			-

超硬ドリル

ハイスドリル

タップ

超硬  
エンドミルハイス  
エンドミル

切断工具

バック・  
セット商品  
その他

精密工具

技術資料  
索引

一般 構造用鋼	炭素鋼	合金鋼 調質鋼	ダイス鋼 プリハードン鋼	高硬度鋼	
SS400	S45C S50C	SCM NAK	30 ~ 40 HRC	40 ~ 50 HRC	50 ~ 65HRC
◎	◎	◎	○	×	×
ステンレス鋼		Ti 合金 耐熱合金	鋳鉄	アルミ合金	銅合金
SUS304 SUS316	SUS420	Ti / Ni Alloy	FC / FCD	AC / ADC	Cu
○	○	○	○	○	○

◎:最適 Excellent ○:適用 Good ×:不適 Not Used -:推奨しません Not recommended