


●もっとも広い用途で使用する汎用ドリルです。

This drill having long flute is general drills for deep holes.



LIST 650

オーダ方法 **LTD** 直径 × 全長

(□商品 : LTD 直径 × 全長 × 溝長)

(*印商品 : LTD 直径 × 全長 × 溝長 × MT シャンク)

直径4.0~6.9

在庫品限り

単位 (Unit) : mm

直径 DC	全長 LF	溝長 ℓ	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)	直径 DC	全長 LF	溝長 ℓ	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)				
4.0	200	120	1.2	1		-	7.5	375	250	2.3	1		-				
4.0	250	150				-	7.5	400					-				
4.0	300	200				-	7.5	400				275		-			
4.1	200	120	1.3			-	7.6	250	150	2.4			-				
4.2	200					-	7.7	250					-				
4.3	200					-	7.8	250					-				
4.4	200		1.4			-	7.9	250					-				
4.5	200					-	8.0	200	100				-				
4.6	200					-	8.0	225	125				-				
4.7	200	150	1.5			-	8.0	250	150			●	13,300				
4.8	200					-	8.0	275	175			□	-				
4.9	200					-	8.0	300	200			●	16,900				
5.0	250	150	1.6			-	8.0	325	200			□	-				
5.0	300					-	8.0	350	225			●	23,000				
5.0	350					-	8.0	375	250				-				
5.1	250		1.7			-	8.0	400	275				-				
5.2	250					-	8.0	400	300				-				
5.3	250					-	8.0	450	300				-				
5.4	250	200	1.8			-	8.0	500	325	2.5			-				
5.5	250					-	8.0	500	350				-				
5.6	250					-	8.0	600	350				-				
5.7	250		1.9			-	8.0	600	400				-				
5.8	250					-	8.0	700	450				-				
5.9	250					-	8.0	700	450				-				
6.0	250	150	2.0			-	8.0	800	500			2.6			-		
6.0	300					-	8.1	250	150						-		
6.1	250					-	8.1	300	200						-		
6.2	250		2.1			-	8.2	250	150						-		
6.3	250					-	8.2	300	200						-		
6.4	250					-	8.2	350	250						-		
6.5	250	200	2.2			-	8.3	250	150					-			
6.5	300					-	8.3	300	200					-			
6.5	350					-	8.4	250	150					-			
6.6	250		2.3			-	8.4	300	200					-			
6.7	250					-	8.5	200	100					-			
6.7	300					-	8.5	225	125					-			
6.8	250	150	2.4			-	8.5	250	150	●		13,100					
6.8	300					-	8.5	275	175	□		-					
6.9	250					-	8.5	300	200	●		16,700					
7.0	200		2.5			-	8.5	325	200	□		-					
7.0	225					-	8.5	350	225	●		22,300					
7.0	250					-	8.5	375	250			-					
7.0	275	200	2.6			-	8.5	400	275			-					
7.0	300					-	8.5	400	275			-					
7.0	325					-	8.5	500	325			-					
7.0	350		2.7			-	8.5	600	350			-					
7.0	375					-	8.6	250	150			-					
7.0	400					-	8.6	300	200			-					
7.0	400	150	2.8			-	8.7	250	150	2.9			-				
7.1	250					-	8.7	300	200				-				
7.2	250					-	8.7	350	250				-				
7.3	250		2.9			-	8.8	250	150				-				
7.4	250					-	8.8	300	200				-				
7.5	200					-	8.9	250	150				-				
7.5	225	200	3.0			-	8.9	300	200			3.0			-		
7.5	250					-	9.0	200	100						-		
7.5	275					-	9.0	225	125						-		
7.5	300		3.1			-	9.0	250	150					●	12,900		
7.5	325					-	9.0	275	175					□	-		
7.5	350					-	9.0	300	200					●	16,600		

単位 (Unit) : mm

直径 DC	全長 LF	溝長 ℓ	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
9.0	325	200	2.7	1	□	-
9.0	350	225			●	22,100
9.0	375	250				-
9.0	400					-
9.0	400	275				-
9.0	450	300				-
9.0	500	325				-
9.0	500	350				-
9.0	600					-
9.0	600	400				-
9.0	700	450			-	
9.0	800	500			-	
9.1	250	150			-	
9.1	300	200			-	
9.2	250	150	2.8			-
9.2	300	200				-
9.3	250	150				-
9.3	300	200				-
9.4	250	150				-
9.4	300	200				-
9.5	200	100	2.9			-
9.5	225	125				-
9.5	250	150			●	12,900
9.5	275	175			□	-
9.5	300	200			●	16,600
9.5	325				□	-
9.5	350	225			●	22,000
9.5	375	250				-
9.5	400					-
9.5	400	275				-
9.5	450	300			-	
9.5	500	325			-	
9.5	600	350			-	
9.6	250	150			-	
9.6	300	200			-	
9.7	250	150			-	
9.7	300	200			-	
9.8	250	150			-	
9.8	300	200			-	
9.9	250	150			-	
9.9	300	200		-		
10.0	200	100	3		-	
10.0	225	125			-	
10.0	250	150		●	12,900	
10.0	275	175		□	-	
10.0	300	200		●	16,600	
10.0	325			□	-	
10.0	350	225		●	22,000	
10.0	375	250			-	
10.0	400				-	
10.0	400	275			-	
10.0	450	300			-	
10.0	500	325			-	
10.0	500	350			-	
10.0	600			□	-	
10.0	600	400			-	
10.0	700				-	
10.0	800	500			-	
10.0	1000	600			-	
10.1	250	150			-	

直径 DC	全長 LF	溝長 ℓ	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
10.1	300	200	3	1	□	-
10.2	250	150	3.1			-
10.2	300	200				-
10.3	250	150				-
10.3	300	200				-
10.3	350	250				-
10.3	400	275				-
10.4	250	150				-
10.4	300	200				-
10.5	200	100				-
10.5	225	125			-	
10.5	250	150	●		12,500	
10.5	275	175	□		-	
10.5	300	200	●		16,000	
10.5	325		□		-	
10.5	350	225	●		21,200	
10.5	375	250	-			
10.5	400		-			
10.5	400	275	-			
10.5	450	300	-			
10.5	500	325	-			
10.5	500	350	-			
10.5	600	-	-			
10.6	250	150	□		-	
10.6	300	200			-	
10.7	250	150			-	
10.7	300	200			-	
10.8	250	150			-	
10.8	300	200			-	
10.9	250	150			-	
10.9	300	200			-	
11.0	200	100			-	
11.0	225	125			-	
11.0	250	150	●		12,500	
11.0	275	175	□		-	
11.0	300	200	●		16,000	
11.0	325		□		-	
11.0	350	225	●		21,200	
11.0	375	250	-			
11.0	400		-			
11.0	400	275	-			
11.0	450	300	-			
11.0	500	325	-			
11.0	500	350	-			
11.0	600	400	-			
11.0	700	450	-			
11.0	800	500	-			
11.0	1000	600	□	-		
11.1	250	150	-			
11.1	300	200	-			
11.2	250	150	3.4	-		
11.2	300	200		-		
11.3	250	150		-		
11.3	300	200		-		
11.4	250	150		-		
11.4	300	200		-		
11.5	225	125	3.5	-		
11.5	250	150		●	12,900	
11.5	275	175		□	-	

超硬ドリル

ハイスドリル

タップ

超硬
エンドミルハイス
エンドミル

切断工具

バック・
セット商品
その他

精密工具

技術資料
索引

← 前頁 Previous Page

単位 (Unit) : mm

新商品

超硬ドリル

ハイスドリル

タップ

超硬
エンドミルハイス
エンドミル

切断工具

バック・
セット商品
その他

精密工具

技術資料
索引

直径 DC	全長 LF	溝長 ℓ	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
11.5	300				●	16,200
11.5	325	200			□	-
11.5	350	225			●	21,500
11.5	375	250				-
11.5	400					-
11.5	400	275				-
11.5	450	300				-
11.5	500	325				-
11.5	500					-
11.5	600	350				-
11.6	250	150			□	-
11.6	300	200				-
11.7	250	150				-
11.7	300	200				-
11.8	250	150				-
11.8	300	200				-
11.9	250	150				-
11.9	300	200				-
12.0	225	125				-
12.0	250	150			●	13,000
12.0	275	175			□	-
12.0	300				●	16,600
12.0	325	200			□	-
12.0	350	225			●	21,700
12.0	375					-
12.0	400	250				-
12.0	400	275				-
12.0	450	300				-
12.0	500	325				-
12.0	500					-
12.0	600	350				-
12.0	600	400				-
12.0	700	450				-
12.0	800	500				-
12.0	1000	600				-
12.1	250	150			□	-
12.1	300	200				-
12.1	350	250				-
12.2	250	150				-
12.2	300	200				-
12.2	350	250				-
12.2	500	350				-
12.3	250	150				-
12.3	300	200				-
12.3	350	250				-
12.4	250	150				-
12.4	300	200				-
12.4	350	250				-
12.5	225	125			●	13,100
12.5	250	150			□	-
12.5	275	175			●	16,800
12.5	300				□	-
12.5	325	200			●	22,000
12.5	350	225				-
12.5	350					-
12.5	375	250				-
12.5	400					-
12.5	400	275				-
12.5	450	300				-
12.5	500	325				-
12.5	500					-
12.5	600	350				-
12.5	600	400			□	-
12.6	250	150				-
12.6	300	200				-
12.6	350	250				-
12.7	250	150				-
12.7	300	200				-
12.7	350	250				-
12.7	400	275				-

直径 DC	全長 LF	溝長 ℓ	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
12.7	500	325				-
12.8	250	150				-
12.8	300	200				-
12.8	350	250				-
12.8	400	275				-
12.8	500	325			□	-
12.9	250	150				-
12.9	300	200				-
12.9	350	250				-
13.0	225	125				-
13.0	250	150			●	13,600
13.0	275	175			□	-
13.0	300				●	16,900
13.0	325	200			□	-
13.0	350	225			●	22,300
13.0	375					-
13.0	400	250				-
13.0	400	275				-
13.0	450	300				-
13.0	500	325				-
13.0	500					-
13.0	600	350				-
13.0	600					-
13.0	700	400				-
13.0	700	450				-
13.0	800	500				-
13.0	1000	600				-
13.1	300	200				-
13.1	350	225				-
13.1	350	250				-
13.1	400	275			□	-
13.1	500	325				-
13.2	300	200				-
13.2	350	225				-
13.2	350	250				-
13.2	400	275				-
13.2	500	325				-
13.3	300	200				-
13.3	350	225				-
13.3	350	250				-
13.3	400	275				-
13.4	300	200				-
13.4	350	225				-
13.4	350	250				-
13.4	400	275				-
13.5	225	125				-
13.5	250	150			●	13,600
13.5	275	175			□	-
13.5	300				●	17,300
13.5	325	200			□	-
13.5	350	225			●	22,400
13.5	375					-
13.5	400	250				-
13.5	400	275				-
13.5	450	300				-
13.5	500	325				-
13.5	500					-
13.5	600	350				-
13.5	600	400				-
13.5	800	500				-
13.6	300	200			□	-
13.6	350	225				-
13.6	350	250				-
13.6	400	275				-
13.7	300	200				-
13.7	350	225				-
13.7	350	250				-
13.7	400	275				-
13.7	500	325				-
13.8	300	200				-

単位 (Unit) : mm

	直径 DC	全長 LF	溝長 ℓ	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
※	13.8	350	225	4.1	1	□	-
	13.8	350	250				-
	13.8	400	275				-
	13.8	500	325				-
	13.9	300	200	-			
	13.9	350	225	-			
	13.9	350	250	-			
	13.9	400	275	-			
	14.0	225	125	-			
	14.0	250	150	-			
	14.0	275	175	-			
	14.0	300	200	-			
	14.0	325	200	-			
	14.0	350	225	-			
	14.0	375	250	-			
	14.0	400	250	-			
	14.0	400	275	-			
	14.0	450	300	-			
	14.0	500	325	-			
	14.0	500	350	-			
	14.0	600	400	-			
	14.0	600	400	-			
	* 14.0	700	450	-			
	* 14.0	700	500	-			
	* 14.0	800	500	-			
	* 14.0	800	600	-			
	* 14.0	1000	800	-			
	* 14.0	1200	800	-			
	* 14.1	300	200	-			
	14.1	300	200	-			
	14.1	350	225	-			
	14.1	350	250	-			
	14.1	400	250	-			
	14.1	400	275	-			
	14.1	500	350	-			
	14.1	500	375	-			
	14.1	600	425	-			
	* 14.2	300	200	-			
	14.2	300	200	-			
	14.2	350	225	-			
	14.2	350	250	-			
	14.2	400	275	-			
14.2	400	275	-				
14.2	500	350	-				
14.2	500	375	-				
14.2	600	425	-				
* 14.3	300	200	-				
14.3	300	200	-				
14.3	350	225	-				
14.3	350	250	-				
14.3	400	250	-				
14.3	400	275	-				
14.3	500	350	-				
14.3	500	375	-				
14.3	600	425	-				
* 14.4	300	200	-				
14.4	300	200	-				
14.4	350	225	-				
14.4	350	250	-				
14.4	400	250	-				
14.4	400	275	-				
14.4	500	350	-				
14.4	500	375	-				
14.4	600	425	-				
14.5	250	125	-				
14.5	275	150	-				
14.5	300	175	-				
14.5	325	200	-				
14.5	350	225	-				
14.5	375	250	-				

直径 DC	全長 LF	溝長 ℓ	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
14.5	400	250	4.4	2	□	-
14.5	400	275				-
14.5	425	275				-
14.5	450	300				-
14.5	475	325				-
14.5	500	350				-
14.5	500	375				-
14.5	600	400				-
14.5	600	425				-
14.5	700	450				-
14.5	700	450				-
14.5	800	500				-
14.5	800	500				-
14.5	1000	600				-
* 14.6	300	200				-
14.6	300	200				-
14.6	350	225				-
14.6	350	250				-
14.6	400	250				-
14.6	400	275				-
14.6	500	350				-
14.6	500	375				-
14.6	600	425				-
* 14.7	300	200	4.5	2	□	-
14.7	300	200				-
14.7	350	225				-
14.7	350	250				-
14.7	400	275				-
14.7	400	275				-
14.7	500	350				-
14.7	500	375				-
14.7	600	425				-
* 14.8	300	200				-
14.8	300	200				-
14.8	350	225				-
14.8	350	250				-
14.8	400	250				-
14.8	400	275				-
14.8	500	350				-
14.8	500	375				-
14.8	600	425				-
* 14.9	300	200				-
14.9	300	200				-
14.9	350	225				-
14.9	350	250				-
14.9	400	250				-
14.9	400	275				-
14.9	500	350				-
14.9	500	375				-
14.9	600	425				-
15.0	250	125				-
15.0	275	150				-
15.0	300	175				-
15.0	325	200				-
15.0	350	225				-
15.0	375	250				-
15.0	400	275				-
15.0	425	275				-
15.0	450	300				-
15.0	475	325				-
15.0	500	350				-
15.0	500	375				-
15.0	600	400				-
15.0	600	425				-
15.0	700	450				-
15.0	700	450				-
15.0	800	500				-
15.0	800	500				-
15.0	1000	600				-

新商品

超硬ドリル

ハイスドリル

タップ

超硬
エンドミル

ハイス
エンドミル

切断工具

バック・
セット商品

その他

精密工具

技術資料

索引

※特定代理店在庫品限りです。
This product is for sale while stock lasts.

← 前頁 Previous Page

単位 (Unit) : mm

新商品

超硬ドリル

ハイスドリル

タップ

超硬
エンドミルハイス
エンドミル

切断工具

バック・
セット商品
その他

精密工具

技術資料
索引

直径 DC	全長 LF	溝長 ℓ	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
15.1	300	175	4.5	2	□	-
15.1	350	225				-
15.1	350					-
15.1	400	250				-
15.1	400	275				-
15.1	500	350				-
15.1	500	375				-
15.1	600	400				-
15.1	600	425				-
15.2	300	175				-
15.2	350	225				-
15.2	350					-
15.2	400	250				-
15.2	400	275				-
15.2	500	350				-
15.2	500	375				-
15.2	600	400	-			
15.2	600	425	-			
15.3	300	175	4.6			-
15.3	350	225				-
15.3	350					-
15.3	400	250				-
15.3	400	275				-
15.3	500	350				-
15.3	500	375				-
15.3	600	400				-
15.3	600	425				-
15.4	300	175				-
15.4	350	225				-
15.4	350					-
15.4	400	250				-
15.4	400	275				-
15.4	500	350			-	
15.4	500	375			-	
15.4	600	400	-			
15.4	600	425	-			
15.5	250	125	4.7		●	21,000
15.5	275	150			□	-
15.5	300	175			●	26,300
15.5	325	200			□	-
15.5	350	225			●	31,300
15.5	375				□	-
15.5	400	250			●	34,400
15.5	400					-
15.5	425	275				-
15.5	450	300				-
15.5	475	325				-
15.5	500	350				-
15.5	500	375				-
15.5	600	400				-
15.5	600	425				-
15.5	700	450				-
15.5	700				-	
15.5	800	500			-	
15.5	800	600			-	
15.6	300	175	4.7		□	-
15.6	350	225				-
15.6	350					-
15.6	400	250				-
15.6	400	275				-
15.6	500	350				-
15.6	500	375				-
15.6	600	400				-
15.6	600	425				-
15.7	300	175				-
15.7	350	225				-
15.7	350					-
15.7	400	250				-
15.7	400	275				-
15.7	500	350				-

直径 DC	全長 LF	溝長 ℓ	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)	
15.7	500	375	4.7	2	□	-	
15.7	600	400				-	
15.7	600	425				-	
15.8	300	175				-	
15.8	350	225				-	
15.8	350					-	
15.8	400	250				-	
15.8	400	275				-	
15.8	500	350				-	
15.8	500	375				-	
15.8	600	400				-	
15.8	600	425				-	
15.9	300	175				-	
15.9	350	225				-	
15.9	350	250				-	
15.9	400					-	
15.9	400	275	-				
15.9	500	350	-				
15.9	500	375	-				
15.9	600	400	-				
15.9	600	425	-				
16.0	250	125	4.8		●	21,000	
16.0	275	150			□	-	
16.0	300	175			●	26,300	
16.0	325	200			□	-	
16.0	350	225			●	31,300	
16.0	375				□	-	
16.0	400	250			●	34,400	
16.0	400	275				-	
16.0	425					-	
16.0	450	300				-	
16.0	475	325				-	
16.0	500	350				-	
16.0	500	375				-	
16.0	600	400				-	
16.0	600	425				-	
16.0	700	450				-	
16.0	700	500				-	
16.0	800					-	
16.0	800	600				-	
16.0	1000					-	
16.0	1200	800				-	
16.1	350	225			4.9	□	-
16.1	350	250					-
16.1	400						-
16.1	400	275	-				
16.1	500	350	-				
16.1	500	375	-				
16.1	600	400	-				
16.1	600	425	-				
16.2	350	225	-				
16.2	350	250	-				
16.2	400		-				
16.2	400	275	-				
16.2	500	350	-				
16.2	500	375	-				
16.2	600	400	-				
16.2	600	425	-				
16.3	350	225	-				
16.3	350	250	-				
16.3	400		-				
16.3	400	275	-				
16.3	500	350	-				
16.3	500	375	-				
16.3	600	400	-				
16.3	600	425	-				
16.4	350	225	-				
16.4	350	250	-				
16.4	400		-				
16.4	400	275	-				

※ 特定代理店在庫品限りです。
This product is for sale while stock lasts.

単位 (Unit) : mm

直径 DC	全長 LF	溝長 ℓ	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
16.4	500	350	4.9		□	-
16.4	500	375				-
16.4	600	400				-
16.4	600	425				-
16.5	250	125				-
16.5	275	150				-
16.5	300	175				-
16.5	325	200				● 21,300
16.5	350	225				□ -
16.5	375	250				● 26,900
16.5	400		5		□	-
16.5	400	275				-
16.5	425					● 32,200
16.5	450	300				□ -
16.5	475	325				● 35,300
16.5	500	350				-
16.5	500	375				-
16.5	600	400				-
16.5	600	425				-
16.5	700	450				-
16.5	700	500	2		□	-
16.5	800					-
16.5	800	600				-
16.6	350	225				-
16.6	350	250				-
16.6	400					-
16.6	400	275				-
16.6	500	350				-
16.6	500	375				-
16.6	600	400				-
16.6	600	425	5.1		●	-
16.6	600	425				-
16.7	350	225				-
16.7	350	250				-
16.7	400					-
16.7	400	275				-
16.7	500	350				-
16.7	500	375				-
16.7	600	400				-
16.7	600	425				-
16.8	350	225			□	-
16.8	350	250				-
16.8	400					-
16.8	400	275				-
16.8	500	350				-
16.8	500	375				-
16.8	600	400				-
16.8	600	425				-
16.9	350	225				-
16.9	350	250				-
16.9	400		5.1		●	-
16.9	400	275				-
16.9	500	350				-
16.9	500	375				-
16.9	600	400				-
16.9	600	425				-
17.0	250	125				-
17.0	275	150				-
17.0	300	175				-
17.0	325	200				● 22,300
17.0	350	225			□	-
17.0	375	250				-
17.0	400					● 27,800
17.0	400	275				-
17.0	425					● 33,100
17.0	450	300				□ -
17.0	475	325				● 36,600
17.0	500	350				-
17.0	500	375				-
17.0	600	400				-
17.0	600	425			□	-

直径 DC	全長 LF	溝長 ℓ	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
17.0	700	450	5.1		□	-
17.0	700	500				-
17.0	800					-
17.0	800	600				-
17.0	1000					-
17.1	400	250				-
17.1	400	275				-
17.1	500	350				-
17.1	500	375				-
17.2	400	250	5.2		□	-
17.2	400	275				-
17.2	500	350				-
17.2	500	375				-
17.3	400	250				-
17.3	400	275				-
17.3	500	350				-
17.3	500	375				-
17.4	400	250				-
17.4	400	275	5.3	2	□	-
17.4	500	350				-
17.4	500	375				-
17.5	250	125				-
17.5	275	150				-
17.5	300	175				-
17.5	325	200				● 23,100
17.5	350	225				□ -
17.5	375	250				● 28,800
17.5	400					-
17.5	400	275				□ -
17.5	425					● 34,300
17.5	450	300				□ -
17.5	475	325	5.4		●	-
17.5	500	350				-
17.5	500	375				-
17.5	600	400				-
17.5	600	425				-
17.5	700	450				-
17.5	700	500				-
17.5	800					-
17.5	800	600				-
17.6	400	250				-
17.6	400	275	5.3		□	-
17.6	500	350				-
17.6	500	375				-
17.7	400	250				-
17.7	400	275				-
17.7	500	350				-
17.7	500	375				-
17.8	400	250				-
17.8	400	275				-
17.8	500	350				-
17.8	500	375	5.4		●	-
17.9	400	250				-
17.9	400	275				-
17.9	500	350				-
17.9	500	375				-
18.0	275	150				-
18.0	300	175				-
18.0	300					-
18.0	325	200				● 24,500
18.0	350	225				□ -
18.0	375		5.4		●	-
18.0	400	250				-
18.0	400	275				-
18.0	400					-
18.0	425	275				● 30,400
18.0	450	300				□ -
18.0	475	325				-
18.0	500	350				● 36,500
18.0	500	375				□ -
18.0	600	400				● 40,300

新商品

超硬ドリル

ハイスドリル

タップ

超硬
エンドミル

ハイス
エンドミル

切断工具

バック・
セット商品
その他

精密工具

技術資料
索引

← 前頁 Previous Page

単位 (Unit) : mm

	直径 DC	全長 LF	溝長 ℓ	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)		直径 DC	全長 LF	溝長 ℓ	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
新商品	18.0	600	425				-		19.0	500	350				-
	18.0	700	450				-		19.0	500	375				-
	18.0	700					-		19.0	600	400				-
	18.0	800	500				-		19.0	600	425				-
	18.0	800					-		19.0	700	450				-
	18.0	1000	600				-		19.0	700					-
※ 超硬ドリル	18.0	1200	800				-		19.0	800	500				-
	18.1	400	250				-		19.0	800					-
	18.1	400	275				-		19.0	800	600				-
	18.1	500	350				-		19.0	1000					-
	18.1	500	375				-		19.1	400	250				-
	18.2	400	250				-		19.1	400	275				-
	18.2	400	275				-		19.1	500	350				-
	18.2	400	275				-		19.1	500	375				-
	18.2	500	350				-		19.1	500	375				-
ハイスドリル	18.2	500	375				-		19.2	400	250				-
	18.3	400	250				-		19.2	400	275				-
	18.3	400	275				-		19.2	500	350				-
	18.3	400	275				-		19.2	500	375				-
	18.3	500	350				-		19.2	500	375				-
	18.3	500	375				-		19.3	400	250				-
	18.4	400	250				-		19.3	400	275				-
タップ	18.4	400	275				-		19.3	400	275				-
	18.4	500	350				-		19.3	500	350				-
	18.4	500	375				-		19.3	500	375				-
	18.5	275	150				-		19.4	400	250				-
	18.5	300	175				-		19.4	400	275				-
	18.5	300					-		19.4	500	350				-
	18.5	325	200				-		19.4	500	375				-
※ 超硬 エンドミル	18.5	350	225			●	25,800		19.5	275	150				-
	18.5	375				□	-		19.5	300	175				-
	18.5	375	250			●	32,200		19.5	300					-
	18.5	400				□	-		19.5	300	200				-
	18.5	400				●	-		19.5	325					-
	18.5	400	275			□	-		19.5	350	225				-
	18.5	425				●	38,100		19.5	375					-
	18.5	450	300			□	-		19.5	400	250				-
	18.5	475	325			●	41,900		19.5	400	275				-
ハイス エンドミル	18.5	500	350			●	-		19.5	425	275				-
	18.5	500	375				-		19.5	450	300				-
	18.5	600	400				-		19.5	475	325				-
	18.5	600	425				-		19.5	500	350				-
	18.5	700	450				-		19.5	500	375				-
	18.5	700					-		19.5	600	400				-
	18.5	800	500				-		19.5	600	425				-
切断工具	18.5	800					-		19.5	700	450				-
	18.5	1000	600				-		19.5	700	500				-
	18.6	400	250				-		19.5	800					-
	18.6	400	275				-		19.5	800	600				-
	18.6	500	350				-		19.6	400	250				-
	18.6	500	375				-		19.6	400	275				-
	18.7	400	250				-		19.6	500	350				-
	18.7	400	275				-		19.6	500	375				-
バック・ セット商品 その他	18.7	500	350				-		19.7	400	250				-
	18.7	500	375				-		19.7	400	275				-
	18.8	400	250				-		19.7	500	350				-
	18.8	400	275				-		19.7	500	375				-
	18.8	500	350				-		19.8	400	250				-
	18.8	500	375				-		19.8	400	275				-
精密工具	18.9	400	250				-		19.8	500	350				-
	18.9	400	275				-		19.8	500	375				-
	18.9	500	350				-		19.9	400	250				-
	18.9	500	375				-		19.9	400	275				-
	19.0	275	150				-		19.9	500	350				-
	19.0	300	175				-		19.9	500	375				-
	19.0	300					-		20.0	275	150				-
	19.0	325	200				-		20.0	300	175				-
技術資料 索引	19.0	350	225			●	26,000		20.0	300	200				-
	19.0	375				□	-		20.0	325					-
	19.0	400	250			●	32,200		20.0	350	225				-
	19.0	400				□	-		20.0	375					-
	19.0	400				●	-		20.0	400	250				-
	19.0	425	275			□	-		20.0	400	275				-
	19.0	450	300			●	38,100		20.0	425					-
	19.0	475	325			□	-		20.0	450	300				-
						●	42,200								-

※特定代理店在庫品限りです。
This product is for sale while stock lasts.

単位 (Unit) : mm

直径 DC	全長 LF	溝長 ℓ	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
20.0	475	325	6		●	43,500
20.0	500	350				-
20.0	500	375				-
20.0	600	400				-
20.0	600	425				-
20.0	700	450				-
20.0	700	500				-
20.0	800					-
20.0	800	600				-
20.0	1000					-
20.0	1200	800				-
20.0	1500	1000				-
20.1	400	250	6.1		□	-
20.1	400	275				-
20.1	500	350				-
20.1	500	375				-
20.2	400	250				-
20.2	400	275				-
20.2	500	350				-
20.2	500	375				-
20.3	400	250				-
20.3	400	275				-
20.3	500	350	6.2	2	●	28,300
20.3	500	375			□	-
20.4	400	250			●	35,200
20.4	400	275			□	-
20.4	500	350			●	41,100
20.4	500	375			□	-
20.5	275	150			●	45,900
20.5	300	175				-
20.5	325	200				-
20.5	350	225				-
20.5	375	250	6.3		□	-
20.5	400					-
20.5	400	275				-
20.5	425					-
20.5	450	300				-
20.5	475	325				-
20.5	500	350				-
20.5	500	375				-
20.5	600	400				-
20.5	600	425				-
20.5	700	450	6.4			-
20.5	700	500				-
20.5	800					-
20.5	800	600				-
20.6	400	250				-
20.6	400	275				-
20.6	500	350				-
20.6	500	375				-
20.7	400	250				-
20.7	400	275				-
20.7	500	350	6.5	2	●	28,300
20.7	500	375			□	-
20.8	400	250			●	35,200
20.8	400	275			□	-
20.8	500	350			●	41,100
20.8	500	375			□	-
20.8	500	375			●	45,900
20.8	500	375				-
20.9	400	250				-
20.9	400	275				-
20.9	500	350	6.6			-
20.9	500	375				-
21.0	275	150				-
21.0	300	175				-
21.0	325	200				-
21.0	350	225				-
21.0	350	225				-
21.0	375	250				-
21.0	400					-
21.0	400	275				-
21.0	400	275	6.7			-
21.0	400	275				-
21.0	400	275				-
21.0	400	275				-
21.0	400	275				-
21.0	400	275				-
21.0	400	275				-
21.0	400	275				-
21.0	400	275				-
21.0	400	275				-

直径 DC	全長 LF	溝長 ℓ	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
21.0	425	275	6.3		●	41,700
21.0	450	300			□	-
21.0	475	325			●	46,600
21.0	500	350				-
21.0	500	375				-
21.0	600	400				-
21.0	600	425				-
21.0	700	450				-
21.0	700					-
21.0	800	500				-
21.0	800		6.4			-
21.0	800	600				-
21.0	1000					-
21.1	400	250			□	-
21.1	400	275				-
21.2	400	250				-
21.2	400	275				-
21.3	400	250				-
21.3	400	275				-
21.4	400	250				-
21.4	400	275	6.5			-
21.5	275	150				-
21.5	300	175				-
21.5	325	200			●	29,600
21.5	350	225			□	-
21.5	375	250			●	36,800
21.5	400				□	-
21.5	400	275				-
21.5	425				●	43,200
21.5	450	300			□	-
21.5	475	325	6.6		●	48,500
21.5	500	350				-
21.5	500	375				-
21.5	600	400				-
21.5	600	425				-
21.5	700	450				-
21.5	700	500				-
21.5	800					-
21.5	800	600				-
21.6	400	250			□	-
21.6	400	275	6.7			-
21.7	400	250				-
21.7	400	275				-
21.8	400	250				-
21.8	400	275				-
21.9	400	250				-
21.9	400	275				-
22.0	275	150				-
22.0	300	175				-
22.0	325	200			●	30,000
22.0	350	225	6.8		□	-
22.0	375	250			●	37,000
22.0	400				□	-
22.0	400	275				-
22.0	425				●	43,500
22.0	450	300			□	-
22.0	475	325			●	49,500
22.0	500	350				-
22.0	500	375				-
22.0	600	400				-
22.0	600	425	6.9			-
22.0	700	450				-
22.0	700					-
22.0	800	500				-
22.0	800					-
22.0	800	600				-
22.0	1000					-
22.1	400	250				-
22.1	400	275				-
22.2	400	250				-
22.2	400	275	7.0			-
22.2	400	275				-
22.2	400	275				-
22.2	400	275				-
22.2	400	275				-
22.2	400	275				-
22.2	400	275				-
22.2	400	275				-
22.2	400	275				-
22.2	400	275				-

新商品

超硬ドリル

ハイスドリル

タップ

超硬
エンドミル

ハイス
エンドミル

切断工具

バック・
セット商品
その他

精密工具

技術資料
索引

※特定代理店在庫品限りです。
This product is for sale while stock lasts.

← 前頁 Previous Page

単位 (Unit) : mm

新商品

超硬ドリル

ハイスドリル

タップ

超硬
エンドミルハイス
エンドミル

切断工具

バック・
セット商品
その他

精密工具

技術資料
索引

直径 DC	全長 LF	溝長 ℓ	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)	
22.3	400	275	6.7	2		-	
22.4	400	250				-	
22.4	400	275				-	
22.5	275	150				-	
22.5	300	175	6.8			-	
22.5	325	200			●	31,400	
22.5	350	225			□	-	
22.5	375	250			●	39,200	
22.5	400				□	-	
22.5	400				-		
22.5	425				●	45,900	
22.5	450	300			□	-	
22.5	475	325			●	51,300	
22.5	500	350					-
22.5	500	375				-	
22.5	600	400				-	
22.5	600	425				-	
22.5	700	450				-	
22.5	700	500				-	
22.5	800					-	
22.5	800					-	
22.6	400					250	-
22.6	400	275				□	-
22.7	400	250				-	
22.7	400	275				-	
22.8	400	250				-	
22.8	400	275				-	
22.9	400	250				-	
22.9	400	275	-				
23.0	275	150	-				
23.0	300	175	-				
23.0	325	200	●			32,200	
23.0	350	225	□			-	
23.0	375	250	●		39,600		
23.0	400		□		-		
23.0	400		●		46,800		
23.0	425		300		□	-	
23.0	450	325	●		52,100		
23.0	475	350				-	
23.0	500	375			-		
23.0	600	400			-		
23.0	600	425			-		
23.0	700	450		-			
23.0	700	500		-			
23.0	800			-			
23.0	800			-			
23.0	1000			-			
23.1	400	250		□	-		
23.1	400	275		-			
23.2	400	250		7	-		
23.2	400	275			-		
23.3	400	250			-		
23.3	400	275			-		
23.4	400	250			-		
23.4	400	275	-				
23.5	325	175	-				
23.5	350	200	3		●	39,200	
23.5	350	225		□	-		
23.5	375			●	45,500		
23.5	400			□	-		
23.5	425			-			
23.5	450	300		●	52,900		
23.5	450	325		□	-		
23.5	475	350		-			
23.5	500			●	65,000		
23.5	500			375	□	-	
23.5	550			350	-		
23.5	600	400		●	79,500		

直径 DC	全長 LF	溝長 ℓ	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
23.5	600	425	7.1		□	-
23.5	700	450				-
23.5	700	500				-
23.5	800					-
23.5	800	600				-
23.6	400	250				-
23.6	400	275				-
23.7	400	250				-
23.7	400	275				-
23.8	400	250				-
23.8	400	275				-
23.9	400	250				-
23.9	400	275				-
24.0	325	175	-			
24.0	350	200	7.2		●	40,300
24.0	350	225			□	-
24.0	375				-	
24.0	400	250			●	45,900
24.0	400	275			□	-
24.0	425	300			-	
24.0	450				●	53,700
24.0	450	325			□	-
24.0	475	350			-	
24.0	500				●	65,800
24.0	500	375			□	-
24.0	550	350			-	
24.0	600	400			●	80,800
24.0	600	425	-			
24.0	700	450	-			
24.0	700	500	-			
24.0	800		-			
24.0	800	600	-			
24.0	1000	-				
24.1	400	250	7.3	□	-	
24.1	400	275			-	
24.2	400	250			-	
24.2	400	275			-	
24.3	400	250			-	
24.3	400	275			-	
24.4	400	250			-	
24.4	400	275			-	
24.5	325	175			-	
24.5	350	200			●	41,300
24.5	350	225			□	-
24.5	375				-	
24.5	400	250			●	47,200
24.5	400	275	□	-		
24.5	425	300	-			
24.5	450		●	54,900		
24.5	450	325	□	-		
24.5	475	350	-			
24.5	500		●	66,800		
24.5	500	375	□	-		
24.5	550	350	-			
24.5	600	400	●	82,000		
24.5	600	425	-			
24.5	700	450	-			
24.5	700	500	-			
24.5	800		-			
24.5	800	600	-			
24.6	400	250	7.4	□	-	
24.6	400	275			-	
24.7	400	250			-	
24.7	400	275			-	
24.8	400	250			-	
24.8	400	275			-	
24.9	400	250			-	
24.9	400	275			-	
25.0	325	175			-	
25.0	350	200			●	42,200

単位 (Unit) : mm

	直径 DC	全長 LF	溝長 ℓ	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
※ ※	25.0	350	225	7.5	3	□	-
	25.0	375				●	-
	25.0	400	250			●	48,300
	25.0	400	275			□	-
	25.0	425				□	-
	25.0	450	300			●	56,100
	25.0	450	325			□	-
	25.0	475				□	-
	25.0	500	350			●	68,100
	25.0	500	375			□	-
	25.0	550	350			□	-
	25.0	600	400			●	83,400
	25.0	600	425			□	-
	25.0	700	450				-
	25.0	700	500				-
	25.0	800					-
	25.0	800	600				-
	25.0	1000					-
	25.0	1200	800				-
	25.0	1500	1000				-
	25.1	400	250	□			-
	25.1	400	275				-
	25.2	400	250			-	
	25.2	400	275			-	
	25.3	400	250			-	
	25.3	400	275			-	
	25.4	400	250			-	
	25.4	400	275			-	
	25.5	325	175			-	
	25.5	350	200			●	43,200
	25.5	350	225	□		-	
	25.5	375		●		49,500	
	25.5	400	250	□		-	
	25.5	425	275	●		56,600	
	25.5	450	300	□		-	
	25.5	475	325	●		69,600	
	25.5	500	350	□		-	
	25.5	500	375	□		-	
	25.5	550	350			●	85,300
	25.5	600	400			□	-
	25.5	600	425				-
	25.5	700	450				-
	25.5	700	500				-
	25.5	800	600				-
	25.6	400	250				-
	25.6	400	275				-
25.7	400	250	-				
25.7	400	275	-				
25.8	400	250	-				
25.8	400	275	-				
25.9	400	250	-				
25.9	400	275	-				
26.0	325	175	-				
26.0	350	200	●	43,500			
26.0	350	225	□	-			
26.0	375		●	50,300			
26.0	400	250	□	-			
26.0	400	275	□	-			
26.0	425	300	●	58,500			
26.0	450		□	-			
26.0	450	325	□	-			
26.0	475	350	●	71,200			
26.0	500		□	-			
26.0	500	375	●	87,400			
26.0	550	350	□	-			
26.0	600	400	●	-			
26.0	600	425	□	-			

※
※

直径 DC	全長 LF	溝長 ℓ	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)	
26.0	700	450	7.8	3		-	
26.0	700	500				-	
26.0	800					-	
26.0	800	600				-	
26.0	1000					-	
26.1	400	250				-	
26.1	400	275	7.9			-	
26.2	400	250				-	
26.2	400	275				-	
26.3	400	250				-	
26.3	400	275				-	
26.4	400	250				-	
26.4	400	275			-		
26.5	325	175	8			-	
26.5	350	200			●	45,500	
26.5	350	225			□	-	
26.5	375					-	
26.5	400	250			●	51,600	
26.5	400	275			□	-	
26.5	425					-	
26.5	450	300			●	59,700	
26.5	450	325			□	-	
26.5	475					-	
26.5	500	350			●	72,200	
26.5	500	375			□	-	
26.5	550	350				-	
26.5	600	400			●	88,700	
26.5	600	425			□		-
26.5	800	500					-
26.5	800	600					-
26.6	400	250					-
26.6	400	275					-
26.7	400	250					-
26.7	400	275					-
26.8	400	250					-
26.8	400	275					-
26.9	400	250					-
26.9	400	275				-	
27.0	325	175				-	
27.0	350	200	●		45,900		
27.0	350	225	□		-		
27.0	375				-		
27.0	400	250	●		52,900		
27.0	400	275	□		-		
27.0	425				-		
27.0	450	300	●		63,000		
27.0	450	325	□		-		
27.0	475				-		
27.0	500	350	●		74,100		
27.0	500	375	□		-		
27.0	550	350			-		
27.0	600	400	●		91,000		
27.0	600	425	□			-	
27.0	700	450				-	
27.0	700	500				-	
27.0	800					-	
27.0	800	600				-	
27.0	1000	500				-	
27.0	1000	600				-	
27.1	400	250				-	
27.1	400	275				-	
27.2	400	250			8.2		-
27.2	400	275					-
27.3	400	250					-
27.3	400	275				-	
27.4	400	250				-	
27.4	400	275				-	
27.5	325	175	8.3			-	
27.5	350	200			●	47,300	
27.5	350	225			□	-	

新商品

超硬ドリル

ハイスドリル

タップ

超硬
エンドミル

ハイス
エンドミル

切断工具

バック・
セット商品
その他

精密工具

技術資料
索引

※特定代理店在庫品限りです。
This product is for sale while stock lasts.

← 前頁 Previous Page

単位 (Unit) : mm

新商品

超硬ドリル

ハイスドリル

タップ

超硬
エンドミルハイス
エンドミル

切断工具

バック・
セット商品
その他

精密工具

技術資料
索引

直径 DC	全長 LF	溝長 ℓ	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)	直径 DC	全長 LF	溝長 ℓ	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
27.5	375	225	8.3	3	□	-	28.8	400	250	8.7	3		-
27.5	400	250			●	54,400	28.8	400	275				-
27.5	400	275			□	-	28.9	400	250			□	-
27.5	425	275			□	-	28.9	400	275				-
27.5	450	300			●	63,000	29.0	325	175				-
27.5	450	325			□	-	29.0	350	200			●	50,400
27.5	475	325			□	-	29.0	350	225			□	-
27.5	500	350			●	76,100	29.0	375	225				-
27.5	500	375			□	-	29.0	400	250			●	58,200
27.5	550	350			□	-	29.0	400	275			□	-
27.5	600	400			●	92,900	29.0	425	275				-
27.5	600	425				-	29.0	450	300			●	67,300
27.5	800	500				-	29.0	450	325			□	-
27.5	800	600				-	29.0	475					-
27.6	400	250	8.4	3		-	29.0	500	350	8.8	3	●	81,400
27.6	400	275				-	29.0	500	375			□	-
27.7	400	250			□	-	29.0	550	350				-
27.7	400	275				-	29.0	600	400			●	98,800
27.8	400	250				-	29.0	600	425				-
27.8	400	275				-	29.0	700	450				-
27.9	400	250				-	29.0	700	500				-
27.9	400	275				-	29.0	800					-
28.0	325	175				-	29.0	800	600				-
28.0	350	200			●	48,500	29.0	1000	500				-
28.0	350				□	-	29.0	1000	600				-
28.0	375	225				-	29.1	400	250			□	-
28.0	400	250			●	55,400	29.1	400	275				-
28.0	400	275			□	-	29.2	400	250				-
28.0	425	275	8.5	3	□	-	29.2	400	275				-
28.0	450	300			●	64,600	29.3	400	250				-
28.0	450	325			□	-	29.3	400	275				-
28.0	475	325				-	29.4	400	250				-
28.0	500	350			●	77,900	29.4	400	275				-
28.0	500	375			□	-	29.5	325	175	8.9	3		-
28.0	550	350				-	29.5	350	200			●	52,100
28.0	600	400			●	94,900	29.5	350	225			□	-
28.0	600	425				-	29.5	375					-
28.0	700	450				-	29.5	400	250			●	59,000
28.0	700	500				-	29.5	400	275			□	-
28.0	800					-	29.5	425	275				-
28.0	800	600				-	29.5	450	300			●	68,900
28.0	1000					-	29.5	450	325			□	-
28.1	400	250				-	29.5	475					-
28.1	400	275			□	-	29.5	500	350			●	83,000
28.2	400	250				-	29.5	500	375			□	-
28.2	400	275				-	29.5	550	350				-
28.3	400	250				-	29.5	600	400			●	102,000
28.3	400	275	8.6	3		-	29.5	600	425	9	3		-
28.4	400	250				-	29.5	600	450				-
28.4	400	275				-	29.5	800	500				-
28.4	400	275				-	29.5	800	600				-
28.5	325	175				-	29.6	400	250				-
28.5	350	200			●	49,900	29.6	400	275				-
28.5	375	225			□	-	29.7	400	250				-
28.5	400	250			●	56,800	29.7	400	275			□	-
28.5	400					-	29.8	400	250				-
28.5	425	275			□	-	29.8	400	275				-
28.5	450	300			●	66,100	29.9	400	250				-
28.5	450					-	29.9	400	275				-
28.5	475	325			□	-	30.0	325	175				-
28.5	500	350			●	79,500	30.0	350	200			●	52,700
28.5	500	375			□	-	30.0	350	225			□	-
28.5	550	350				-	30.0	375					-
28.5	600	400			●	97,300	30.0	400	250			●	59,700
28.5	600	425				-	30.0	400	275			□	-
28.5	800	500				-	30.0	425					-
28.5	800	600				-	30.0	450	300			●	70,700
28.6	400	250			□	-	30.0	450	325			□	-
28.6	400	275				-	30.0	475					-
28.7	400	250				-	30.0	500	350			●	84,900
28.7	400	275				-	30.0	500	375			□	-

単位 (Unit) : mm

※	※	直径 DC	全長 LF	溝長 ℓ	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
		30.0	550	350			□	-
		30.0	600	400			●	104,000
		30.0	600	425				-
		30.0	700	450				-
		30.0	700	500				-
		30.0	800		9			-
		30.0	800	600				-
		30.0	1000				□	-
		30.0	1200	800				-
		30.0	1500	1000				-
		30.1	400					-
		30.2	400		9.1			-
		30.3	400	275				-
		30.4	400					-
		30.5	350	200			●	53,800
		30.5	350	225			□	-
		30.5	375					-
		30.5	400	250			●	61,800
		30.5	400	275			□	-
		30.5	425					-
		30.5	450	300	9.2		●	72,200
		30.5	450	325			□	-
		30.5	475					-
		30.5	500	350			●	87,400
		30.5	500	375			□	-
		30.5	550	350				-
		30.5	600	400			●	106,000
		30.5	600	425				-
		30.6	400					-
		30.7	400	275			□	-
		30.8	400					-
		30.9	400					-
		31.0	350	200		3	●	54,900
		31.0	350	225			□	-
		31.0	375					-
		31.0	400	250			●	63,000
		31.0	400	275			□	-
		31.0	425					-
		31.0	450	300			●	74,900
		31.0	450	325			□	-
		31.0	475		9.3			-
		31.0	500	350			●	89,000
		31.0	500	375				-
		31.0	550	350			□	-
		31.0	600	400			●	108,000
		31.0	600	425				-
		31.0	700	450				-
		31.0	700	500				-
		31.0	800				□	-
		31.0	800	600				-
		31.0	1000					-
		31.5	350	200			●	55,900
		31.5	375	225			□	-
		31.5	400	250			●	64,500
		31.5	400	275			□	-
		31.5	425					-
		31.5	450	300	9.5		●	77,500
		31.5	450	325			□	-
		31.5	475					-
		31.5	500	350			●	93,700
		31.5	500	375			□	-
		31.5	550	350				-
		31.5	600	400			●	112,000
		31.5	600	425			□	-
		32.0	350	200			●	58,000
		32.0	350	225			□	-
		32.0	375		9.6			-
		32.0	400	250			●	66,700
		32.0	400	275			□	-
		32.0	425					-

直径 DC	全長 LF	溝長 ℓ	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
32.0	450	300			●	80,000
32.0	450				□	-
32.0	475	325				-
32.0	500	350			●	95,700
32.0	500	375			□	-
32.0	550	350				-
32.0	600	400			●	116,000
32.0	600	425				-
32.0	700	450				-
32.0	700	500				-
32.0	800					-
32.0	800	550				-
32.0	800	600			□	-
32.0	1000					-
32.5	400	250				-
32.5	500	300	9.8			-
32.5	600	400				-
33.0	400	250				-
33.0	400	275				-
33.0	425	250				-
33.0	475	300				-
33.0	500					-
33.0	525	350				-
33.0	600	400	9.9			-
33.0	625	450				-
33.0	700	400				-
33.0	700	500				-
33.0	800	550				-
33.0	1000	600				-
33.5	400	250			□	-
33.5	500	300	10.1			-
33.5	600	400				-
34.0	400	250				-
34.0	425					-
34.0	475	300			●	105,000
34.0	500				□	124,000
34.0	525	350			●	139,000
34.0	600	400	10.2		□	-
34.0	625	450			●	173,000
34.0	700	500				-
34.0	800	550				-
34.0	800	600				-
34.0	1000					-
34.5	400	250			□	-
34.5	500	300	10.4			-
34.5	600	400				-
34.5	625	450				-
35.0	400	250				-
35.0	425					-
35.0	475	300			●	108,000
35.0	500				□	129,000
35.0	525	350			●	143,000
35.0	600	400			□	-
35.0	625	450			●	178,000
35.0	700	500				-
35.0	800	550				-
35.0	800	600				-
35.0	1000					-
35.0	1000	700			□	-
35.0	1200	800				-
35.0	1500	1000				-
35.5	400	250				-
35.5	500	300	10.7			-
35.5	600	400				-
36.0	400					-
36.0	425	250				-
36.0	475	300			●	113,000
36.0	500		10.8		□	136,000
36.0	525	350			●	151,000
36.0	600	400			□	-

新商品

超硬ドリル

ハイスドリル

タップ

超硬
エンドミル

ハイス
エンドミル

切断工具

バック・
セット商品
その他

精密工具

技術資料
索引

※特定代理店在庫品限りです。
This product is for sale while stock lasts.

← 前頁 Previous Page

単位 (Unit) : mm

新商品

超硬ドリル

ハイスドリル

タップ

超硬
エンドミルハイス
エンドミル

切断工具

バック・
セット商品
その他

精密工具

技術資料
索引

直径 DC	全長 LF	溝長 ℓ	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
36.0	625	450	10.8		●	184,000
36.0	700	500				-
36.0	800	550				-
36.0	800	600			□	-
36.0	1000	600				-
36.5	500	300	11			-
36.5	600	400				-
37.0	425	250	11.1		●	116,000
37.0	475	300				143,000
37.0	500	300			□	-
37.0	525	350			●	156,000
37.0	600	400			□	-
37.0	625	450	11.1		●	197,000
37.0	700	500				-
37.0	800	550				-
37.0	1000	600			□	-
37.5	500	300				-
37.5	600	400	11.3			-
37.5	700	500				-
37.5	700	500				-
38.0	425	250	11.4		●	120,000
38.0	475	300				147,000
38.0	500	300			□	-
38.0	525	350			●	162,000
38.0	600	400			□	-
38.0	625	450	11.4		●	202,000
38.0	700	500				-
38.0	800	550				-
38.0	800	550				-
38.0	1000	600			□	-
38.5	500	300	11.6			-
38.5	600	400				-
38.5	700	500				-
39.0	425	250	11.7	4	●	125,000
39.0	475	300				153,000
39.0	500	300			□	-
39.0	525	350			●	168,000
39.0	600	400			□	-
39.0	625	450	11.7		●	209,000
39.0	700	500				-
39.0	800	550				-
39.0	1000	600			□	-
39.5	500	300				-
39.5	600	400	11.9			-
39.5	700	500				-
39.5	700	500				-
40.0	425	250	12		●	129,000
40.0	475	300				160,000
40.0	500	300			□	-
40.0	525	350			●	177,000
40.0	600	400			□	-
40.0	625	450	12		●	217,000
40.0	700	500				-
40.0	800	550				-
40.0	800	550				-
40.0	1000	600			□	-
40.0	1000	700	12.2			-
40.0	1200	800				-
40.0	1500	1000				-
40.5	500	300				-
40.5	500	350				-
40.5	600	400	12.2			-
41.0	425	250			●	133,000
41.0	475	300				167,000
41.0	500	300	12.3		□	-
41.0	525	350			●	182,000
41.0	600	400			□	-
41.0	625	450			●	229,000
41.0	700	500				-
41.0	800	550	12.3			-
41.0	1000	600			□	-
41.0	1000	600				-
41.5	500	300	12.5			-

直径 DC	全長 LF	溝長 ℓ	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)			
41.5	600	400	12.5	4	□	-			
42.0	425	250	12.6		●	138,000			
42.0	475	300			●	173,000			
42.0	500	300			□	-			
42.0	525	350			●	186,000			
42.0	600	400			□	-			
42.0	625	450			●	239,000			
42.0	700	500			12.8	□	-		
42.0	800	550					-		
42.0	800	600					-		
42.0	1000	600					-		
42.5	500	300	-						
42.5	600	400	-						
43.0	425	250	12.9				●	141,000	
43.0	475	300						179,000	
43.0	500	300						□	-
43.0	525	350						●	197,000
43.0	600	400			□	-			
43.0	625	450			●	250,000			
43.0	700	500			-				
43.0	800	550			-				
43.0	1000	600			-				
43.5	500	300			13.1	□		-	
43.5	600	400	-						
43.5	700	500	-						
44.0	425	250	13.2				●	147,000	
44.0	475	300						184,000	
44.0	500	300						□	-
44.0	525	350						●	200,000
44.0	600	400						□	-
44.0	625	450						●	265,000
44.0	700	500						-	
44.0	800	550			-				
44.0	1000	600			-				
44.5	500	300			13.4	□		-	
44.5	600	400	-						
45.0	425	250	13.5				●	152,000	
45.0	475	300						191,000	
45.0	500	300						□	-
45.0	525	350						●	209,000
45.0	600	400						□	-
45.0	625	450						●	269,000
45.0	700	500						-	
45.0	800	550						-	
45.0	800	600			-				
45.0	1000	600			-				
45.5	500	300	13.7		□	-			
45.5	600	400				-			
46.0	475	300				13.8	●	198,000	
46.0	500	300						□	-
46.0	525	350		●				215,000	
46.0	600	400		□				-	
46.0	625	450		●				282,000	
46.0	700	500		-					
46.0	800	550		-					
46.0	1000	600		-					
46.5	500	300	14	□	-				
46.5	600	400			-				
47.0	475	300			14.1	●	204,000		
47.0	500	300					□	-	
47.0	525	350					●	223,000	
47.0	600	400					□	-	
47.0	625	450					●	288,000	
47.0	700	500					-		
47.0	800	550					-		
47.0	1000	600					-		
47.5	500	300	14.3	□			-		
47.5	600	400					-		
48.0	475	300	14.4	●	210,000				

※特定代理店在庫品限りです。
This product is for sale while stock lasts.

単位 (Unit) : mm

直径 DC	全長 LF	溝長 ℓ	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
48.0	500	300	14.4	4	□	-
48.0	525	350			●	231,000
48.0	600	400			□	-
48.0	625	450			●	300,000
48.0	700	500			□	-
48.0	800	550				-
48.0	800	600	-			
48.0	1000	600	-			
48.5	500	300	-			
48.5	600	400	-			
49.0	475	300	14.7		●	217,000
49.0	500	300			□	-
49.0	525	350			●	235,000
49.0	600	400			□	-
49.0	625	450			●	309,000
49.0	700	500			□	-
49.0	800	550	-			
49.0	1000	600	-			
49.5	500	350	-			
49.5	600	400	-			
50.0	475	300	15			●
50.0	500	300			□	-
50.0	525	350			●	245,000
50.0	600	400			□	-
50.0	625	450			●	320,000
50.0	700	500			□	-
50.0	800	550	-			
50.0	800	600	-			
50.0	1000	600	-			
50.0	1000	700	-			
50.5	500	300	15.2	-		
51.0	500	300	15.3	-		
51.0	600	400		-		
51.0	800	550		-		
51.0	1000	650	-			
51.5	500	300	15.5	-		
52.0	500	300	15.6	-		
52.0	600	400		-		
52.0	800	550		-		
52.0	1000	650		-		
52.5	500	300	15.8	-		
53.0	500	300	15.9	-		
53.0	600	400		-		
53.0	800	550		-		
53.0	1000	650		-		
53.5	500	300	16.1	-		
54.0	500	300	16.2	-		
54.0	600	400		-		
54.0	800	550		-		
54.0	1000	650		-		
54.5	500	300	16.4	-		
55.0	500	300	16.5	-		
55.0	600	400		-		
55.0	700	450		-		
55.0	700	500		-		
55.0	800	550		-		
55.0	1000	650		-		
55.5	500	300	16.7	-		
56.0	500	300	16.8	-		
56.0	600	400		-		
56.0	800	550		-		
56.0	1000	650		-		
56.5	500	300	17	-		
57.0	500	300	17.1	-		
57.0	600	400		-		
57.0	800	550		-		
57.0	1000	650		-		
57.5	500	300	17.3	-		
58.0	500	300	17.4	-		
58.0	600	400		-		

直径 DC	全長 LF	溝長 ℓ	先端 PL	シャンク MT No.	在庫 Stock	参考価格(円) Price (¥)
58.0	800	550	17.4	5	□	-
58.0	1000	650	17.6			-
58.5	500	300				-
59.0	500	400	17.7			-
59.0	600					-
59.0	800					-
59.0	1000					-
59.5	500	300	17.9			-
60.0	500	400	18			-
60.0	600					-
60.0	800					-
60.0	1000					-
61.0	600	400	18.3			-
61.0	800	550	18.6			-
62.0	600	400				-
62.0	800	550	18.6			-
63.0	600	400	18.9			-
63.0	800	550				-
64.0	600	400	19.2			-
64.0	800	550				-
65.0	600	400	19.5			-
65.0	800	550				-
66.0	600	400	19.8			-
66.0	800	550				-
67.0	600	400	20.1			-
67.0	800	550				-
68.0	600	400	20.4			-
68.0	800	550				-
69.0	600	400	20.7			-
69.0	800	550				-
70.0	600	400	21			-
70.0	800	550				-
71.0	600	400	21.3			-
71.0	800	550				-
72.0	600	400	21.6			-
72.0	800	550				-
73.0	600	400	21.9			-
74.0	600		22.2			-
75.0	600		22.5			-
75.0	800		550			-
76.0	600	400	22.8			-
76.0	800	550				-
77.0	600	400	23.1			-
78.0	600		23.4			-
78.0	800					550
79.0	600		400			23.7
80.0	600	400	24	6		-
80.0	800		550			25.5

新商品

超硬ドリル

ハイスドリル

タップ

超硬
エンドミル

ハイス
エンドミル

切断工具

バック・
セット商品
その他

精密工具

技術資料
索引

一般 構造用鋼	炭素鋼	合金鋼 調質鋼	ダイス鋼 プリハードン鋼	高硬度鋼	
SS400	S45C S50C	SCM NAK	30 ~ 40 HRC	40 ~ 50 HRC	50 ~ 65HRC
○	○	○	—	×	×
ステンレス鋼		Ti 合金 耐熱合金	鋳鉄	アルミ合金	銅合金
SUS304 SUS316	SUS420	Ti / Ni Alloy	FC / FCD	AC / ADC	Cu
—	—	—	○	○	○

◎:最適 Excellent ○:適用 Good ×:不適 Not Used —:推奨しません Not recommended