


IT-TF-C



食付部山数

記号	山数
1C	1山
B	2山
3C	3山
P	4山

タフレットの精度番号の有効径位置



呼び	ピッチ	食付精度	食付	精度	刃長	全長	柄径
M3	×0.35	3C7	3C	7	10	46	4
M3	×0.35	3C8	3C	8	10	46	4
M3	×0.35	3C9	3C	9	10	46	4
M3	×0.35	P4	P	4	10	46	4
M3	×0.35	P5	P	5	10	46	4
M3	×0.35	P6	P	6	10	46	4
M3	×0.35	P7	P	7	10	46	4
M3	×0.35	P8	P	8	10	46	4
M3	×0.35	P9	P	9	10	46	4
M3.5×0.6	1C5	1C	5	10	48	4	
M3.5×0.6	1C6	1C	6	10	48	4	
M3.5×0.6	1C7	1C	7	10	48	4	
M3.5×0.6	B5	B	5	10	48	4	
M3.5×0.6	B6	B	6	10	48	4	
M3.5×0.6	B7	B	7	10	48	4	
M3.5×0.6	P5	P	5	10	48	4	
M3.5×0.6	P6	P	6	10	48	4	
M3.5×0.6	P7	P	7	10	48	4	
M4	×0.7	1C6	1C	6	10	52	5
M4	×0.7	1C7	1C	7	10	52	5
M4	×0.7	1C8	1C	8	10	52	5
M4	×0.7	B6	B	6	10	52	5
M4	×0.7	B7	B	7	10	52	5
M4	×0.7	B8	B	8	10	52	5
M4	×0.7	P6	P	6	10	52	5
M4	×0.7	P7	P	7	10	52	5
M4	×0.7	P8	P	8	10	52	5
M5	×0.8	1C6	1C	6	10	60	5.5
M5	×0.8	1C7	1C	7	10	60	5.5
M5	×0.8	1C8	1C	8	10	60	5.5
M5	×0.8	B6	B	6	10	60	5.5
M5	×0.8	B7	B	7	10	60	5.5
M5	×0.8	B8	B	8	10	60	5.5
M5	×0.8	P6	P	6	10	60	5.5
M5	×0.8	P7	P	7	10	60	5.5
M5	×0.8	P8	P	8	10	60	5.5
M6	×1	1C7	1C	7	10	62	6
M6	×1	1C8	1C	8	10	62	6
M6	×1	1C9	1C	9	10	62	6
M6	×1	B7	B	7	10	62	6
M6	×1	B8	B	8	10	62	6
M6	×1	B9	B	9	10	62	6
M6	×1	P7	P	7	10	62	6
M6	×1	P8	P	8	10	62	6
M6	×1	P9	P	9	10	62	6
M6	×0.75	1C7	1C	7	10	62	6
M6	×0.75	1C8	1C	8	10	62	6
M6	×0.75	1C9	1C	9	10	62	6
M6	×0.75	B7	B	7	10	62	6
M6	×0.75	B8	B	8	10	62	6
M6	×0.75	B9	B	9	10	62	6
M6	×0.75	P7	P	7	10	62	6
M6	×0.75	P8	P	8	10	62	6
M6	×0.75	P9	P	9	10	62	6


呼び	ピッチ	食付精度	食付	精度	刃長	全長	柄径
M7	×1	1C7	1C	7	16	65	6.2
M7	×1	1C8	1C	8	16	65	6.2
M7	×1	1C9	1C	9	16	65	6.2
M7	×1	B7	B	7	16	65	6.2
M7	×1	B8	B	8	16	65	6.2
M7	×1	B9	B	9	16	65	6.2
M7	×1	P7	P	7	16	65	6.2
M7	×1	P8	P	8	16	65	6.2
M7	×1	P9	P	9	16	65	6.2
M8	×1.25	1C7	1C	7	18	70	6.2
M8	×1.25	1C8	1C	8	18	70	6.2
M8	×1.25	1C9	1C	9	18	70	6.2
M8	×1.25	B7	B	7	18	70	6.2
M8	×1.25	B8	B	8	18	70	6.2
M8	×1.25	B9	B	9	18	70	6.2
M8	×1.25	P7	P	7	18	70	6.2
M8	×1.25	P8	P	8	18	70	6.2
M8	×1.25	P9	P	9	18	70	6.2
M8	×1	1C7	1C	7	18	70	6.2
M8	×1	1C8	1C	8	18	70	6.2
M8	×1	1C9	1C	9	18	70	6.2
M8	×1	B7	B	7	18	70	6.2
M8	×1	B8	B	8	18	70	6.2
M8	×1	B9	B	9	18	70	6.2
M8	×1	P7	P	7	18	70	6.2
M8	×1	P8	P	8	18	70	6.2
M8	×1	P9	P	9	18	70	6.2
M10	×1.5	1C7	1C	7	19	75	7
M10	×1.5	1C8	1C	8	19	75	7
M10	×1.5	1C9	1C	9	19	75	7
M10	×1.5	B7	B	7	19	75	7
M10	×1.5	B8	B	8	19	75	7
M10	×1.5	B9	B	9	19	75	7
M10	×1.5	P7	P	7	19	75	7
M10	×1.5	P8	P	8	19	75	7
M10	×1.5	P9	P	9	19	75	7
M10	×1.25	1C7	1C	7	19	75	7
M10	×1.25	1C8	1C	8	19	75	7
M10	×1.25	1C9	1C	9	19	75	7
M10	×1.25	B7	B	7	19	75	7
M10	×1.25	B8	B	8	19	75	7
M10	×1.25	B9	B	9	19	75	7
M10	×1.25	P7	P	7	19	75	7
M10	×1.25	P8	P	8	19	75	7
M10	×1.25	P9	P	9	19	75	7
M10	×1	1C7	1C	7	19	75	7
M10	×1	1C8	1C	8	19	75	7
M10	×1	1C9	1C	9	19	75	7
M10	×1	B7	B	7	19	75	7
M10	×1	B8	B	8	19	75	7
M10	×1	B9	B	9	19	75	7
M10	×1	P7	P	7	19	75	7
M10	×1	P8	P	8	19	75	7
M10	×1	P9	P	9	19	75	7

IT-TF-C ロング



呼び	ピッチ	全長	食付精度	食付	精度	刃長	全長	柄径	
M1	×0.25×	50	1C0	1C	0	5	50	3	
M1	×0.25×	50	1C1	1C	1	5	50	3	
M1	×0.25×	50	1C2	1C	2	5	50	3	
M1	×0.25×	50	1C3	1C	3	5	50	3	
M1	×0.25×	50	1C4	1C	4	5	50	3	
M1	×0.25×	50	1C5	1C	5	5	50	3	
M1	×0.25×	50	1C6	1C	6	5	50	3	
M1	×0.25×	50	1C7	1C	7	5	50	3	
M1	×0.25×	50	1C8	1C	8	5	50	3	
M1	×0.25×	50	B0	B	0	5	50	3	
M1	×0.25×	50	B1	B	1	5	50	3	
M1	×0.25×	50	B2	B	2	5	50	3	
M1	×0.25×	50	B3	B	3	5	50	3	
M1	×0.25×	50	B4	B	4	5	50	3	
M1	×0.25×	50	B5	B	5	5	50	3	
M1	×0.25×	50	B6	B	6	5	50	3	
M1	×0.25×	50	B7	B	7	5	50	3	
M1	×0.25×	50	B8	B	8	5	50	3	
M1	×0.25×	50	3C0	3C	0	5	50	3	
M1	×0.25×	50	3C1	3C	1	5	50	3	
M1	×0.25×	50	3C2	3C	2	5	50	3	
M1	×0.25×	50	3C3	3C	3	5	50	3	
M1	×0.25×	50	3C4	3C	4	5	50	3	
M1	×0.25×	50	3C5	3C	5	5	50	3	
M1	×0.25×	50	3C6	3C	6	5	50	3	
M1	×0.25×	50	3C7	3C	7	5	50	3	
M1	×0.25×	50	3C8	3C	8	5	50	3	
M1	×0.25×	50	P0	P	0	5	50	3	
M1	×0.25×	50	P1	P	1	5	50	3	
M1	×0.25×	50	P2	P	2	5	50	3	
M1	×0.25×	50	P3	P	3	5	50	3	
M1	×0.25×	50	P4	P	4	5	50	3	
M1	×0.25×	50	P5	P	5	5	50	3	
M1	×0.25×	50	P6	P	6	5	50	3	
M1	×0.25×	50	P7	P	7	5	50	3	
M1	×0.25×	50	P8	P	8	5	50	3	
M1	×0.2	×	50	1C0	1C	0	5	50	3
M1	×0.2	×	50	1C1	1C	1	5	50	3
M1	×0.2	×	50	1C2	1C	2	5	50	3
M1	×0.2	×	50	1C3	1C	3	5	50	3
M1	×0.2	×	50	1C4	1C	4	5	50	3
M1	×0.2	×	50	1C5	1C	5	5	50	3
M1	×0.2	×	50	1C6	1C	6	5	50	3
M1	×0.2	×	50	1C7	1C	7	5	50	3
M1	×0.2	×	50	1C8	1C	8	5	50	3
M1	×0.2	×	50	B0	B	0	5	50	3
M1	×0.2	×	50	B1	B	1	5	50	3
M1	×0.2	×	50	B2	B	2	5	50	3
M1	×0.2	×	50	B3	B	3	5	50	3
M1	×0.2	×	50	B4	B	4	5	50	3
M1	×0.2	×	50	B5	B	5	5	50	3
M1	×0.2	×	50	B6	B	6	5	50	3
M1	×0.2	×	50	B7	B	7	5	50	3
M1	×0.2	×	50	B8	B	8	5	50	3
M1	×0.2	×	50	3C0	3C	0	5	50	3
M1	×0.2	×	50	3C1	3C	1	5	50	3
M1	×0.2	×	50	3C2	3C	2	5	50	3
M1	×0.2	×	50	3C3	3C	3	5	50	3
M1	×0.2	×	50	3C4	3C	4	5	50	3
M1	×0.2	×	50	3C5	3C	5	5	50	3

タフレットの精度番号の有効径位置



食付部山数

記号	山数
1C	1山
B	2山
3C	3山
P	4山

呼び	ピッチ	全長	食付精度	食付	精度	刃長	全長	柄径	
M1	×0.2	×	50	3C6	3C	6	5	50	3
M1	×0.2	×	50	3C7	3C	7	5	50	3
M1	×0.2	×	50	3C8	3C	8	5	50	3
M1	×0.2	×	50	P0	P	0	5	50	3
M1	×0.2	×	50	P1	P	1	5	50	3
M1	×0.2	×	50	P2	P	2	5	50	3
M1	×0.2	×	50	P3	P	3	5	50	3
M1	×0.2	×	50	P4	P	4	5	50	3
M1	×0.2	×	50	P5	P	5	5	50	3
M1	×0.2	×	50	P6	P	6	5	50	3
M1	×0.2	×	50	P7	P	7	5	50	3
M1	×0.2	×	50	P8	P	8	5	50	3
M1.1	×0.25	×	50	1C0	1C	0	5	50	3
M1.1	×0.25	×	50	1C1	1C	1	5	50	3
M1.1	×0.25	×	50	1C2	1C	2	5	50	3
M1.1	×0.25	×	50	1C3	1C	3	5	50	3
M1.1	×0.25	×	50	1C4	1C	4	5	50	3
M1.1	×0.25	×	50	1C5	1C	5	5	50	3
M1.1	×0.25	×	50	1C6	1C	6	5	50	3
M1.1	×0.25	×	50	1C7	1C	7	5	50	3
M1.1	×0.25	×	50	1C8	1C	8	5	50	3
M1.1	×0.25	×	50	B0	B	0	5	50	3
M1.1	×0.25	×	50	B1	B	1	5	50	3
M1.1	×0.25	×	50	B2	B	2	5	50	3
M1.1	×0.25	×	50	B3	B	3	5	50	3
M1.1	×0.25	×	50	B4	B	4	5	50	3
M1.1	×0.25	×	50	B5	B	5	5	50	3
M1.1	×0.25	×	50	B6	B	6	5	50	3
M1.1	×0.25	×	50	B7	B	7	5	50	3
M1.1	×0.25	×	50	B8	B	8	5	50	3
M1.1	×0.25	×	50	3C0	3C	0	5	50	3
M1.1	×0.25	×	50	3C1	3C	1	5	50	3
M1.1	×0.25	×	50	3C2	3C	2	5	50	3
M1.1	×0.25	×	50	3C3	3C	3	5	50	3
M1.1	×0.25	×	50	3C4	3C	4	5	50	3
M1.1	×0.25	×	50	3C5	3C	5	5	50	3
M1.1	×0.25	×	50	3C6	3C	6	5	50	3
M1.1	×0.25	×	50	3C7	3C	7	5	50	3
M1.1	×0.25	×	50	3C8	3C	8	5	50	3
M1.1	×0.25	×	50	P0	P	0	5	50	3
M1.1	×0.25	×	50	P1	P	1	5	50	3
M1.1	×0.25	×	50	P2	P	2	5	50	3
M1.1	×0.25	×	50	P3	P	3	5	50	3
M1.1	×0.25	×	50	P4	P	4	5	50	3
M1.1	×0.25	×	50	P5	P	5	5	50	3
M1.1	×0.25	×	50	P6	P	6	5	50	3
M1.1	×0.25	×	50	P7	P	7	5	50	3
M1.1	×0.25	×	50	P8	P	8	5	50	3
M1.1	×0.2	×	50	1C0	1C	0	5	50	3
M1.1	×0.2	×	50	1C1	1C	1	5	50	3
M1.1	×0.2	×	50	1C2	1C	2	5	50	3
M1.1	×0.2	×	50	1C3	1C	3	5	50	3
M1.1	×0.2	×	50	1C4	1C	4	5	50	3
M1.1	×0.2	×	50	1C5	1C	5	5	50	3
M1.1	×0.2	×	50	1C6	1C	6	5	50	3
M1.1	×0.2	×	50	1C7	1C	7	5	50	3
M1.1	×0.2	×	50	1C8	1C	8	5	50	3
M1.1	×0.2	×	50	B0	B	0	5	50	3
M1.1	×0.2	×	50	B1	B	1	5	50	3
M1.1	×0.2	×	50	B2	B	2	5	50	3


IT-TF-C ロング



食付部山数

記号	山数
1C	1山
B	2山
3C	3山
P	4山

タフレットの精度番号の有効径位置



呼び	ピッチ	全長	食付精度	食付	精度	刃長	全長	柄径
M1.1×0.2	×	50	B3	B	3	5	50	3
M1.1×0.2	×	50	B4	B	4	5	50	3
M1.1×0.2	×	50	B5	B	5	5	50	3
M1.1×0.2	×	50	B6	B	6	5	50	3
M1.1×0.2	×	50	B7	B	7	5	50	3
M1.1×0.2	×	50	B8	B	8	5	50	3
M1.1×0.2	×	50	3C0	3C	0	5	50	3
M1.1×0.2	×	50	3C1	3C	1	5	50	3
M1.1×0.2	×	50	3C2	3C	2	5	50	3
M1.1×0.2	×	50	3C3	3C	3	5	50	3
M1.1×0.2	×	50	3C4	3C	4	5	50	3
M1.1×0.2	×	50	3C5	3C	5	5	50	3
M1.1×0.2	×	50	3C6	3C	6	5	50	3
M1.1×0.2	×	50	3C7	3C	7	5	50	3
M1.1×0.2	×	50	3C8	3C	8	5	50	3
M1.1×0.2	×	50	P0	P	0	5	50	3
M1.1×0.2	×	50	P1	P	1	5	50	3
M1.1×0.2	×	50	P2	P	2	5	50	3
M1.1×0.2	×	50	P3	P	3	5	50	3
M1.1×0.2	×	50	P4	P	4	5	50	3
M1.1×0.2	×	50	P5	P	5	5	50	3
M1.1×0.2	×	50	P6	P	6	5	50	3
M1.1×0.2	×	50	P7	P	7	5	50	3
M1.1×0.2	×	50	P8	P	8	5	50	3
M1.2×0.25	×	50	1C0	1C	0	5	50	3
M1.2×0.25	×	50	1C1	1C	1	5	50	3
M1.2×0.25	×	50	1C2	1C	2	5	50	3
M1.2×0.25	×	50	1C3	1C	3	5	50	3
M1.2×0.25	×	50	1C4	1C	4	5	50	3
M1.2×0.25	×	50	1C5	1C	5	5	50	3
M1.2×0.25	×	50	1C6	1C	6	5	50	3
M1.2×0.25	×	50	1C7	1C	7	5	50	3
M1.2×0.25	×	50	1C8	1C	8	5	50	3
M1.2×0.25	×	50	B0	B	0	5	50	3
M1.2×0.25	×	50	B1	B	1	5	50	3
M1.2×0.25	×	50	B2	B	2	5	50	3
M1.2×0.25	×	50	B3	B	3	5	50	3
M1.2×0.25	×	50	B4	B	4	5	50	3
M1.2×0.25	×	50	B5	B	5	5	50	3
M1.2×0.25	×	50	B6	B	6	5	50	3
M1.2×0.25	×	50	B7	B	7	5	50	3
M1.2×0.25	×	50	B8	B	8	5	50	3
M1.2×0.25	×	50	3C0	3C	0	5	50	3
M1.2×0.25	×	50	3C1	3C	1	5	50	3
M1.2×0.25	×	50	3C2	3C	2	5	50	3
M1.2×0.25	×	50	3C3	3C	3	5	50	3
M1.2×0.25	×	50	3C4	3C	4	5	50	3
M1.2×0.25	×	50	3C5	3C	5	5	50	3
M1.2×0.25	×	50	3C6	3C	6	5	50	3
M1.2×0.25	×	50	3C7	3C	7	5	50	3
M1.2×0.25	×	50	3C8	3C	8	5	50	3
M1.2×0.25	×	50	P0	P	0	5	50	3
M1.2×0.25	×	50	P1	P	1	5	50	3
M1.2×0.25	×	50	P2	P	2	5	50	3
M1.2×0.25	×	50	P3	P	3	5	50	3
M1.2×0.25	×	50	P4	P	4	5	50	3
M1.2×0.25	×	50	P5	P	5	5	50	3
M1.2×0.25	×	50	P6	P	6	5	50	3
M1.2×0.25	×	50	P7	P	7	5	50	3
M1.2×0.25	×	50	P8	P	8	5	50	3

呼び	ピッチ	全長	食付精度	食付	精度	刃長	全長	柄径
M1.2×0.2	×	50	1C0	1C	0	5	50	3
M1.2×0.2	×	50	1C1	1C	1	5	50	3
M1.2×0.2	×	50	1C2	1C	2	5	50	3
M1.2×0.2	×	50	1C3	1C	3	5	50	3
M1.2×0.2	×	50	1C4	1C	4	5	50	3
M1.2×0.2	×	50	1C5	1C	5	5	50	3
M1.2×0.2	×	50	1C6	1C	6	5	50	3
M1.2×0.2	×	50	1C7	1C	7	5	50	3
M1.2×0.2	×	50	1C8	1C	8	5	50	3
M1.2×0.2	×	50	B0	B	0	5	50	3
M1.2×0.2	×	50	B1	B	1	5	50	3
M1.2×0.2	×	50	B2	B	2	5	50	3
M1.2×0.2	×	50	B3	B	3	5	50	3
M1.2×0.2	×	50	B4	B	4	5	50	3
M1.2×0.2	×	50	B5	B	5	5	50	3
M1.2×0.2	×	50	B6	B	6	5	50	3
M1.2×0.2	×	50	B7	B	7	5	50	3
M1.2×0.2	×	50	B8	B	8	5	50	3
M1.2×0.2	×	50	3C0	3C	0	5	50	3
M1.2×0.2	×	50	3C1	3C	1	5	50	3
M1.2×0.2	×	50	3C2	3C	2	5	50	3
M1.2×0.2	×	50	3C3	3C	3	5	50	3
M1.2×0.2	×	50	3C4	3C	4	5	50	3
M1.2×0.2	×	50	3C5	3C	5	5	50	3
M1.2×0.2	×	50	3C6	3C	6	5	50	3
M1.2×0.2	×	50	3C7	3C	7	5	50	3
M1.2×0.2	×	50	3C8	3C	8	5	50	3
M1.2×0.2	×	50	P0	P	0	5	50	3
M1.2×0.2	×	50	P1	P	1	5	50	3
M1.2×0.2	×	50	P2	P	2	5	50	3
M1.2×0.2	×	50	P3	P	3	5	50	3
M1.2×0.2	×	50	P4	P	4	5	50	3
M1.2×0.2	×	50	P5	P	5	5	50	3
M1.2×0.2	×	50	P6	P	6	5	50	3
M1.2×0.2	×	50	P7	P	7	5	50	3
M1.2×0.2	×	50	P8	P	8	5	50	3
M1.4×0.3	×	60	1C0	1C	1	7	60	3
M1.4×0.3	×	60	1C1	1C	2	7	60	3
M1.4×0.3	×	60	1C2	1C	3	7	60	3
M1.4×0.3	×	60	1C3	1C	4	7	60	3
M1.4×0.3	×	60	1C4	1C	5	7	60	3
M1.4×0.3	×	60	1C5	1C	6	7	60	3
M1.4×0.3	×	60	1C6	1C	7	7	60	3
M1.4×0.3	×	60	1C7	1C	8	7	60	3
M1.4×0.3	×	60	1C8	1C	9	7	60	3
M1.4×0.3	×	60	B0	B	1	7	60	3
M1.4×0.3	×	60	B1	B	2	7	60	3
M1.4×0.3	×	60	B2	B	3	7	60	3
M1.4×0.3	×	60	B3	B	4	7	60	3
M1.4×0.3	×	60	B4	B	5	7	60	3
M1.4×0.3	×	60	B5	B	6	7	60	3
M1.4×0.3	×	60	B6	B	7	7	60	3
M1.4×0.3	×	60	B7	B	8	7	60	3
M1.4×0.3	×	60	B8	B	9	7	60	3
M1.4×0.3	×	60	3C1	3C	1	7	60	3
M1.4×0.3	×	60	3C2	3C	2	7	60	3
M1.4×0.3	×	60	3C3	3C	3	7	60	3
M1.4×0.3	×	60	3C4	3C	4	7	60	3
M1.4×0.3	×	60	3C5	3C	5	7	60	3
M1.4×0.3	×	60	3C6	3C	6	7	60	3

呼び	ピッチ	全長	食付精度	食付	精度	刃長	全長	柄径
M1.4×0.3	×	60	3C7	3C	7	7	60	3
M1.4×0.3	×	60	3C8	3C	8	7	60	3
M1.4×0.3	×	60	3C9	3C	9	7	60	3
M1.4×0.3	×	60	P1	P	1	7	60	3
M1.4×0.3	×	60	P2	P	2	7	60	3
M1.4×0.3	×	60	P3	P	3	7	60	3
M1.4×0.3	×	60	P4	P	4	7	60	3
M1.4×0.3	×	60	P5	P	5	7	60	3
M1.4×0.3	×	60	P6	P	6	7	60	3
M1.4×0.3	×	60	P7	P	7	7	60	3
M1.4×0.3	×	60	P8	P	8	7	60	3
M1.4×0.3	×	60	P9	P	9	7	60	3
M1.4×0.2	×	60	1C0	1C	0	7	60	3
M1.4×0.2	×	60	1C1	1C	1	7	60	3
M1.4×0.2	×	60	1C2	1C	2	7	60	3
M1.4×0.2	×	60	1C3	1C	3	7	60	3
M1.4×0.2	×	60	1C4	1C	4	7	60	3
M1.4×0.2	×	60	1C5	1C	5	7	60	3
M1.4×0.2	×	60	1C6	1C	6	7	60	3
M1.4×0.2	×	60	1C7	1C	7	7	60	3
M1.4×0.2	×	60	1C8	1C	8	7	60	3
M1.4×0.2	×	60	B0	B	0	7	60	3
M1.4×0.2	×	60	B1	B	1	7	60	3
M1.4×0.2	×	60	B2	B	2	7	60	3
M1.4×0.2	×	60	B3	B	3	7	60	3
M1.4×0.2	×	60	B4	B	4	7	60	3
M1.4×0.2	×	60	B5	B	5	7	60	3
M1.4×0.2	×	60	B6	B	6	7	60	3
M1.4×0.2	×	60	B7	B	7	7	60	3
M1.4×0.2	×	60	B8	B	8	7	60	3
M1.4×0.2	×	60	3C0	3C	0	7	60	3
M1.4×0.2	×	60	3C1	3C	1	7	60	3
M1.4×0.2	×	60	3C2	3C	2	7	60	3
M1.4×0.2	×	60	3C3	3C	3	7	60	3
M1.4×0.2	×	60	3C4	3C	4	7	60	3
M1.4×0.2	×	60	3C5	3C	5	7	60	3
M1.4×0.2	×	60	3C6	3C	6	7	60	3
M1.4×0.2	×	60	3C7	3C	7	7	60	3
M1.4×0.2	×	60	3C8	3C	8	7	60	3
M1.4×0.2	×	60	P0	P	0	7	60	3
M1.4×0.2	×	60	P1	P	1	7	60	3
M1.4×0.2	×	60	P2	P	2	7	60	3
M1.4×0.2	×	60	P3	P	3	7	60	3
M1.4×0.2	×	60	P4	P	4	7	60	3
M1.4×0.2	×	60	P5	P	5	7	60	3
M1.4×0.2	×	60	P6	P	6	7	60	3
M1.4×0.2	×	60	P7	P	7	7	60	3
M1.4×0.2	×	60	P8	P	8	7	60	3
M1.6×0.35	×	60	1C1	1C	1	8	60	3
M1.6×0.35	×	60	1C2	1C	2	8	60	3
M1.6×0.35	×	60	1C3	1C	3	8	60	3
M1.6×0.35	×	60	1C4	1C	4	8	60	3
M1.6×0.35	×	60	1C5	1C	5	8	60	3</


IT-TF-C ロング



食付部山数

記号	山数
1C	1山
B	2山
3C	3山
P	4山

タフレットの精度番号の有効径位置



呼び	ピッチ	全長	食付精度	食付	精度	刃長	全長	柄径
M1.7×0.35×	60	B4	B	4	8	60	3	
M1.7×0.35×	60	B5	B	5	8	60	3	
M1.7×0.35×	60	B6	B	6	8	60	3	
M1.7×0.35×	60	B7	B	7	8	60	3	
M1.7×0.35×	60	B8	B	8	8	60	3	
M1.7×0.35×	60	B9	B	9	8	60	3	
M1.7×0.35×	60	3C1	3C	1	8	60	3	
M1.7×0.35×	60	3C2	3C	2	8	60	3	
M1.7×0.35×	60	3C3	3C	3	8	60	3	
M1.7×0.35×	60	3C4	3C	4	8	60	3	
M1.7×0.35×	60	3C5	3C	5	8	60	3	
M1.7×0.35×	60	3C6	3C	6	8	60	3	
M1.7×0.35×	60	3C7	3C	7	8	60	3	
M1.7×0.35×	60	3C8	3C	8	8	60	3	
M1.7×0.35×	60	3C9	3C	9	8	60	3	
M1.7×0.35×	60	P1	P	1	8	60	3	
M1.7×0.35×	60	P2	P	2	8	60	3	
M1.7×0.35×	60	P3	P	3	8	60	3	
M1.7×0.35×	60	P4	P	4	8	60	3	
M1.7×0.35×	60	P5	P	5	8	60	3	
M1.7×0.35×	60	P6	P	6	8	60	3	
M1.7×0.35×	60	P7	P	7	8	60	3	
M1.7×0.35×	60	P8	P	8	8	60	3	
M1.7×0.35×	60	P9	P	9	8	60	3	
M1.7×0.2 ×	60	1C0	1C	0	8	60	3	
M1.7×0.2 ×	60	1C1	1C	1	8	60	3	
M1.7×0.2 ×	60	1C2	1C	2	8	60	3	
M1.7×0.2 ×	60	1C3	1C	3	8	60	3	
M1.7×0.2 ×	60	1C4	1C	4	8	60	3	
M1.7×0.2 ×	60	1C5	1C	5	8	60	3	
M1.7×0.2 ×	60	1C6	1C	6	8	60	3	
M1.7×0.2 ×	60	1C7	1C	7	8	60	3	
M1.7×0.2 ×	60	1C8	1C	8	8	60	3	
M1.7×0.2 ×	60	B0	B	0	8	60	3	
M1.7×0.2 ×	60	B1	B	1	8	60	3	
M1.7×0.2 ×	60	B2	B	2	8	60	3	
M1.7×0.2 ×	60	B3	B	3	8	60	3	
M1.7×0.2 ×	60	B4	B	4	8	60	3	
M1.7×0.2 ×	60	B5	B	5	8	60	3	
M1.7×0.2 ×	60	B6	B	6	8	60	3	
M1.7×0.2 ×	60	B7	B	7	8	60	3	
M1.7×0.2 ×	60	B8	B	8	8	60	3	
M1.7×0.2 ×	60	3C0	3C	0	8	60	3	
M1.7×0.2 ×	60	3C1	3C	1	8	60	3	
M1.7×0.2 ×	60	3C2	3C	2	8	60	3	
M1.7×0.2 ×	60	3C3	3C	3	8	60	3	
M1.7×0.2 ×	60	3C4	3C	4	8	60	3	
M1.7×0.2 ×	60	3C5	3C	5	8	60	3	
M1.7×0.2 ×	60	3C6	3C	6	8	60	3	
M1.7×0.2 ×	60	3C7	3C	7	8	60	3	
M1.7×0.2 ×	60	3C8	3C	8	8	60	3	
M1.7×0.2 ×	60	P0	P	0	8	60	3	
M1.7×0.2 ×	60	P1	P	1	8	60	3	
M1.7×0.2 ×	60	P2	P	2	8	60	3	
M1.7×0.2 ×	60	P3	P	3	8	60	3	
M1.7×0.2 ×	60	P4	P	4	8	60	3	
M1.7×0.2 ×	60	P5	P	5	8	60	3	
M1.7×0.2 ×	60	P6	P	6	8	60	3	
M1.7×0.2 ×	60	P7	P	7	8	60	3	
M1.7×0.2 ×	60	P8	P	8	8	60	3	

呼び	ピッチ	全長	食付精度	食付	精度	刃長	全長	柄径
M1.8×0.35×	60	1C1		1C	1	8	60	3
M1.8×0.35×	60	1C2		1C	2	8	60	3
M1.8×0.35×	60	1C3		1C	3	8	60	3
M1.8×0.35×	60	1C4		1C	4	8	60	3
M1.8×0.35×	60	1C5		1C	5	8	60	3
M1.8×0.35×	60	1C6		1C	6	8	60	3
M1.8×0.35×	60	1C7		1C	7	8	60	3
M1.8×0.35×	60	1C8		1C	8	8	60	3
M1.8×0.35×	60	1C9		1C	9	8	60	3
M1.8×0.35×	60	B1		B	1	8	60	3
M1.8×0.35×	60	B2		B	2	8	60	3
M1.8×0.35×	60	B3		B	3	8	60	3
M1.8×0.35×	60	B4		B	4	8	60	3
M1.8×0.35×	60	B5		B	5	8	60	3
M1.8×0.35×	60	B6		B	6	8	60	3
M1.8×0.35×	60	B7		B	7	8	60	3
M1.8×0.35×	60	B8		B	8	8	60	3
M1.8×0.35×	60	B9		B	9	8	60	3
M1.8×0.35×	60	3C1		3C	1	8	60	3
M1.8×0.35×	60	3C2		3C	2	8	60	3
M1.8×0.35×	60	3C3		3C	3	8	60	3
M1.8×0.35×	60	3C4		3C	4	8	60	3
M1.8×0.35×	60	3C5		3C	5	8	60	3
M1.8×0.35×	60	3C6		3C	6	8	60	3
M1.8×0.35×	60	3C7		3C	7	8	60	3
M1.8×0.35×	60	3C8		3C	8	8	60	3
M1.8×0.35×	60	3C9		3C	9	8	60	3
M1.8×0.35×	60	P1		P	1	8	60	3
M1.8×0.35×	60	P2		P	2	8	60	3
M1.8×0.35×	60	P3		P	3	8	60	3
M1.8×0.35×	60	P4		P	4	8	60	3
M1.8×0.35×	60	P5		P	5	8	60	3
M1.8×0.35×	60	P6		P	6	8	60	3
M1.8×0.35×	60	P7		P	7	8	60	3
M1.8×0.35×	60	P8		P	8	8	60	3
M1.8×0.35×	60	P9		P	9	8	60	3
M1.8×0.2 ×	60	1C0		1C	0	8	60	3
M1.8×0.2 ×	60	1C1		1C	1	8	60	3
M1.8×0.2 ×	60	1C2		1C	2	8	60	3
M1.8×0.2 ×	60	1C3		1C	3	8	60	3
M1.8×0.2 ×	60	1C4		1C	4	8	60	3
M1.8×0.2 ×	60	1C5		1C	5	8	60	3
M1.8×0.2 ×	60	1C6		1C	6	8	60	3
M1.8×0.2 ×	60	1C7		1C	7	8	60	3
M1.8×0.2 ×	60	1C8		1C	8	8	60	3
M1.8×0.2 ×	60	B0		B	0	8	60	3
M1.8×0.2 ×	60	B1		B	1	8	60	3
M1.8×0.2 ×	60	B2		B	2	8	60	3
M1.8×0.2 ×	60	B3		B	3	8	60	3
M1.8×0.2 ×	60	B4		B	4	8	60	3
M1.8×0.2 ×	60	B5		B	5	8	60	3
M1.8×0.2 ×	60	B6		B	6	8	60	3
M1.8×0.2 ×	60	B7		B	7	8	60	3
M1.8×0.2 ×	60	B8		B	8	8	60	3
M1.8×0.2 ×	60	3C0		3C	0	8	60	3
M1.8×0.2 ×	60	3C1		3C	1	8	60	3
M1.8×0.2 ×	60	3C2		3C	2	8	60	3
M1.8×0.2 ×	60	3C3		3C	3	8	60	3
M1.8×0.2 ×	60	3C4		3C	4	8	60	3
M1.8×0.2 ×	60	3C5		3C	5	8	60	3

呼び	ピッチ	全長	食付精度	食付	精度	刃長	全長	柄径
M2	×0.25×	60	3C1	3C	1	9	60	3
M2	×0.25×	60	3C2	3C	2	9	60	3
M2	×0.25×	60	3C3	3C	3	9	60	3
M2	×0.25×	60	3C4	3C	4	9	60	3
M2	×0.25×	60	3C5	3C	5	9	60	3
M2	×0.25×	60	3C6	3C	6	9	60	3
M2	×0.25×	60	3C7	3C	7	9	60	3
M2	×0.25×	60	3C8	3C	8	9	60	3
M2	×0.25×	60	3C9	3C	9	9	60	3
M2	×0.25×	60	P1	P	1	9	60	3
M2	×0.25×	60	P2	P	2	9	60	3
M2	×0.25×	60	P3	P	3	9	60	3
M2	×0.25×	60	P4	P	4	9	60	3
M2	×0.25×	60	P5	P	5	9	60	3
M2	×0.25×	60	P6	P	6	9	60	3
M2	×0.25×	60	P7	P	7	9	60	3
M2	×0.25×	60	P8	P	8	9	60	3
M2	×0.25×	60	P9	P	9	9	60	3
M2	×0.4 ×	80	1C1	1C	1	9	80	3
M2	×0.4 ×	80	1C2	1C	2	9	80	3
M2	×0.4 ×	80	1C3	1C	3	9	80	3
M2	×0.4 ×	80	1C4	1C	4	9	80	3
M2	×0.4 ×	80	1C5	1C	5	9	80	3
M2	×0.4 ×	80	1C6	1C	6	9	80	3
M2	×0.4 ×	80	1C7	1C	7	9	80	3
M2	×0.4 ×	80	1C8	1C	8	9	80	3
M2	×0.4 ×	80	1C9	1C	9	9	80	3
M2	×0.4 ×	80	B1	B	1	9	80	3
M2	×0.4 ×	80	B2	B	2	9	80	3
M2	×0.4 ×	80	B3	B	3	9	80	3
M2	×0.4 ×	80	B4	B	4	9	80	3
M2	×0.4 ×	80	B5	B	5	9	80	3
M2	×0.4 ×	80	B6	B	6	9	80	3
M2	×0.4 ×	80	B7	B	7	9	80	3
M2	×0.4 ×	80	B8	B	8	9	80	3
M2	×0.4 ×	80	B9	B	9	9	80	3
M2	×0.4 ×	80	3C1	3C	1	9	80	3
M2	×0.4 ×	80	3C2	3C	2	9	80	3
M2	×0.4 ×	80	3C3	3C	3	9	80	3
M2	×0.4 ×	80	3C4	3C	4	9	80	3
M2	×0.4 ×	80	3C5	3C	5	9	80	3
M2	×0.4 ×	80	3C6	3C	6	9	80	3
M2	×0.4 ×	80	3C7	3C	7	9	80	3
M2	×0.4 ×	80	3C8	3C	8	9	80	3
M2	×0.4 ×	80	3C9	3C	9	9	80	3
M2	×0.4 ×	80	P1	P	1	9	80	3
M2	×0.4 ×	80	P2	P	2	9	80	3
M2	×0.4 ×	80	P3	P	3	9	80	3
M2	×0.4 ×	80	P4	P	4	9	80	3
M2	×0.4 ×	80	P5	P	5	9	80	3
M2	×0.4 ×	80	P6	P	6	9	80	3
M2	×0.4 ×	80	P7	P	7	9	80	3
M2	×0.4 ×	80	P8	P	8	9	80	3
M2	×0.4 ×	80	P9	P	9	9	80	3
M2	×0.25×	80	1C1	1C	1	9	80	3
M2	×0.25×	80	1C2	1C	2	9	80	3
M2	×0.25×	80	1C3	1C	3	9	80	3
M2	×0.25×	80	1C4	1C	4	9	80	3
M2	×0.25×	80	1C5	1C	5	9	80	3
M2	×0.25×	80	1C6	1C	6	9	80	3
M2	×0.25×	80	1C7	1C	7	9	80	3
M2	×0.25×	80	1C8	1C	8	9	80	3
M2	×0.25×	80	1C9	1C	9	9	80	3
M2	×0.25×	80	B1	B	1	9	80	3
M2	×0.25×	80	B2	B	2	9	80	3
M2	×0.25×	80	B3	B	3	9	80	3


IT-TF-C ロング



食付部山数

記号	山数
1C	1山
B	2山
3C	3山
P	4山

タフレットの精度番号の有効径位置



呼び	ピッチ	全長	食付精度	食付	精度	刃長	全長	柄径
M2	×0.25×	80	B4	B	4	9	80	3
M2	×0.25×	80	B5	B	5	9	80	3
M2	×0.25×	80	B6	B	6	9	80	3
M2	×0.25×	80	B7	B	7	9	80	3
M2	×0.25×	80	B8	B	8	9	80	3
M2	×0.25×	80	B9	B	9	9	80	3
M2	×0.25×	80	3C1	3C	1	9	80	3
M2	×0.25×	80	3C2	3C	2	9	80	3
M2	×0.25×	80	3C3	3C	3	9	80	3
M2	×0.25×	80	3C4	3C	4	9	80	3
M2	×0.25×	80	3C5	3C	5	9	80	3
M2	×0.25×	80	3C6	3C	6	9	80	3
M2	×0.25×	80	3C7	3C	7	9	80	3
M2	×0.25×	80	3C8	3C	8	9	80	3
M2	×0.25×	80	3C9	3C	9	9	80	3
M2	×0.25×	80	P1	P	1	9	80	3
M2	×0.25×	80	P2	P	2	9	80	3
M2	×0.25×	80	P3	P	3	9	80	3
M2	×0.25×	80	P4	P	4	9	80	3
M2	×0.25×	80	P5	P	5	9	80	3
M2	×0.25×	80	P6	P	6	9	80	3
M2	×0.25×	80	P7	P	7	9	80	3
M2	×0.25×	80	P8	P	8	9	80	3
M2	×0.25×	80	P9	P	9	9	80	3
M2.2	×0.45×	60	1C1	1C	1	9	60	3
M2.2	×0.45×	60	1C2	1C	2	9	60	3
M2.2	×0.45×	60	1C3	1C	3	9	60	3
M2.2	×0.45×	60	1C4	1C	4	9	60	3
M2.2	×0.45×	60	1C5	1C	5	9	60	3
M2.2	×0.45×	60	1C6	1C	6	9	60	3
M2.2	×0.45×	60	1C7	1C	7	9	60	3
M2.2	×0.45×	60	1C8	1C	8	9	60	3
M2.2	×0.45×	60	1C9	1C	9	9	60	3
M2.2	×0.45×	60	B1	B	1	9	60	3
M2.2	×0.45×	60	B2	B	2	9	60	3
M2.2	×0.45×	60	B3	B	3	9	60	3
M2.2	×0.45×	60	B4	B	4	9	60	3
M2.2	×0.45×	60	B5	B	5	9	60	3
M2.2	×0.45×	60	B6	B	6	9	60	3
M2.2	×0.45×	60	B7	B	7	9	60	3
M2.2	×0.45×	60	B8	B	8	9	60	3
M2.2	×0.45×	60	B9	B	9	9	60	3
M2.2	×0.45×	60	3C1	3C	1	9	60	3
M2.2	×0.45×	60	3C2	3C	2	9	60	3
M2.2	×0.45×	60	3C3	3C	3	9	60	3
M2.2	×0.45×	60	3C4	3C	4	9	60	3
M2.2	×0.45×	60	3C5	3C	5	9	60	3
M2.2	×0.45×	60	3C6	3C	6	9	60	3
M2.2	×0.45×	60	3C7	3C	7	9	60	3
M2.2	×0.45×	60	3C8	3C	8	9	60	3
M2.2	×0.45×	60	3C9	3C	9	9	60	3
M2.2	×0.45×	60	P1	P	1	9	60	3
M2.2	×0.45×	60	P2	P	2	9	60	3
M2.2	×0.45×	60	P3	P	3	9	60	3
M2.2	×0.45×	60	P4	P	4	9	60	3
M2.2	×0.45×	60	P5	P	5	9	60	3
M2.2	×0.45×	60	P6	P	6	9	60	3
M2.2	×0.45×	60	P7	P	7	9	60	3
M2.2	×0.45×	60	P8	P	8	9	60	3
M2.2	×0.45×	60	P9	P	9	9	60	3

呼び	ピッチ	全長	食付精度	食付	精度	刃長	全長	柄径
M2.2	×0.25×	60	1C1	1C	1	9	60	3
M2.2	×0.25×	60	1C2	1C	2	9	60	3
M2.2	×0.25×	60	1C3	1C	3	9	60	3
M2.2	×0.25×	60	1C4	1C	4	9	60	3
M2.2	×0.25×	60	1C5	1C	5	9	60	3
M2.2	×0.25×	60	1C6	1C	6	9	60	3
M2.2	×0.25×	60	1C7	1C	7	9	60	3
M2.2	×0.25×	60	1C8	1C	8	9	60	3
M2.2	×0.25×	60	1C9	1C	9	9	60	3
M2.2	×0.25×	60	B1	B	1	9	60	3
M2.2	×0.25×	60	B2	B	2	9	60	3
M2.2	×0.25×	60	B3	B	3	9	60	3
M2.2	×0.25×	60	B4	B	4	9	60	3
M2.2	×0.25×	60	B5	B	5	9	60	3
M2.2	×0.25×	60	B6	B	6	9	60	3
M2.2	×0.25×	60	B7	B	7	9	60	3
M2.2	×0.25×	60	B8	B	8	9	60	3
M2.2	×0.25×	60	B9	B	9	9	60	3
M2.2	×0.25×	60	3C1	3C	1	9	60	3
M2.2	×0.25×	60	3C2	3C	2	9	60	3
M2.2	×0.25×	60	3C3	3C	3	9	60	3
M2.2	×0.25×	60	3C4	3C	4	9	60	3
M2.2	×0.25×	60	3C5	3C	5	9	60	3
M2.2	×0.25×	60	3C6	3C	6	9	60	3
M2.2	×0.25×	60	3C7	3C	7	9	60	3
M2.2	×0.25×	60	3C8	3C	8	9	60	3
M2.2	×0.25×	60	3C9	3C	9	9	60	3
M2.2	×0.25×	60	P1	P	1	9	60	3
M2.2	×0.25×	60	P2	P	2	9	60	3
M2.2	×0.25×	60	P3	P	3	9	60	3
M2.2	×0.25×	60	P4	P	4	9	60	3
M2.2	×0.25×	60	P5	P	5	9	60	3
M2.2	×0.25×	60	P6	P	6	9	60	3
M2.2	×0.25×	60	P7	P	7	9	60	3
M2.2	×0.25×	60	P8	P	8	9	60	3
M2.2	×0.25×	60	P9	P	9	9	60	3
M2.2	×0.45×	80	1C1	1C	1	9	80	3
M2.2	×0.45×	80	1C2	1C	2	9	80	3
M2.2	×0.45×	80	1C3	1C	3	9	80	3
M2.2	×0.45×	80	1C4	1C	4	9	80	3
M2.2	×0.45×	80	1C5	1C	5	9	80	3
M2.2	×0.45×	80	1C6	1C	6	9	80	3
M2.2	×0.45×	80	1C7	1C	7	9	80	3
M2.2	×0.45×	80	1C8	1C	8	9	80	3
M2.2	×0.45×	80	1C9	1C	9	9	80	3
M2.2	×0.45×	80	B1	B	1	9	80	3
M2.2	×0.45×	80	B2	B	2	9	80	3
M2.2	×0.45×	80	B3	B	3	9	80	3
M2.2	×0.45×	80	B4	B	4	9	80	3
M2.2	×0.45×	80	B5	B	5	9	80	3
M2.2	×0.45×	80	B6	B	6	9	80	3
M2.2	×0.45×	80	B7	B	7	9	80	3
M2.2	×0.45×	80	B8	B	8	9	80	3
M2.2	×0.45×	80	B9	B	9	9	80	3
M2.2	×0.45×	80	3C1	3C	1	9	80	3
M2.2	×0.45×	80	3C2	3C	2	9	80	3
M2.2	×0.45×	80	3C3	3C	3	9	80	3
M2.2	×0.45×	80	3C4	3C	4	9	80	3
M2.2	×0.45×	80	3C5	3C	5	9	80	3
M2.2	×0.45×	80	3C6	3C	6	9	80	3

呼び	ピッチ	全長	食付精度	食付	精度	刃長	全長	柄径
M2.2×0.45×	80	3C7	3C	7	8	80	3	
M2.2×0.45×	80	3C8	3C	8	8	80	3	
M2.2×0.45×	80	3C9	3C	9	8	80	3	
M2.2×0.45×	80	P1	P	1	8	80	3	
M2.2×0.45×	80	P2	P	2	8	80	3	
M2.2×0.45×	80	P3	P	3	8	80	3	
M2.2×0.45×	80	P4	P	4	8	80	3	
M2.2×0.45×	80	P5	P	5	8	80	3	
M2.2×0.45×	80	P6	P	6	8	80	3	
M2.2×0.45×	80	P7	P	7	8	80	3	
M2.2×0.45×	80	P8	P	8	8	80	3	
M2.2×0.45×	80	P9	P	9	8	80	3	
M2.2×0.25×	80	1C1	1C	1	9	80	3	
M2.2×0.25×	80	1C2	1C	2	9	80	3	
M2.2×0.25×	80	1C3	1C	3	9	80	3	
M2.2×0.25×	80	1C4	1C	4	9	80	3	
M2.2×0.25×	80	1C5	1C	5	9	80	3	
M2.2×0.25×	80	1C6	1C	6	9	80	3	
M2.2×0.25×	80	1C7	1C	7	9	80	3	
M2.2×0.25×	80	1C8	1C	8	9	80	3	
M2.2×0.25×	80	1C9	1C	9	9	80	3	
M2.2×0.25×	80	B1	B	1	9	80	3	
M2.2×0.25×	80	B2	B	2	9	80	3	
M2.2×0.25×	80	B3	B	3	9	80	3	
M2.2×0.25×	80	B4	B	4	9	80	3	
M2.2×0.25×	80	B5	B	5	9	80	3	
M2.2×0.25×	80	B6	B	6	9	80	3	
M2.2×0.25×	80	B7	B	7	9	80	3	
M2.2×0.25×	80	B8	B	8	9	80	3	
M2.2×0.25×	80	B9	B	9	9	80	3	
M2.2×0.25×	80	3C1	3C	1	9	80	3	
M2.2×0.25×	80	3C2	3C	2	9	80	3	
M2.2×0.25×	80	3C3	3C	3	9	80	3	
M2.2×0.25×	80	3C4	3C	4	9	80	3	
M2.2×0.25×	80	3C5	3C	5	9	80	3	
M2.2×0.25×	80	3C6	3C	6	9	80	3	
M2.2×0.25×	80	3C7	3C	7	9	80	3	
M2.2×0.25×	80	3C8	3C	8	9	80	3	
M2.2×0.25×	80	3C9	3C	9	9	80	3	
M2.2×0.25×	80	P1	P	1	9	80	3	
M2.2×0.25×	80	P2	P	2	9	80	3	
M2.2×0.25×	80	P3	P	3	9	80	3	
M2.2×0.25×	80	P4	P	4	9	80	3	
M2.2×0.25×	80	P5	P	5	9	80	3	
M2.2×0.25×	80	P6	P	6	9	80	3	
M2.2×0.25×	80	P7	P	7	9	80	3	
M2.2×0.25×	80	P8	P	8	9	80	3	
M2.2×0.25×	80	P9	P	9	9	80	3	
M2.3×0.4 ×	60	1C1	1C	1	9	60	3	
M2.3×0.4 ×	60	1C2	1C	2	9	60	3	
M2.3×0.4 ×	60	1C3	1C	3	9	60	3	
M2.3×0.4 ×	60	1C4	1C	4	9	60	3	
M2.3×0.4 ×	60	1C5	1C	5	9	60	3	
M2.3×0.4 ×	60	1C6	1C	6	9	60	3	
M2.3×0.4 ×	60	1C7	1C	7	9	60	3	
M2.3×0.4 ×	60	1C8	1C	8	9	60	3	
M2.3×0.4 ×	60	1C9	1C	9	9	60	3	
M2.3×0.4 ×	60	B1	B	1	9	60	3	
M2.3×0.4 ×	60	B2	B	2	9	60	3	
M2.3×0.4 ×	60	B3	B	3	9	60	3	
M2.3×0.4 ×	60	B4	B	4	9	60	3	
M2.3×0.4 ×	60	B5	B	5	9	60	3	
M2.3×0.4 ×	60	B6	B	6	9	60	3	
M2.3×0.4 ×	60	B7	B	7	9	60	3	
M2.3×0.4 ×	60	B8	B	8	9	60	3	
M2.3×0.4 ×	60	B9	B	9	9	60	3	


IT-TF-C ロング



食付部山数

記号	山数
1C	1山
B	2山
3C	3山
P	4山

タフレットの精度番号の有効径位置



呼び	ピッチ	全長	食付精度	食付	精度	刃長	全長	柄径
M2.3×0.4	×	80	B4	B	4	9	80	3
M2.3×0.4	×	80	B5	B	5	9	80	3
M2.3×0.4	×	80	B6	B	6	9	80	3
M2.3×0.4	×	80	B7	B	7	9	80	3
M2.3×0.4	×	80	B8	B	8	9	80	3
M2.3×0.4	×	80	B9	B	9	9	80	3
M2.3×0.4	×	80	3C1	3C	1	9	80	3
M2.3×0.4	×	80	3C2	3C	2	9	80	3
M2.3×0.4	×	80	3C3	3C	3	9	80	3
M2.3×0.4	×	80	3C4	3C	4	9	80	3
M2.3×0.4	×	80	3C5	3C	5	9	80	3
M2.3×0.4	×	80	3C6	3C	6	9	80	3
M2.3×0.4	×	80	3C7	3C	7	9	80	3
M2.3×0.4	×	80	3C8	3C	8	9	80	3
M2.3×0.4	×	80	3C9	3C	9	9	80	3
M2.3×0.4	×	80	P1	P	1	9	80	3
M2.3×0.4	×	80	P2	P	2	9	80	3
M2.3×0.4	×	80	P3	P	3	9	80	3
M2.3×0.4	×	80	P4	P	4	9	80	3
M2.3×0.4	×	80	P5	P	5	9	80	3
M2.3×0.4	×	80	P6	P	6	9	80	3
M2.3×0.4	×	80	P7	P	7	9	80	3
M2.3×0.4	×	80	P8	P	8	9	80	3
M2.3×0.4	×	80	P9	P	9	9	80	3
M2.3×0.25	×	80	1C1	1C	1	9	80	3
M2.3×0.25	×	80	1C2	1C	2	9	80	3
M2.3×0.25	×	80	1C3	1C	3	9	80	3
M2.3×0.25	×	80	1C4	1C	4	9	80	3
M2.3×0.25	×	80	1C5	1C	5	9	80	3
M2.3×0.25	×	80	1C6	1C	6	9	80	3
M2.3×0.25	×	80	1C7	1C	7	9	80	3
M2.3×0.25	×	80	1C8	1C	8	9	80	3
M2.3×0.25	×	80	1C9	1C	9	9	80	3
M2.3×0.25	×	80	B1	B	1	9	80	3
M2.3×0.25	×	80	B2	B	2	9	80	3
M2.3×0.25	×	80	B3	B	3	9	80	3
M2.3×0.25	×	80	B4	B	4	9	80	3
M2.3×0.25	×	80	B5	B	5	9	80	3
M2.3×0.25	×	80	B6	B	6	9	80	3
M2.3×0.25	×	80	B7	B	7	9	80	3
M2.3×0.25	×	80	B8	B	8	9	80	3
M2.3×0.25	×	80	B9	B	9	9	80	3
M2.3×0.25	×	80	3C1	3C	1	9	80	3
M2.3×0.25	×	80	3C2	3C	2	9	80	3
M2.3×0.25	×	80	3C3	3C	3	9	80	3
M2.3×0.25	×	80	3C4	3C	4	9	80	3
M2.3×0.25	×	80	3C5	3C	5	9	80	3
M2.3×0.25	×	80	3C6	3C	6	9	80	3
M2.3×0.25	×	80	3C7	3C	7	9	80	3
M2.3×0.25	×	80	3C8	3C	8	9	80	3
M2.3×0.25	×	80	3C9	3C	9	9	80	3
M2.3×0.25	×	80	P1	P	1	9	80	3
M2.3×0.25	×	80	P2	P	2	9	80	3
M2.3×0.25	×	80	P3	P	3	9	80	3
M2.3×0.25	×	80	P4	P	4	9	80	3
M2.3×0.25	×	80	P5	P	5	9	80	3
M2.3×0.25	×	80	P6	P	6	9	80	3
M2.3×0.25	×	80	P7	P	7	9	80	3
M2.3×0.25	×	80	P8	P	8	9	80	3
M2.3×0.25	×	80	P9	P	9	9	80	3

呼び	ピッチ	全長	食付精度	食付	精度	刃長	全長	柄径
M2.5×0.45	×	60	1C1	1C	1	10	60	3
M2.5×0.45	×	60	1C2	1C	2	10	60	3
M2.5×0.45	×	60	1C3	1C	3	10	60	3
M2.5×0.45	×	60	1C4	1C	4	10	60	3
M2.5×0.45	×	60	1C5	1C	5	10	60	3
M2.5×0.45	×	60	1C6	1C	6	10	60	3
M2.5×0.45	×	60	1C7	1C	7	10	60	3
M2.5×0.45	×	60	1C8	1C	8	10	60	3
M2.5×0.45	×	60	1C9	1C	9	10	60	3
M2.5×0.45	×	60	B1	B	1	10	60	3
M2.5×0.45	×	60	B2	B	2	10	60	3
M2.5×0.45	×	60	B3	B	3	10	60	3
M2.5×0.45	×	60	B4	B	4	10	60	3
M2.5×0.45	×	60	B5	B	5	10	60	3
M2.5×0.45	×	60	B6	B	6	10	60	3
M2.5×0.45	×	60	B7	B	7	10	60	3
M2.5×0.45	×	60	B8	B	8	10	60	3
M2.5×0.45	×	60	B9	B	9	10	60	3
M2.5×0.45	×	60	3C1	3C	1	10	60	3
M2.5×0.45	×	60	3C2	3C	2	10	60	3
M2.5×0.45	×	60	3C3	3C	3	10	60	3
M2.5×0.45	×	60	3C4	3C	4	10	60	3
M2.5×0.45	×	60	3C5	3C	5	10	60	3
M2.5×0.45	×	60	3C6	3C	6	10	60	3
M2.5×0.45	×	60	3C7	3C	7	10	60	3
M2.5×0.45	×	60	3C8	3C	8	10	60	3
M2.5×0.45	×	60	3C9	3C	9	10	60	3
M2.5×0.45	×	60	P1	P	1	10	60	3
M2.5×0.45	×	60	P2	P	2	10	60	3
M2.5×0.45	×	60	P3	P	3	10	60	3
M2.5×0.45	×	60	P4	P	4	10	60	3
M2.5×0.45	×	60	P5	P	5	10	60	3
M2.5×0.45	×	60	P6	P	6	10	60	3
M2.5×0.45	×	60	P7	P	7	10	60	3
M2.5×0.45	×	60	P8	P	8	10	60	3
M2.5×0.45	×	60	P9	P	9	10	60	3
M2.5×0.35	×	60	1C1	1C	1	10	60	3
M2.5×0.35	×	60	1C2	1C	2	10	60	3
M2.5×0.35	×	60	1C3	1C	3	10	60	3
M2.5×0.35	×	60	1C4	1C	4	10	60	3
M2.5×0.35	×	60	1C5	1C	5	10	60	3
M2.5×0.35	×	60	1C6	1C	6	10	60	3
M2.5×0.35	×	60	1C7	1C	7	10	60	3
M2.5×0.35	×	60	1C8	1C	8	10	60	3
M2.5×0.35	×	60	1C9	1C	9	10	60	3
M2.5×0.35	×	60	B1	B	1	10	60	3
M2.5×0.35	×	60	B2	B	2	10	60	3
M2.5×0.35	×	60	B3	B	3	10	60	3
M2.5×0.35	×	60	B4	B	4	10	60	3
M2.5×0.35	×	60	B5	B	5	10	60	3
M2.5×0.35	×	60	B6	B	6	10	60	3
M2.5×0.35	×	60	B7	B	7	10	60	3
M2.5×0.35	×	60	B8	B	8	10	60	3
M2.5×0.35	×	60	B9	B	9	10	60	3
M2.5×0.35	×	60	3C1	3C	1	10	60	3
M2.5×0.35	×	60	3C2	3C	2	10	60	3
M2.5×0.35	×	60	3C3	3C	3	10	60	3
M2.5×0.35	×	60	3C4	3C	4	10	60	3
M2.5×0.35	×	60	3C5	3C	5	10	60	3
M2.5×0.35	×	60	3C6	3C	6	10	60	3

呼び	ピッチ	全長	食付精度	食付	精度	刃長	全長	柄径
M2.5×0.35×	60	3C7	3C	7	10	60	3	
M2.5×0.35×	60	3C8	3C	8	10	60	3	
M2.5×0.35×	60	3C9	3C	9	10	60	3	
M2.5×0.35×	60	P1	P	1	10	60	3	
M2.5×0.35×	60	P2	P	2	10	60	3	
M2.5×0.35×	60	P3	P	3	10	60	3	
M2.5×0.35×	60	P4	P	4	10	60	3	
M2.5×0.35×	60	P5	P	5	10	60	3	
M2.5×0.35×	60	P6	P	6	10	60	3	
M2.5×0.35×	60	P7	P	7	10	60	3	
M2.5×0.35×	60	P8	P	8	10	60	3	
M2.5×0.35×	60	P9	P	9	10	60	3	
M2.5×0.45×	80	1C1	1C	1	10	80	3	
M2.5×0.45×	80	1C2	1C	2	10	80	3	
M2.5×0.45×	80	1C3	1C	3	10	80	3	
M2.5×0.45×	80	1C4	1C	4	10	80	3	
M2.5×0.45×	80	1C5	1C	5	10	80	3	
M2.5×0.45×	80	1C6	1C	6	10	80	3	
M2.5×0.45×	80	1C7	1C	7	10	80	3	
M2.5×0.45×	80	1C8	1C	8	10	80	3	
M2.5×0.45×	80	1C9	1C	9	10	80	3	
M2.5×0.45×	80	B1	B	1	10	80	3	
M2.5×0.45×	80	B2	B	2	10	80	3	
M2.5×0.45×	80	B3	B	3	10	80	3	
M2.5×0.45×	80	B4	B	4	10	80	3	
M2.5×0.45×	80	B5	B	5	10	80	3	
M2.5×0.45×	80	B6	B	6	10	80	3	
M2.5×0.45×	80	B7	B	7	10	80	3	
M2.5×0.45×	80	B8	B	8	10	80	3	
M2.5×0.45×	80	B9	B	9	10	80	3	
M2.5×0.45×	80	3C1	3C	1	10	80	3	
M2.5×0.45×	80	3C2	3C	2	10	80	3	
M2.5×0.45×	80	3C3	3C	3	10	80	3	
M2.5×0.45×	80	3C4	3C	4	10	80	3	
M2.5×0.45×	80	3C5	3C	5	10	80	3	
M2.5×0.45×	80	3C6	3C	6	10	80	3	
M2.5×0.45×	80	3C7	3C	7	10	80	3	
M2.5×0.45×	80	3C8	3C	8	10	80	3	
M2.5×0.45×	80	3C9	3C	9	10	80	3	
M2.5×0.45×	80	P1	P	1	10	80	3	
M2.5×0.45×	80	P2	P	2	10	80	3	
M2.5×0.45×	80	P3	P	3	10	80	3	
M2.5×0.45×	80	P4	P	4	10	80	3	
M2.5×0.45×	80	P5	P	5	10	80	3	
M2.5×0.45×	80	P6	P	6	10	80	3	
M2.5×0.45×	80	P7	P	7	10	80	3	
M2.5×0.45×	80	P8	P	8	10	80	3	
M2.5×0.45×	80	P9	P	9	10	80	3	
M2.5×0.35×	80	1C1	1C	1	10	80	3	
M2.5×0.35×	80	1C2	1C	2	10	80	3	
M2.5×0.35×	80	1C3	1C	3	10	80	3	
M2.5×0.35×	80	1C4	1C	4	10	80	3	
M2.5×0.35×	80	1C5	1C	5	10	80	3	
M2.5×0.35×	80	1C6	1C	6	10	80	3	
M2.5×0.35×	80	1C7	1C	7	10	80	3	
M2.5×0.35×	80	1C8	1C	8	10	80	3	
M2.5×0.35×	80	1C9	1C	9	10	80	3	
M2.5×0.35×	80	B1	B	1	10	80	3	
M2.5×0.35×	80	B2	B	2	10	80	3	
M2.5×0.35×	80	B3	B	3	10	80	3	
M2.5×0.35×	80	B4	B	4	10	80	3	
M2.5×0.35×	80	B5	B	5	10	80	3	
M2.5×0.35×	80	B6	B	6	10	80	3	
M2.5×0.35×	80	B7	B	7	10	80	3	
M2.5×0.35×	80	B8	B	8	10	80	3	
M2.5×0.35×	80	B9	B	9	10	80	3	


IT-TF-C ロング



食付部山数

記号	山数
1C	1山
B	2山
3C	3山
P	4山

タフレットの精度番号の有効径位置



呼び	ピッチ	全長	食付精度	食付	精度	刃長	全長	柄径
M2.6×0.35×	60	B4	B	4	10	60	3	
M2.6×0.35×	60	B5	B	5	10	60	3	
M2.6×0.35×	60	B6	B	6	10	60	3	
M2.6×0.35×	60	B7	B	7	10	60	3	
M2.6×0.35×	60	B8	B	8	10	60	3	
M2.6×0.35×	60	B9	B	9	10	60	3	
M2.6×0.35×	60	3C1	3C	1	10	60	3	
M2.6×0.35×	60	3C2	3C	2	10	60	3	
M2.6×0.35×	60	3C3	3C	3	10	60	3	
M2.6×0.35×	60	3C4	3C	4	10	60	3	
M2.6×0.35×	60	3C5	3C	5	10	60	3	
M2.6×0.35×	60	3C6	3C	6	10	60	3	
M2.6×0.35×	60	3C7	3C	7	10	60	3	
M2.6×0.35×	60	3C8	3C	8	10	60	3	
M2.6×0.35×	60	3C9	3C	9	10	60	3	
M2.6×0.35×	60	P1	P	1	10	60	3	
M2.6×0.35×	60	P2	P	2	10	60	3	
M2.6×0.35×	60	P3	P	3	10	60	3	
M2.6×0.35×	60	P4	P	4	10	60	3	
M2.6×0.35×	60	P5	P	5	10	60	3	
M2.6×0.35×	60	P6	P	6	10	60	3	
M2.6×0.35×	60	P7	P	7	10	60	3	
M2.6×0.35×	60	P8	P	8	10	60	3	
M2.6×0.35×	60	P9	P	9	10	60	3	
M2.6×0.45×	80	1C1	1C	1	10	80	3	
M2.6×0.45×	80	1C2	1C	2	10	80	3	
M2.6×0.45×	80	1C3	1C	3	10	80	3	
M2.6×0.45×	80	1C4	1C	4	10	80	3	
M2.6×0.45×	80	1C5	1C	5	10	80	3	
M2.6×0.45×	80	1C6	1C	6	10	80	3	
M2.6×0.45×	80	1C7	1C	7	10	80	3	
M2.6×0.45×	80	1C8	1C	8	10	80	3	
M2.6×0.45×	80	1C9	1C	9	10	80	3	
M2.6×0.45×	80	B1	B	1	10	80	3	
M2.6×0.45×	80	B2	B	2	10	80	3	
M2.6×0.45×	80	B3	B	3	10	80	3	
M2.6×0.45×	80	B4	B	4	10	80	3	
M2.6×0.45×	80	B5	B	5	10	80	3	
M2.6×0.45×	80	B6	B	6	10	80	3	
M2.6×0.45×	80	B7	B	7	10	80	3	
M2.6×0.45×	80	B8	B	8	10	80	3	
M2.6×0.45×	80	B9	B	9	10	80	3	
M2.6×0.45×	80	3C1	3C	1	10	80	3	
M2.6×0.45×	80	3C2	3C	2	10	80	3	
M2.6×0.45×	80	3C3	3C	3	10	80	3	
M2.6×0.45×	80	3C4	3C	4	10	80	3	
M2.6×0.45×	80	3C5	3C	5	10	80	3	
M2.6×0.45×	80	3C6	3C	6	10	80	3	
M2.6×0.45×	80	3C7	3C	7	10	80	3	
M2.6×0.45×	80	3C8	3C	8	10	80	3	
M2.6×0.45×	80	3C9	3C	9	10	80	3	
M2.6×0.45×	80	P1	P	1	10	80	3	
M2.6×0.45×	80	P2	P	2	10	80	3	
M2.6×0.45×	80	P3	P	3	10	80	3	
M2.6×0.45×	80	P4	P	4	10	80	3	
M2.6×0.45×	80	P5	P	5	10	80	3	
M2.6×0.45×	80	P6	P	6	10	80	3	
M2.6×0.45×	80	P7	P	7	10	80	3	
M2.6×0.45×	80	P8	P	8	10	80	3	
M2.6×0.45×	80	P9	P	9	10	80	3	

呼び	ピッチ	全長	食付精度	食付	精度	刃長	全長	柄径
M2.6×0.35×	80	1C1		1C	1	10	80	3
M2.6×0.35×	80	1C2		1C	2	10	80	3
M2.6×0.35×	80	1C3		1C	3	10	80	3
M2.6×0.35×	80	1C4		1C	4	10	80	3
M2.6×0.35×	80	1C5		1C	5	10	80	3
M2.6×0.35×	80	1C6		1C	6	10	80	3
M2.6×0.35×	80	1C7		1C	7	10	80	3
M2.6×0.35×	80	1C8		1C	8	10	80	3
M2.6×0.35×	80	1C9		1C	9	10	80	3
M2.6×0.35×	80	B1		B	1	10	80	3
M2.6×0.35×	80	B2		B	2	10	80	3
M2.6×0.35×	80	B3		B	3	10	80	3
M2.6×0.35×	80	B4		B	4	10	80	3
M2.6×0.35×	80	B5		B	5	10	80	3
M2.6×0.35×	80	B6		B	6	10	80	3
M2.6×0.35×	80	B7		B	7	10	80	3
M2.6×0.35×	80	B8		B	8	10	80	3
M2.6×0.35×	80	B9		B	9	10	80	3
M2.6×0.35×	80	3C1		3C	1	10	80	3
M2.6×0.35×	80	3C2		3C	2	10	80	3
M2.6×0.35×	80	3C3		3C	3	10	80	3
M2.6×0.35×	80	3C4		3C	4	10	80	3
M2.6×0.35×	80	3C5		3C	5	10	80	3
M2.6×0.35×	80	3C6		3C	6	10	80	3
M2.6×0.35×	80	3C7		3C	7	10	80	3
M2.6×0.35×	80	3C8		3C	8	10	80	3
M2.6×0.35×	80	3C9		3C	9	10	80	3
M2.6×0.35×	80	P1		P	1	10	80	3
M2.6×0.35×	80	P2		P	2	10	80	3
M2.6×0.35×	80	P3		P	3	10	80	3
M2.6×0.35×	80	P4		P	4	10	80	3
M2.6×0.35×	80	P5		P	5	10	80	3
M2.6×0.35×	80	P6		P	6	10	80	3
M2.6×0.35×	80	P7		P	7	10	80	3
M2.6×0.35×	80	P8		P	8	10	80	3
M2.6×0.35×	80	P9		P	9	10	80	3
M3 ×0.5 ×	80	1C2		1C	2	10	80	3
M3 ×0.5 ×	80	1C3		1C	3	10	80	3
M3 ×0.5 ×	80	1C4		1C	4	10	80	3
M3 ×0.5 ×	80	1C5		1C	5	10	80	3
M3 ×0.5 ×	80	1C6		1C	6	10	80	3
M3 ×0.5 ×	80	1C7		1C	7	10	80	3
M3 ×0.5 ×	80	1C8		1C	8	10	80	3
M3 ×0.5 ×	80	1C9		1C	9	10	80	3
M3 ×0.5 ×	80	1C10		1C	10	10	80	3
M3 ×0.5 ×	80	B2		B	2	10	80	3
M3 ×0.5 ×	80	B3		B	3	10	80	3
M3 ×0.5 ×	80	B4		B	4	10	80	3
M3 ×0.5 ×	80	B5		B	5	10	80	3
M3 ×0.5 ×	80	B6		B	6	10	80	3
M3 ×0.5 ×	80	B7		B	7	10	80	3
M3 ×0.5 ×	80	B8		B	8	10	80	3
M3 ×0.5 ×	80	B9		B	9	10	80	3
M3 ×0.5 ×	80	B10		B	10	10	80	3
M3 ×0.5 ×	80	3C2		3C	2	10	80	3
M3 ×0.5 ×	80	3C3		3C	3	10	80	3
M3 ×0.5 ×	80	3C4		3C	4	10	80	3
M3 ×0.5 ×	80	3C5		3C	5	10	80	3
M3 ×0.5 ×	80	3C6		3C	6	10	80	3
M3 ×0.5 ×	80	3C7		3C	7	10	80	3

呼び	ピッチ	全長	食付精度	食付	精度	刃長	全長	柄径
M3	×0.5 ×	80	3C8	3C	8	10	80	3
M3	×0.5 ×	80	3C9	3C	9	10	80	3
M3	×0.5 ×	80	3C10	3C	10	10	80	3
M3	×0.5 ×	80	P2	P	2	10	80	3
M3	×0.5 ×	80	P3	P	3	10	80	3
M3	×0.5 ×	80	P4	P	4	10	80	3
M3	×0.5 ×	80	P5	P	5	10	80	3
M3	×0.5 ×	80	P6	P	6	10	80	3
M3	×0.5 ×	80	P7	P	7	10	80	3
M3	×0.5 ×	80	P8	P	8	10	80	3
M3	×0.5 ×	80	P9	P	9	10	80	3
M3	×0.5 ×	80	P10	P	10	10	80	3
M3	×0.35×	80	1C2	1C	2	10	80	3
M3	×0.35×	80	1C3	1C	3	10	80	3
M3	×0.35×	80	1C4	1C	4	10	80	3
M3	×0.35×	80	1C5	1C	5	10	80	3
M3	×0.35×	80	1C6	1C	6	10	80	3
M3	×0.35×	80	1C7	1C	7	10	80	3
M3	×0.35×	80	1C8	1C	8	10	80	3
M3	×0.35×	80	1C9	1C	9	10	80	3
M3	×0.35×	80	1C10	1C	10	10	80	3
M3	×0.35×	80	B2	B	2	10	80	3
M3	×0.35×	80	B3	B	3	10	80	3
M3	×0.35×	80	B4	B	4	10	80	3
M3	×0.35×	80	B5	B	5	10	80	3
M3	×0.35×	80	B6	B	6	10	80	3
M3	×0.35×	80	B7	B	7	10	80	3
M3	×0.35×	80	B8	B	8	10	80	3
M3	×0.35×	80	B9	B	9	10	80	3
M3	×0.35×	80	B10	B	10	10	80	3
M3	×0.35×	80	3C2	3C	2	10	80	3
M3	×0.35×	80	3C3	3C	3	10	80	3
M3	×0.35×	80	3C4	3C	4	10	80	3
M3	×0.35×	80	3C5	3C	5	10	80	3
M3	×0.35×	80	3C6	3C	6	10	80	3
M3	×0.35×	80	3C7	3C	7	10	80	3
M3	×0.35×	80	3C8	3C	8	10	80	3
M3	×0.35×	80	3C9	3C	9	10	80	3
M3	×0.35×	80	3C10	3C	10	10	80	3
M3	×0.35×	80	P2	P	2	10	80	3
M3	×0.35×	80	P3	P	3	10	80	3
M3	×0.35×	80	P4	P	4	10	80	3
M3	×0.35×	80	P5	P	5	10	80	3
M3	×0.35×	80	P6	P	6	10	80	3
M3	×0.35×	80	P7	P	7	10	80	3
M3	×0.35×	80	P8	P	8	10	80	3
M3	×0.35×	80	P9	P	9	10	80	3
M3	×0.35×	80	P10	P	10	10	80	3
M3	×0.5 ×100	1C2	1C	2	10	100	3	
M3	×0.5 ×100	1C3	1C	3	10	100	3	
M3	×0.5 ×100	1C4	1C	4	10	100	3	
M3	×0.5 ×100	1C5	1C	5	10	100	3	
M3	×0.5 ×100	1C6	1C	6	10	100	3	
M3	×0.5 ×100	1C7	1C	7	10	100	3	
M3	×0.5 ×100	1C8	1C	8	10	100	3	
M3	×0.5 ×100	1C9	1C	9	10	100	3	
M3	×0.5 ×100	1C10	1C	10	10	100	3	
M3	×0.5 ×100	B2	B	2	10	100	3	
M3	×0.5 ×100	B3	B	3	10	100	3	
M3	×0.5 ×100	B4	B	4	10	100	3	
M3	×0.5 ×100	B5	B	5	10	100	3	
M3	×0.5 ×100	B6	B	6	10	100	3	
M3	×0.5 ×100	B7	B	7	10	100	3	
M3	×0.5 ×100	B8	B	8	10	100	3	
M3	×0.5 ×100	B9	B	9	10	100	3	
M3	×0.5 ×100	B10	B	10	10	100	3	


IT-TF-C ロング



食付部山数

記号	山数
1C	1山
B	2山
3C	3山
P	4山

タフレットの精度番号の有効径位置



呼び	ピッチ	全長	食付精度	食付	精度	刃長	全長	柄径
M3	×0.5	×150	B5	B	5	10	150	3
M3	×0.5	×150	B6	B	6	10	150	3
M3	×0.5	×150	B7	B	7	10	150	3
M3	×0.5	×150	B8	B	8	10	150	3
M3	×0.5	×150	B9	B	9	10	150	3
M3	×0.5	×150	B10	B	10	10	150	3
M3	×0.5	×150	3C2	3C	2	10	150	3
M3	×0.5	×150	3C3	3C	3	10	150	3
M3	×0.5	×150	3C4	3C	4	10	150	3
M3	×0.5	×150	3C5	3C	5	10	150	3
M3	×0.5	×150	3C6	3C	6	10	150	3
M3	×0.5	×150	3C7	3C	7	10	150	3
M3	×0.5	×150	3C8	3C	8	10	150	3
M3	×0.5	×150	3C9	3C	9	10	150	3
M3	×0.5	×150	3C10	3C	10	10	150	3
M3	×0.5	×150	P2	P	2	10	150	3
M3	×0.5	×150	P3	P	3	10	150	3
M3	×0.5	×150	P4	P	4	10	150	3
M3	×0.5	×150	P5	P	5	10	150	3
M3	×0.5	×150	P6	P	6	10	150	3
M3	×0.5	×150	P7	P	7	10	150	3
M3	×0.5	×150	P8	P	8	10	150	3
M3	×0.5	×150	P9	P	9	10	150	3
M3	×0.5	×150	P10	P	10	10	150	3
M3	×0.35	×150	1C2	1C	2	10	150	3
M3	×0.35	×150	1C3	1C	3	10	150	3
M3	×0.35	×150	1C4	1C	4	10	150	3
M3	×0.35	×150	1C5	1C	5	10	150	3
M3	×0.35	×150	1C6	1C	6	10	150	3
M3	×0.35	×150	1C7	1C	7	10	150	3
M3	×0.35	×150	1C8	1C	8	10	150	3
M3	×0.35	×150	1C9	1C	9	10	150	3
M3	×0.35	×150	1C10	1C	10	10	150	3
M3	×0.35	×150	B2	B	2	10	150	3
M3	×0.35	×150	B3	B	3	10	150	3
M3	×0.35	×150	B4	B	4	10	150	3
M3	×0.35	×150	B5	B	5	10	150	3
M3	×0.35	×150	B6	B	6	10	150	3
M3	×0.35	×150	B7	B	7	10	150	3
M3	×0.35	×150	B8	B	8	10	150	3
M3	×0.35	×150	B9	B	9	10	150	3
M3	×0.35	×150	B10	B	10	10	150	3
M3	×0.35	×150	3C2	3C	2	10	150	3
M3	×0.35	×150	3C3	3C	3	10	150	3
M3	×0.35	×150	3C4	3C	4	10	150	3
M3	×0.35	×150	3C5	3C	5	10	150	3
M3	×0.35	×150	3C6	3C	6	10	150	3
M3	×0.35	×150	3C7	3C	7	10	150	3
M3	×0.35	×150	3C8	3C	8	10	150	3
M3	×0.35	×150	3C9	3C	9	10	150	3
M3	×0.35	×150	3C10	3C	10	10	150	3
M3	×0.35	×150	P2	P	2	10	150	3
M3	×0.35	×150	P3	P	3	10	150	3
M3	×0.35	×150	P4	P	4	10	150	3
M3	×0.35	×150	P5	P	5	10	150	3
M3	×0.35	×150	P6	P	6	10	150	3
M3	×0.35	×150	P7	P	7	10	150	3
M3	×0.35	×150	P8	P	8	10	150	3
M3	×0.35	×150	P9	P	9	10	150	3
M3	×0.35	×150	P10	P	10	10	150	3

呼び	ピッチ	全長	食付精度	食付	精度	刃長	全長	柄径
M3	×0.5	× 80	1C5	1C	5	10	80	4
M3	×0.5	× 80	1C6	1C	6	10	80	4
M3	×0.5	× 80	1C7	1C	7	10	80	4
M3	×0.5	× 80	B5	B	5	10	80	4
M3	×0.5	× 80	B6	B	6	10	80	4
M3	×0.5	× 80	B7	B	7	10	80	4
M3	×0.5	× 80	P5	P	5	10	80	4
M3	×0.5	× 80	P6	P	6	10	80	4
M3	×0.5	× 80	P7	P	7	10	80	4
M3	×0.35	× 80	1C5	1C	5	10	80	4
M3	×0.35	× 80	1C6	1C	6	10	80	4
M3	×0.35	× 80	1C7	1C	7	10	80	4
M3	×0.35	× 80	B5	B	5	10	80	4
M3	×0.35	× 80	B6	B	6	10	80	4
M3	×0.35	× 80	B7	B	7	10	80	4
M3	×0.35	× 80	P5	P	5	10	80	4
M3	×0.35	× 80	P6	P	6	10	80	4
M3	×0.35	× 80	P7	P	7	10	80	4
M3	×0.5	×100	1C5	1C	5	10	100	4
M3	×0.5	×100	1C6	1C	6	10	100	4
M3	×0.5	×100	1C7	1C	7	10	100	4
M3	×0.5	×100	B5	B	5	10	100	4
M3	×0.5	×100	B6	B	6	10	100	4
M3	×0.5	×100	B7	B	7	10	100	4
M3	×0.5	×100	P5	P	5	10	100	4
M3	×0.5	×100	P6	P	6	10	100	4
M3	×0.5	×100	P7	P	7	10	100	4
M3	×0.35	×100	1C5	1C	5	10	100	4
M3	×0.35	×100	1C6	1C	6	10	100	4
M3	×0.35	×100	1C7	1C	7	10	100	4
M3	×0.35	×100	B5	B	5	10	100	4
M3	×0.35	×100	B6	B	6	10	100	4
M3	×0.35	×100	B7	B	7	10	100	4
M3	×0.35	×100	P5	P	5	10	100	4
M3	×0.35	×100	P6	P	6	10	100	4
M3	×0.35	×100	P7	P	7	10	100	4
M3	×0.5	×150	1C5	1C	5	10	150	4
M3	×0.5	×150	1C6	1C	6	10	150	4
M3	×0.5	×150	1C7	1C	7	10	150	4
M3	×0.5	×150	B5	B	5	10	150	4
M3	×0.5	×150	B6	B	6	10	150	4
M3	×0.5	×150	B7	B	7	10	150	4
M3	×0.5	×150	P5	P	5	10	150	4
M3	×0.5	×150	P6	P	6	10	150	4
M3	×0.5	×150	P7	P	7	10	150	4
M3	×0.35	×150	1C5	1C	5	10	150	4
M3	×0.35	×150	1C6	1C	6	10	150	4
M3	×0.35	×150	1C7	1C	7	10	150	4
M3	×0.35	×150	B5	B	5	10	150	4
M3	×0.35	×150	B6	B	6	10	150	4
M3	×0.35	×150	B7	B	7	10	150	4
M3	×0.35	×150	P5	P	5	10	150	4
M3	×0.35	×150	P6	P	6	10	150	4
M3	×0.35	×150	P7	P	7	10	150	4
M3	×0.5	×150	1C5	1C	5	10	150	4
M3	×0.5	×150	1C6	1C	6	10	150	4
M3	×0.5	×150	1C7	1C	7	10	150	4
M3	×0.5	×150	B5	B	5	10	150	4
M3	×0.5	×150	B6	B	6	10	150	4
M3	×0.5	×150	B7	B	7	10	150	4
M3	×0.5	×150	P5	P	5	10	150	4
M3	×0.5	×150	P6	P	6	10	150	4
M3	×0.5	×150	P7	P	7	10	150	4

呼び	ピッチ	全長	食付精度	食付	精度	刃長	全長	柄径
M3	×0.5	×100	3C4	3C	4	10	100	4
M3	×0.5	×100	3C5	3C	5	10	100	4
M3	×0.5	×100	3C6	3C	6	10	100	4
M3	×0.5	×100	3C7	3C	7	10	100	4
M3	×0.5	×100	3C8	3C	8	10	100	4
M3	×0.5	×100	3C9	3C	9	10	100	4
M3	×0.5	×100	P4	P	4	10	100	4
M3	×0.5	×100	P5	P	5	10	100	4
M3	×0.5	×100	P6	P	6	10	100	4
M3	×0.5	×100	P7	P	7	10	100	4
M3	×0.5	×100	P8	P	8	10	100	4
M3	×0.5	×100	P9	P	9	10	100	4
M3	×0.35	×100	1C4	1C	4	10	100	4
M3	×0.35	×100	1C5	1C	5	10	100	4
M3	×0.35	×100	1C6	1C	6	10	100	4
M3	×0.35	×100	1C7	1C	7	10	100	4
M3	×0.35	×100	1C8	1C	8	10	100	4
M3	×0.35	×100	1C9	1C	9	10	100	4
M3	×0.35	×100	B4	B	4	10	100	4
M3	×0.35	×100	B5	B	5	10	100	4
M3	×0.35	×100	B6	B	6	10	100	4
M3	×0.35	×100	B7	B	7	10	100	4
M3	×0.35	×100	B8	B	8	10	100	4
M3	×0.35	×100	B9	B	9	10	100	4
M3	×0.35	×100	3C4	3C	4	10	100	4
M3	×0.35	×100	3C5	3C	5	10	100	4
M3	×0.35	×100	3C6	3C	6	10	100	4
M3	×0.35	×100	3C7	3C	7	10	100	4
M3	×0.35	×100	3C8	3C	8	10	100	4
M3	×0.35	×100	3C9	3C	9	10	100	4
M3	×0.35	×100	P4	P	4	10	100	4
M3	×0.35	×100	P5	P	5	10	100	4
M3	×0.35	×100	P6	P	6	10	100	4
M3	×0.35	×100	P7	P	7	10	100	4
M3	×0.35	×100	P8	P	8	10	100	4
M3	×0.35	×100	P9	P	9	10	100	4
M3	×0.5	×150	1C4	1C	4	10	150	4
M3	×0.5	×150	1C5	1C	5	10	150	4
M3	×0.5	×150	1C6	1C	6	10	150	4
M3	×0.5	×150	1C7	1C	7	10	150	4
M3	×0.5	×150	1C8	1C	8	10	150	4
M3	×0.5	×150	1C9	1C	9	10	150	4
M3	×0.5	×150	B4	B	4	10	150	4
M3	×0.5	×150	B5	B	5	10	150	4
M3	×0.5	×150	B6	B	6	10	150	4