

# Epoch Rib エポックリブ



0 ~ -0.03



$Ds \leq 6$  : 0 ~ -0.005  
 $6 < Ds$  : 0 ~ -0.006 (mm)

片角公差 :  $\pm 5'$   
Tolerance on angle



4枚刃  
4Flutes



## EPRI- -C



| 商品コード<br>Item Code | 在庫<br>Stock              | 寸法 Size (mm)    |                                |                    |                        |                      |                     |
|--------------------|--------------------------|-----------------|--------------------------------|--------------------|------------------------|----------------------|---------------------|
|                    |                          | 外径<br>Mill Dia. | 刃部テーパ半角<br>Taper Angle on side | 刃長<br>Flute Length | 大端径<br>Large Edge Dia. | 全長<br>Overall Length | シャンク径<br>Shank Dia. |
| EPRI0504-05-C      | <input type="checkbox"/> | 0.5             | 30'                            | 4                  | 0.57                   | 50                   | 4                   |
| EPRI0506-05-C      | <input type="checkbox"/> | 0.5             | 30'                            | 6                  | 0.6                    | 50                   | 4                   |
| EPRI0504-07-C      | <input type="checkbox"/> | 0.5             | 45'                            | 4                  | 0.6                    | 50                   | 4                   |
| EPRI0506-07-C      | <input type="checkbox"/> | 0.5             | 45'                            | 6                  | 0.66                   | 50                   | 4                   |
| EPRI0504-10-C      | <input type="checkbox"/> | 0.5             | 1°                             | 4                  | 0.64                   | 50                   | 4                   |
| EPRI0506-10-C      | <input type="checkbox"/> | 0.5             | 1°                             | 6                  | 0.71                   | 50                   | 4                   |
| EPRI0504-15-C      | <input type="checkbox"/> | 0.5             | 1° 30'                         | 4                  | 0.71                   | 50                   | 4                   |
| EPRI0506-15-C      | <input type="checkbox"/> | 0.5             | 1° 30'                         | 6                  | 0.81                   | 50                   | 4                   |
| EPRI0504-20-C      | <input type="checkbox"/> | 0.5             | 2°                             | 4                  | 0.78                   | 50                   | 4                   |
| EPRI0506-20-C      | <input type="checkbox"/> | 0.5             | 2°                             | 6                  | 0.92                   | 50                   | 4                   |
| EPRI0504-30-C      | <input type="checkbox"/> | 0.5             | 3°                             | 4                  | 0.92                   | 50                   | 4                   |
| EPRI0604-05-C      | <input type="checkbox"/> | 0.6             | 30'                            | 4                  | 0.67                   | 50                   | 4                   |
| EPRI0606-05-C      | <input type="checkbox"/> | 0.6             | 30'                            | 6                  | 0.7                    | 50                   | 4                   |
| EPRI0604-07-C      | <input type="checkbox"/> | 0.6             | 45'                            | 4                  | 0.7                    | 50                   | 4                   |
| EPRI0606-07-C      | <input type="checkbox"/> | 0.6             | 45'                            | 6                  | 0.76                   | 50                   | 4                   |
| EPRI0604-10-C      | <input type="checkbox"/> | 0.6             | 1°                             | 4                  | 0.74                   | 50                   | 4                   |
| EPRI0606-10-C      | <input type="checkbox"/> | 0.6             | 1°                             | 6                  | 0.81                   | 50                   | 4                   |
| EPRI0604-15-C      | <input type="checkbox"/> | 0.6             | 1° 30'                         | 4                  | 0.81                   | 50                   | 4                   |
| EPRI0606-15-C      | <input type="checkbox"/> | 0.6             | 1° 30'                         | 6                  | 0.91                   | 50                   | 4                   |
| EPRI0604-20-C      | <input type="checkbox"/> | 0.6             | 2°                             | 4                  | 0.88                   | 50                   | 4                   |
| EPRI0606-20-C      | <input type="checkbox"/> | 0.6             | 2°                             | 6                  | 1.02                   | 50                   | 4                   |
| EPRI0604-30-C      | <input type="checkbox"/> | 0.6             | 3°                             | 4                  | 1.02                   | 50                   | 4                   |
| EPRI0704-05-C      | <input type="checkbox"/> | 0.7             | 30'                            | 4                  | 0.77                   | 50                   | 4                   |
| EPRI0706-05-C      | <input type="checkbox"/> | 0.7             | 30'                            | 6                  | 0.8                    | 50                   | 4                   |
| EPRI0708-05-C      | <input type="checkbox"/> | 0.7             | 30'                            | 8                  | 0.84                   | 50                   | 4                   |
| EPRI0706-07-C      | <input type="checkbox"/> | 0.7             | 45'                            | 6                  | 0.86                   | 50                   | 4                   |
| EPRI0708-07-C      | <input type="checkbox"/> | 0.7             | 45'                            | 8                  | 0.91                   | 50                   | 4                   |
| EPRI0704-10-C      | <input type="checkbox"/> | 0.7             | 1°                             | 4                  | 0.84                   | 50                   | 4                   |
| EPRI0706-10-C      | <input type="checkbox"/> | 0.7             | 1°                             | 6                  | 0.91                   | 50                   | 4                   |
| EPRI0708-10-C      | <input type="checkbox"/> | 0.7             | 1°                             | 8                  | 0.98                   | 50                   | 4                   |
| EPRI0704-15-C      | <input type="checkbox"/> | 0.7             | 1° 30'                         | 4                  | 0.91                   | 50                   | 4                   |
| EPRI0706-15-C      | <input type="checkbox"/> | 0.7             | 1° 30'                         | 6                  | 1.01                   | 50                   | 4                   |
| EPRI0708-15-C      | <input type="checkbox"/> | 0.7             | 1° 30'                         | 8                  | 1.12                   | 50                   | 4                   |
| EPRI0704-20-C      | <input type="checkbox"/> | 0.7             | 2°                             | 4                  | 0.98                   | 50                   | 4                   |
| EPRI0706-20-C      | <input type="checkbox"/> | 0.7             | 2°                             | 6                  | 1.12                   | 50                   | 4                   |
| EPRI0708-20-C      | <input type="checkbox"/> | 0.7             | 2°                             | 8                  | 1.26                   | 50                   | 4                   |
| EPRI0706-30-C      | <input type="checkbox"/> | 0.7             | 3°                             | 6                  | 1.33                   | 50                   | 4                   |
| EPRI0806-05-C      | <input type="checkbox"/> | 0.8             | 30'                            | 6                  | 0.91                   | 50                   | 4                   |
| EPRI0808-05-C      | <input type="checkbox"/> | 0.8             | 30'                            | 8                  | 0.94                   | 50                   | 4                   |
| EPRI0810-05-C      | <input type="checkbox"/> | 0.8             | 30'                            | 10                 | 0.98                   | 50                   | 4                   |
| EPRI0806-07-C      | <input type="checkbox"/> | 0.8             | 45'                            | 6                  | 0.96                   | 50                   | 4                   |
| EPRI0808-07-C      | <input type="checkbox"/> | 0.8             | 45'                            | 8                  | 1.01                   | 50                   | 4                   |
| EPRI0810-07-C      | <input type="checkbox"/> | 0.8             | 45'                            | 10                 | 1.06                   | 50                   | 4                   |
| EPRI0806-10-C      | <input type="checkbox"/> | 0.8             | 1°                             | 6                  | 1.01                   | 50                   | 4                   |
| EPRI0808-10-C      | <input type="checkbox"/> | 0.8             | 1°                             | 8                  | 1.08                   | 50                   | 4                   |
| EPRI0810-10-C      | <input type="checkbox"/> | 0.8             | 1°                             | 10                 | 1.15                   | 50                   | 4                   |
| EPRI0806-15-C      | <input type="checkbox"/> | 0.8             | 1° 30'                         | 6                  | 1.11                   | 50                   | 4                   |

| 商品コード<br>Item Code | 在庫<br>Stock              | 寸法 Size (mm)    |                                |                    |                        |                      |                     |
|--------------------|--------------------------|-----------------|--------------------------------|--------------------|------------------------|----------------------|---------------------|
|                    |                          | 外径<br>Mill Dia. | 刃部テーパ半角<br>Taper Angle on side | 刃長<br>Flute Length | 大端径<br>Large Edge Dia. | 全長<br>Overall Length | シャンク径<br>Shank Dia. |
| EPRI0808-15-C      | <input type="checkbox"/> | 0.8             | 1° 30'                         | 8                  | 1.22                   | 50                   | 4                   |
| EPRI0810-15-C      | <input type="checkbox"/> | 0.8             | 1° 30'                         | 10                 | 1.32                   | 50                   | 4                   |
| EPRI0806-20-C      | <input type="checkbox"/> | 0.8             | 2°                             | 6                  | 1.22                   | 50                   | 4                   |
| EPRI0808-20-C      | <input type="checkbox"/> | 0.8             | 2°                             | 8                  | 1.36                   | 50                   | 4                   |
| EPRI0810-20-C      | <input type="checkbox"/> | 0.8             | 2°                             | 10                 | 1.5                    | 50                   | 4                   |
| EPRI0806-30-C      | <input type="checkbox"/> | 0.8             | 3°                             | 6                  | 1.43                   | 50                   | 4                   |
| EPRI0810-30-C      | <input type="checkbox"/> | 0.8             | 3°                             | 10                 | 1.85                   | 50                   | 4                   |
| EPRI0906-05-C      | <input type="checkbox"/> | 0.9             | 30'                            | 6                  | 1                      | 50                   | 4                   |
| EPRI0908-05-C      | <input type="checkbox"/> | 0.9             | 30'                            | 8                  | 1.04                   | 50                   | 4                   |
| EPRI0910-05-C      | <input type="checkbox"/> | 0.9             | 30'                            | 10                 | 1.07                   | 50                   | 4                   |
| EPRI0906-07-C      | <input type="checkbox"/> | 0.9             | 45'                            | 6                  | 1.06                   | 50                   | 4                   |
| EPRI0908-07-C      | <input type="checkbox"/> | 0.9             | 45'                            | 8                  | 1.11                   | 50                   | 4                   |
| EPRI0910-07-C      | <input type="checkbox"/> | 0.9             | 45'                            | 10                 | 1.16                   | 50                   | 4                   |
| EPRI0906-10-C      | <input type="checkbox"/> | 0.9             | 1°                             | 6                  | 1.11                   | 50                   | 4                   |
| EPRI0908-10-C      | <input type="checkbox"/> | 0.9             | 1°                             | 8                  | 1.18                   | 50                   | 4                   |
| EPRI0910-10-C      | <input type="checkbox"/> | 0.9             | 1°                             | 10                 | 1.25                   | 50                   | 4                   |
| EPRI0906-15-C      | <input type="checkbox"/> | 0.9             | 1° 30'                         | 6                  | 1.21                   | 50                   | 4                   |
| EPRI0908-15-C      | <input type="checkbox"/> | 0.9             | 1° 30'                         | 8                  | 1.32                   | 50                   | 4                   |
| EPRI0910-15-C      | <input type="checkbox"/> | 0.9             | 1° 30'                         | 10                 | 1.42                   | 50                   | 4                   |
| EPRI0906-20-C      | <input type="checkbox"/> | 0.9             | 2°                             | 6                  | 1.32                   | 50                   | 4                   |
| EPRI0908-20-C      | <input type="checkbox"/> | 0.9             | 2°                             | 8                  | 1.46                   | 50                   | 4                   |
| EPRI0910-20-C      | <input type="checkbox"/> | 0.9             | 2°                             | 10                 | 1.6                    | 50                   | 4                   |
| EPRI0908-30-C      | <input type="checkbox"/> | 0.9             | 3°                             | 8                  | 1.74                   | 50                   | 4                   |
| EPRI1006-05-C      | <input type="checkbox"/> | 1               | 30'                            | 6                  | 1.11                   | 50                   | 4                   |
| EPRI1008-05-C      | <input type="checkbox"/> | 1               | 30'                            | 8                  | 1.14                   | 50                   | 4                   |
| EPRI1010-05-C      | <input type="checkbox"/> | 1               | 30'                            | 10                 | 1.17                   | 50                   | 4                   |
| EPRI1012-05-C      | <input type="checkbox"/> | 1               | 30'                            | 12                 | 1.21                   | 50                   | 4                   |
| EPRI1016-05-C      | <input type="checkbox"/> | 1               | 30'                            | 16                 | 1.28                   | 50                   | 4                   |
| EPRI1008-07-C      | <input type="checkbox"/> | 1               | 45'                            | 8                  | 1.21                   | 50                   | 4                   |
| EPRI1010-07-C      | <input type="checkbox"/> | 1               | 45'                            | 10                 | 1.26                   | 50                   | 4                   |
| EPRI1012-07-C      | <input type="checkbox"/> | 1               | 45'                            | 12                 | 1.31                   | 50                   | 4                   |
| EPRI1006-10-C      | <input type="checkbox"/> | 1               | 1°                             | 6                  | 1.21                   | 50                   | 4                   |
| EPRI1008-10-C      | <input type="checkbox"/> | 1               | 1°                             | 8                  | 1.28                   | 50                   | 4                   |
| EPRI1010-10-C      | <input type="checkbox"/> | 1               | 1°                             | 10                 | 1.35                   | 50                   | 4                   |
| EPRI1012-10-C      | <input type="checkbox"/> | 1               | 1°                             | 12                 | 1.42                   | 50                   | 4                   |
| EPRI1016-10-C      | <input type="checkbox"/> | 1               | 1°                             | 16                 | 1.56                   | 50                   | 4                   |
| EPRI1006-15-C      | <input type="checkbox"/> | 1               | 1° 30'                         | 6                  | 1.31                   | 50                   | 4                   |
| EPRI1008-15-C      | <input type="checkbox"/> | 1               | 1° 30'                         | 8                  | 1.42                   | 50                   | 4                   |
| EPRI1010-15-C      | <input type="checkbox"/> | 1               | 1° 30'                         | 10                 | 1.52                   | 50                   | 4                   |
| EPRI1012-15-C      | <input type="checkbox"/> | 1               | 1° 30'                         | 12                 | 1.63                   | 50                   | 4                   |
| EPRI1016-15-C      | <input type="checkbox"/> | 1               | 1° 30'                         | 16                 | 1.84                   | 50                   | 4                   |
| EPRI1006-20-C      | <input type="checkbox"/> | 1               | 2°                             | 6                  | 1.42                   | 50                   | 4                   |
| EPRI1008-20-C      | <input type="checkbox"/> | 1               | 2°                             | 8                  | 1.56                   | 50                   | 4                   |
| EPRI1010-20-C      | <input type="checkbox"/> | 1               | 2°                             | 10                 | 1.7                    | 50                   | 4                   |
| EPRI1012-20-C      | <input type="checkbox"/> | 1               | 2°                             | 12                 | 1.84                   | 50                   | 4                   |
| EPRI1016-20-C      | <input type="checkbox"/> | 1               | 2°                             | 16                 | 2.12                   | 50                   | 4                   |
| EPRI1008-30-C      | <input type="checkbox"/> | 1               | 3°                             | 8                  | 1.84                   | 50                   | 4                   |

☐印：特定代理店在庫です。弊社営業へお問合せください。

☐ : Stocked by specified distributor. Contact with our sales department.

# EPRI○○○○-○○-C

| 商品コード<br>Item Code | 在庫<br>Stock              | 寸法 Size (mm)    |                                |                    |                        |                      |                     |
|--------------------|--------------------------|-----------------|--------------------------------|--------------------|------------------------|----------------------|---------------------|
|                    |                          | 外径<br>Mill Dia. | 刃部テーパ半角<br>Taper Angle on side | 刃長<br>Flute Length | 大端径<br>Large Edge Dia. | 全長<br>Overall Length | シャンク径<br>Shank Dia. |
| EPRI1012-30-C      | <input type="checkbox"/> | 1               | 3°                             | 12                 | 2.26                   | 50                   | 4                   |
| EPRI1206-05-C      | <input type="checkbox"/> | 1.2             | 30'                            | 6                  | 1.31                   | 50                   | 4                   |
| EPRI1208-05-C      | <input type="checkbox"/> | 1.2             | 30'                            | 8                  | 1.34                   | 50                   | 4                   |
| EPRI1210-05-C      | <input type="checkbox"/> | 1.2             | 30'                            | 10                 | 1.38                   | 50                   | 4                   |
| EPRI1212-05-C      | <input type="checkbox"/> | 1.2             | 30'                            | 12                 | 1.41                   | 50                   | 4                   |
| EPRI1216-05-C      | <input type="checkbox"/> | 1.2             | 30'                            | 16                 | 1.48                   | 50                   | 4                   |
| EPRI1220-05-C      | <input type="checkbox"/> | 1.2             | 30'                            | 20                 | 1.55                   | 60                   | 4                   |
| EPRI1208-07-C      | <input type="checkbox"/> | 1.2             | 45'                            | 8                  | 1.41                   | 50                   | 4                   |
| EPRI1210-07-C      | <input type="checkbox"/> | 1.2             | 45'                            | 10                 | 1.46                   | 50                   | 4                   |
| EPRI1212-07-C      | <input type="checkbox"/> | 1.2             | 45'                            | 12                 | 1.51                   | 50                   | 4                   |
| EPRI1216-07-C      | <input type="checkbox"/> | 1.2             | 45'                            | 16                 | 1.62                   | 50                   | 4                   |
| EPRI1206-10-C      | <input type="checkbox"/> | 1.2             | 1°                             | 6                  | 1.41                   | 50                   | 4                   |
| EPRI1208-10-C      | <input type="checkbox"/> | 1.2             | 1°                             | 8                  | 1.48                   | 50                   | 4                   |
| EPRI1210-10-C      | <input type="checkbox"/> | 1.2             | 1°                             | 10                 | 1.55                   | 50                   | 4                   |
| EPRI1212-10-C      | <input type="checkbox"/> | 1.2             | 1°                             | 12                 | 1.62                   | 50                   | 4                   |
| EPRI1216-10-C      | <input type="checkbox"/> | 1.2             | 1°                             | 16                 | 1.76                   | 50                   | 4                   |
| EPRI1220-10-C      | <input type="checkbox"/> | 1.2             | 1°                             | 20                 | 1.9                    | 60                   | 4                   |
| EPRI1206-15-C      | <input type="checkbox"/> | 1.2             | 1° 30'                         | 6                  | 1.51                   | 50                   | 4                   |
| EPRI1208-15-C      | <input type="checkbox"/> | 1.2             | 1° 30'                         | 8                  | 1.62                   | 50                   | 4                   |
| EPRI1210-15-C      | <input type="checkbox"/> | 1.2             | 1° 30'                         | 10                 | 1.72                   | 50                   | 4                   |
| EPRI1212-15-C      | <input type="checkbox"/> | 1.2             | 1° 30'                         | 12                 | 1.83                   | 50                   | 4                   |
| EPRI1216-15-C      | <input type="checkbox"/> | 1.2             | 1° 30'                         | 16                 | 2.04                   | 50                   | 4                   |
| EPRI1206-20-C      | <input type="checkbox"/> | 1.2             | 2°                             | 6                  | 1.62                   | 50                   | 4                   |
| EPRI1208-20-C      | <input type="checkbox"/> | 1.2             | 2°                             | 8                  | 1.76                   | 50                   | 4                   |
| EPRI1210-20-C      | <input type="checkbox"/> | 1.2             | 2°                             | 10                 | 1.9                    | 50                   | 4                   |
| EPRI1212-20-C      | <input type="checkbox"/> | 1.2             | 2°                             | 12                 | 2.04                   | 50                   | 4                   |
| EPRI1216-20-C      | <input type="checkbox"/> | 1.2             | 2°                             | 16                 | 2.32                   | 50                   | 4                   |
| EPRI1210-30-C      | <input type="checkbox"/> | 1.2             | 3°                             | 10                 | 2.25                   | 50                   | 4                   |
| EPRI1216-30-C      | <input type="checkbox"/> | 1.2             | 3°                             | 16                 | 2.88                   | 50                   | 4                   |
| EPRI1508-05-C      | <input type="checkbox"/> | 1.5             | 30'                            | 8                  | 1.64                   | 50                   | 4                   |
| EPRI1510-05-C      | <input type="checkbox"/> | 1.5             | 30'                            | 10                 | 1.67                   | 50                   | 4                   |
| EPRI1512-05-C      | <input type="checkbox"/> | 1.5             | 30'                            | 12                 | 1.71                   | 50                   | 4                   |
| EPRI1516-05-C      | <input type="checkbox"/> | 1.5             | 30'                            | 16                 | 1.78                   | 50                   | 4                   |
| EPRI1520-05-C      | <input type="checkbox"/> | 1.5             | 30'                            | 20                 | 1.85                   | 60                   | 4                   |
| EPRI1508-07-C      | <input type="checkbox"/> | 1.5             | 45'                            | 8                  | 1.71                   | 50                   | 4                   |
| EPRI1510-07-C      | <input type="checkbox"/> | 1.5             | 45'                            | 10                 | 1.76                   | 50                   | 4                   |
| EPRI1512-07-C      | <input type="checkbox"/> | 1.5             | 45'                            | 12                 | 1.81                   | 50                   | 4                   |
| EPRI1516-07-C      | <input type="checkbox"/> | 1.5             | 45'                            | 16                 | 1.92                   | 50                   | 4                   |
| EPRI1520-07-C      | <input type="checkbox"/> | 1.5             | 45'                            | 20                 | 2.02                   | 60                   | 4                   |
| EPRI1508-10-C      | <input type="checkbox"/> | 1.5             | 1°                             | 8                  | 1.78                   | 50                   | 4                   |
| EPRI1510-10-C      | <input type="checkbox"/> | 1.5             | 1°                             | 10                 | 1.85                   | 50                   | 4                   |
| EPRI1512-10-C      | <input type="checkbox"/> | 1.5             | 1°                             | 12                 | 1.92                   | 50                   | 4                   |
| EPRI1516-10-C      | <input type="checkbox"/> | 1.5             | 1°                             | 16                 | 2.06                   | 50                   | 4                   |
| EPRI1520-10-C      | <input type="checkbox"/> | 1.5             | 1°                             | 20                 | 2.2                    | 60                   | 4                   |
| EPRI1508-15-C      | <input type="checkbox"/> | 1.5             | 1° 30'                         | 8                  | 1.92                   | 50                   | 4                   |
| EPRI1510-15-C      | <input type="checkbox"/> | 1.5             | 1° 30'                         | 10                 | 2.02                   | 50                   | 4                   |
| EPRI1512-15-C      | <input type="checkbox"/> | 1.5             | 1° 30'                         | 12                 | 2.13                   | 50                   | 4                   |

☐印：特定代理店在庫です。弊社営業へお問合せください。  
☐：Stocked by specified distributor. Contact with our sales department.

| 商品コード<br>Item Code | 在庫<br>Stock              | 寸法 Size (mm)    |                                |                    |                        |                      |                     |
|--------------------|--------------------------|-----------------|--------------------------------|--------------------|------------------------|----------------------|---------------------|
|                    |                          | 外径<br>Mill Dia. | 刃部テーパ半角<br>Taper Angle on side | 刃長<br>Flute Length | 大端径<br>Large Edge Dia. | 全長<br>Overall Length | シャンク径<br>Shank Dia. |
| EPRI1516-15-C      | <input type="checkbox"/> | 1.5             | 1° 30'                         | 16                 | 2.34                   | 50                   | 4                   |
| EPRI1520-15-C      | <input type="checkbox"/> | 1.5             | 1° 30'                         | 20                 | 2.55                   | 60                   | 4                   |
| EPRI1508-20-C      | <input type="checkbox"/> | 1.5             | 2°                             | 8                  | 2.06                   | 50                   | 4                   |
| EPRI1510-20-C      | <input type="checkbox"/> | 1.5             | 2°                             | 10                 | 2.2                    | 50                   | 4                   |
| EPRI1512-20-C      | <input type="checkbox"/> | 1.5             | 2°                             | 12                 | 2.34                   | 50                   | 4                   |
| EPRI1516-20-C      | <input type="checkbox"/> | 1.5             | 2°                             | 16                 | 2.62                   | 50                   | 4                   |
| EPRI1520-20-C      | <input type="checkbox"/> | 1.5             | 2°                             | 20                 | 2.9                    | 60                   | 4                   |
| EPRI1512-30-C      | <input type="checkbox"/> | 1.5             | 3°                             | 12                 | 2.76                   | 50                   | 4                   |
| EPRI1520-30-C      | <input type="checkbox"/> | 1.5             | 3°                             | 20                 | 3.6                    | 60                   | 4                   |
| EPRI1608-05-C      | <input type="checkbox"/> | 1.6             | 30'                            | 8                  | 1.74                   | 50                   | 4                   |
| EPRI1610-05-C      | <input type="checkbox"/> | 1.6             | 30'                            | 10                 | 1.77                   | 50                   | 4                   |
| EPRI1612-05-C      | <input type="checkbox"/> | 1.6             | 30'                            | 12                 | 1.81                   | 50                   | 4                   |
| EPRI1616-05-C      | <input type="checkbox"/> | 1.6             | 30'                            | 16                 | 1.88                   | 50                   | 4                   |
| EPRI1620-05-C      | <input type="checkbox"/> | 1.6             | 30'                            | 20                 | 1.95                   | 60                   | 4                   |
| EPRI1608-07-C      | <input type="checkbox"/> | 1.6             | 45'                            | 8                  | 1.81                   | 50                   | 4                   |
| EPRI1610-07-C      | <input type="checkbox"/> | 1.6             | 45'                            | 10                 | 1.86                   | 50                   | 4                   |
| EPRI1612-07-C      | <input type="checkbox"/> | 1.6             | 45'                            | 12                 | 1.91                   | 50                   | 4                   |
| EPRI1616-07-C      | <input type="checkbox"/> | 1.6             | 45'                            | 16                 | 2.02                   | 50                   | 4                   |
| EPRI1620-07-C      | <input type="checkbox"/> | 1.6             | 45'                            | 20                 | 2.12                   | 60                   | 4                   |
| EPRI1608-10-C      | <input type="checkbox"/> | 1.6             | 1°                             | 8                  | 1.88                   | 50                   | 4                   |
| EPRI1610-10-C      | <input type="checkbox"/> | 1.6             | 1°                             | 10                 | 1.95                   | 50                   | 4                   |
| EPRI1612-10-C      | <input type="checkbox"/> | 1.6             | 1°                             | 12                 | 2.02                   | 50                   | 4                   |
| EPRI1616-10-C      | <input type="checkbox"/> | 1.6             | 1°                             | 16                 | 2.16                   | 50                   | 4                   |
| EPRI1620-10-C      | <input type="checkbox"/> | 1.6             | 1°                             | 20                 | 2.3                    | 60                   | 4                   |
| EPRI1608-15-C      | <input type="checkbox"/> | 1.6             | 1° 30'                         | 8                  | 2.02                   | 50                   | 4                   |
| EPRI1610-15-C      | <input type="checkbox"/> | 1.6             | 1° 30'                         | 10                 | 2.12                   | 50                   | 4                   |
| EPRI1612-15-C      | <input type="checkbox"/> | 1.6             | 1° 30'                         | 12                 | 2.23                   | 50                   | 4                   |
| EPRI1616-15-C      | <input type="checkbox"/> | 1.6             | 1° 30'                         | 16                 | 2.44                   | 50                   | 4                   |
| EPRI1620-15-C      | <input type="checkbox"/> | 1.6             | 1° 30'                         | 20                 | 2.65                   | 60                   | 4                   |
| EPRI1608-20-C      | <input type="checkbox"/> | 1.6             | 2°                             | 8                  | 2.16                   | 50                   | 4                   |
| EPRI1610-20-C      | <input type="checkbox"/> | 1.6             | 2°                             | 10                 | 2.3                    | 50                   | 4                   |
| EPRI1612-20-C      | <input type="checkbox"/> | 1.6             | 2°                             | 12                 | 2.44                   | 50                   | 4                   |
| EPRI1616-20-C      | <input type="checkbox"/> | 1.6             | 2°                             | 16                 | 2.72                   | 50                   | 4                   |
| EPRI1620-20-C      | <input type="checkbox"/> | 1.6             | 2°                             | 20                 | 3                      | 60                   | 4                   |
| EPRI1612-30-C      | <input type="checkbox"/> | 1.6             | 3°                             | 12                 | 2.86                   | 50                   | 4                   |
| EPRI1620-30-C      | <input type="checkbox"/> | 1.6             | 3°                             | 20                 | 3.7                    | 60                   | 4                   |
| EPRI1808-05-C      | <input type="checkbox"/> | 1.8             | 30'                            | 8                  | 1.94                   | 50                   | 4                   |
| EPRI1810-05-C      | <input type="checkbox"/> | 1.8             | 30'                            | 10                 | 1.97                   | 50                   | 4                   |
| EPRI1812-05-C      | <input type="checkbox"/> | 1.8             | 30'                            | 12                 | 2.01                   | 50                   | 4                   |
| EPRI1816-05-C      | <input type="checkbox"/> | 1.8             | 30'                            | 16                 | 2.08                   | 50                   | 4                   |
| EPRI1820-05-C      | <input type="checkbox"/> | 1.8             | 30'                            | 20                 | 2.15                   | 60                   | 4                   |
| EPRI1808-07-C      | <input type="checkbox"/> | 1.8             | 45'                            | 8                  | 2.01                   | 50                   | 4                   |
| EPRI1810-07-C      | <input type="checkbox"/> | 1.8             | 45'                            | 10                 | 2.06                   | 50                   | 4                   |
| EPRI1812-07-C      | <input type="checkbox"/> | 1.8             | 45'                            | 12                 | 2.11                   | 50                   | 4                   |
| EPRI1816-07-C      | <input type="checkbox"/> | 1.8             | 45'                            | 16                 | 2.22                   | 50                   | 4                   |
| EPRI1820-07-C      | <input type="checkbox"/> | 1.8             | 45'                            | 20                 | 2.32                   | 60                   | 4                   |
| EPRI1808-10-C      | <input type="checkbox"/> | 1.8             | 1°                             | 8                  | 2.08                   | 50                   | 4                   |

# Epoch Rib エポックリブ



0~-0.03



$Ds \leq 6$  : 0~-0.005  
 $6 < Ds$  : 0~-0.006 (mm)



片角公差 :  $\pm 5'$   
Tolerance on angle



4枚刃  
4Flutes

## EPRI- -C



| 商品コード<br>Item Code | 在庫<br>Stock              | 寸法 Size (mm)    |                                |                    |                        |                      |                     |
|--------------------|--------------------------|-----------------|--------------------------------|--------------------|------------------------|----------------------|---------------------|
|                    |                          | 外径<br>Mill Dia. | 刃部テーパ半角<br>Taper Angle on side | 刃長<br>Flute Length | 大端径<br>Large Edge Dia. | 全長<br>Overall Length | シャンク径<br>Shank Dia. |
| EPRI1810-10-C      | <input type="checkbox"/> | 1.8             | 1°                             | 10                 | 2.15                   | 50                   | 4                   |
| EPRI1812-10-C      | <input type="checkbox"/> | 1.8             | 1°                             | 12                 | 2.22                   | 50                   | 4                   |
| EPRI1816-10-C      | <input type="checkbox"/> | 1.8             | 1°                             | 16                 | 2.36                   | 50                   | 4                   |
| EPRI1820-10-C      | <input type="checkbox"/> | 1.8             | 1°                             | 20                 | 2.5                    | 60                   | 4                   |
| EPRI1808-15-C      | <input type="checkbox"/> | 1.8             | 1° 30'                         | 8                  | 2.22                   | 50                   | 4                   |
| EPRI1810-15-C      | <input type="checkbox"/> | 1.8             | 1° 30'                         | 10                 | 2.32                   | 50                   | 4                   |
| EPRI1812-15-C      | <input type="checkbox"/> | 1.8             | 1° 30'                         | 12                 | 2.43                   | 50                   | 4                   |
| EPRI1816-15-C      | <input type="checkbox"/> | 1.8             | 1° 30'                         | 16                 | 2.64                   | 50                   | 4                   |
| EPRI1820-15-C      | <input type="checkbox"/> | 1.8             | 1° 30'                         | 20                 | 2.85                   | 60                   | 4                   |
| EPRI1808-20-C      | <input type="checkbox"/> | 1.8             | 2°                             | 8                  | 2.36                   | 50                   | 4                   |
| EPRI1810-20-C      | <input type="checkbox"/> | 1.8             | 2°                             | 10                 | 2.5                    | 50                   | 4                   |
| EPRI1812-20-C      | <input type="checkbox"/> | 1.8             | 2°                             | 12                 | 2.64                   | 50                   | 4                   |
| EPRI1816-20-C      | <input type="checkbox"/> | 1.8             | 2°                             | 16                 | 2.92                   | 50                   | 4                   |
| EPRI1820-20-C      | <input type="checkbox"/> | 1.8             | 2°                             | 20                 | 3.2                    | 60                   | 4                   |
| EPRI1812-30-C      | <input type="checkbox"/> | 1.8             | 3°                             | 12                 | 3.06                   | 50                   | 4                   |
| EPRI1820-30-C      | <input type="checkbox"/> | 1.8             | 3°                             | 20                 | 3.9                    | 60                   | 4                   |
| EPRI2010-05-C      | <input type="checkbox"/> | 2               | 30'                            | 10                 | 2.17                   | 50                   | 4                   |
| EPRI2012-05-C      | <input type="checkbox"/> | 2               | 30'                            | 12                 | 2.21                   | 50                   | 4                   |
| EPRI2016-05-C      | <input type="checkbox"/> | 2               | 30'                            | 16                 | 2.28                   | 50                   | 4                   |
| EPRI2020-05-C      | <input type="checkbox"/> | 2               | 30'                            | 20                 | 2.35                   | 60                   | 4                   |
| EPRI2025-05-C      | <input type="checkbox"/> | 2               | 30'                            | 25                 | 2.44                   | 60                   | 4                   |
| EPRI2010-07-C      | <input type="checkbox"/> | 2               | 45'                            | 10                 | 2.26                   | 50                   | 4                   |
| EPRI2012-07-C      | <input type="checkbox"/> | 2               | 45'                            | 12                 | 2.31                   | 50                   | 4                   |
| EPRI2016-07-C      | <input type="checkbox"/> | 2               | 45'                            | 16                 | 2.42                   | 50                   | 4                   |
| EPRI2020-07-C      | <input type="checkbox"/> | 2               | 45'                            | 20                 | 2.52                   | 60                   | 4                   |
| EPRI2025-07-C      | <input type="checkbox"/> | 2               | 45'                            | 25                 | 2.65                   | 60                   | 4                   |
| EPRI2010-10-C      | <input type="checkbox"/> | 2               | 1°                             | 10                 | 2.35                   | 50                   | 4                   |
| EPRI2012-10-C      | <input type="checkbox"/> | 2               | 1°                             | 12                 | 2.42                   | 50                   | 4                   |
| EPRI2016-10-C      | <input type="checkbox"/> | 2               | 1°                             | 16                 | 2.56                   | 50                   | 4                   |
| EPRI2020-10-C      | <input type="checkbox"/> | 2               | 1°                             | 20                 | 2.7                    | 60                   | 4                   |
| EPRI2025-10-C      | <input type="checkbox"/> | 2               | 1°                             | 25                 | 2.87                   | 60                   | 4                   |
| EPRI2010-15-C      | <input type="checkbox"/> | 2               | 1° 30'                         | 10                 | 2.52                   | 50                   | 4                   |
| EPRI2012-15-C      | <input type="checkbox"/> | 2               | 1° 30'                         | 12                 | 2.63                   | 50                   | 4                   |
| EPRI2016-15-C      | <input type="checkbox"/> | 2               | 1° 30'                         | 16                 | 2.84                   | 50                   | 4                   |
| EPRI2020-15-C      | <input type="checkbox"/> | 2               | 1° 30'                         | 20                 | 3.05                   | 60                   | 4                   |
| EPRI2025-15-C      | <input type="checkbox"/> | 2               | 1° 30'                         | 25                 | 3.31                   | 60                   | 4                   |
| EPRI2010-20-C      | <input type="checkbox"/> | 2               | 2°                             | 10                 | 2.7                    | 50                   | 4                   |
| EPRI2012-20-C      | <input type="checkbox"/> | 2               | 2°                             | 12                 | 2.87                   | 50                   | 4                   |
| EPRI2016-20-C      | <input type="checkbox"/> | 2               | 2°                             | 16                 | 3.12                   | 50                   | 4                   |
| EPRI2020-20-C      | <input type="checkbox"/> | 2               | 2°                             | 20                 | 3.4                    | 60                   | 4                   |
| EPRI2025-20-C      | <input type="checkbox"/> | 2               | 2°                             | 25                 | 3.75                   | 60                   | 4                   |
| EPRI2016-30-C      | <input type="checkbox"/> | 2               | 3°                             | 16                 | 3.68                   | 50                   | 4                   |
| EPRI2025-30-C      | <input type="checkbox"/> | 2               | 3°                             | 25                 | 4.62                   | 60                   | 6                   |
| EPRI2510-05-C      | <input type="checkbox"/> | 2.5             | 30'                            | 10                 | 2.67                   | 50                   | 4                   |
| EPRI2512-05-C      | <input type="checkbox"/> | 2.5             | 30'                            | 12                 | 2.71                   | 50                   | 4                   |
| EPRI2516-05-C      | <input type="checkbox"/> | 2.5             | 30'                            | 16                 | 2.78                   | 50                   | 4                   |
| EPRI2520-05-C      | <input type="checkbox"/> | 2.5             | 30'                            | 20                 | 2.85                   | 60                   | 6                   |

| 商品コード<br>Item Code | 在庫<br>Stock              | 寸法 Size (mm)    |                                |                    |                        |                      |                     |
|--------------------|--------------------------|-----------------|--------------------------------|--------------------|------------------------|----------------------|---------------------|
|                    |                          | 外径<br>Mill Dia. | 刃部テーパ半角<br>Taper Angle on side | 刃長<br>Flute Length | 大端径<br>Large Edge Dia. | 全長<br>Overall Length | シャンク径<br>Shank Dia. |
| EPRI2525-05-C      | <input type="checkbox"/> | 2.5             | 30'                            | 25                 | 2.94                   | 60                   | 6                   |
| EPRI2530-05-C      | <input type="checkbox"/> | 2.5             | 30'                            | 30                 | 3.02                   | 75                   | 6                   |
| EPRI2510-07-C      | <input type="checkbox"/> | 2.5             | 45'                            | 10                 | 2.76                   | 50                   | 4                   |
| EPRI2512-07-C      | <input type="checkbox"/> | 2.5             | 45'                            | 12                 | 2.81                   | 50                   | 4                   |
| EPRI2516-07-C      | <input type="checkbox"/> | 2.5             | 45'                            | 16                 | 2.92                   | 50                   | 4                   |
| EPRI2520-07-C      | <input type="checkbox"/> | 2.5             | 45'                            | 20                 | 3.02                   | 60                   | 6                   |
| EPRI2525-07-C      | <input type="checkbox"/> | 2.5             | 45'                            | 25                 | 3.15                   | 60                   | 6                   |
| EPRI2530-07-C      | <input type="checkbox"/> | 2.5             | 45'                            | 30                 | 3.29                   | 75                   | 6                   |
| EPRI2510-10-C      | <input type="checkbox"/> | 2.5             | 1°                             | 10                 | 2.85                   | 50                   | 4                   |
| EPRI2512-10-C      | <input type="checkbox"/> | 2.5             | 1°                             | 12                 | 2.92                   | 50                   | 4                   |
| EPRI2516-10-C      | <input type="checkbox"/> | 2.5             | 1°                             | 16                 | 3.06                   | 50                   | 4                   |
| EPRI2520-10-C      | <input type="checkbox"/> | 2.5             | 1°                             | 20                 | 3.2                    | 60                   | 6                   |
| EPRI2525-10-C      | <input type="checkbox"/> | 2.5             | 1°                             | 25                 | 3.37                   | 60                   | 6                   |
| EPRI2530-10-C      | <input type="checkbox"/> | 2.5             | 1°                             | 30                 | 3.55                   | 75                   | 6                   |
| EPRI2510-15-C      | <input type="checkbox"/> | 2.5             | 1° 30'                         | 10                 | 3.02                   | 50                   | 4                   |
| EPRI2512-15-C      | <input type="checkbox"/> | 2.5             | 1° 30'                         | 12                 | 3.13                   | 50                   | 4                   |
| EPRI2516-15-C      | <input type="checkbox"/> | 2.5             | 1° 30'                         | 16                 | 3.34                   | 50                   | 4                   |
| EPRI2520-15-C      | <input type="checkbox"/> | 2.5             | 1° 30'                         | 20                 | 3.55                   | 60                   | 6                   |
| EPRI2525-15-C      | <input type="checkbox"/> | 2.5             | 1° 30'                         | 25                 | 3.81                   | 60                   | 6                   |
| EPRI2530-15-C      | <input type="checkbox"/> | 2.5             | 1° 30'                         | 30                 | 4.12                   | 75                   | 6                   |
| EPRI2510-20-C      | <input type="checkbox"/> | 2.5             | 2°                             | 10                 | 3.2                    | 50                   | 4                   |
| EPRI2512-20-C      | <input type="checkbox"/> | 2.5             | 2°                             | 12                 | 3.34                   | 50                   | 4                   |
| EPRI2516-20-C      | <input type="checkbox"/> | 2.5             | 2°                             | 16                 | 3.62                   | 50                   | 4                   |
| EPRI2520-20-C      | <input type="checkbox"/> | 2.5             | 2°                             | 20                 | 3.9                    | 60                   | 6                   |
| EPRI2525-20-C      | <input type="checkbox"/> | 2.5             | 2°                             | 25                 | 4.25                   | 60                   | 6                   |
| EPRI2530-20-C      | <input type="checkbox"/> | 2.5             | 2°                             | 30                 | 4.6                    | 75                   | 6                   |
| EPRI2520-30-C      | <input type="checkbox"/> | 2.5             | 3°                             | 20                 | 4.6                    | 60                   | 6                   |
| EPRI2525-30-C      | <input type="checkbox"/> | 2.5             | 3°                             | 25                 | 5.12                   | 60                   | 6                   |
| EPRI2530-30-C      | <input type="checkbox"/> | 2.5             | 3°                             | 30                 | 5.64                   | 75                   | 6                   |
| EPRI3025-05-C      | <input type="checkbox"/> | 3               | 30'                            | 25                 | 3.44                   | 60                   | 6                   |
| EPRI3030-05-C      | <input type="checkbox"/> | 3               | 30'                            | 30                 | 3.52                   | 75                   | 6                   |
| EPRI3040-05-C      | <input type="checkbox"/> | 3               | 30'                            | 40                 | 3.7                    | 75                   | 6                   |
| EPRI3025-07-C      | <input type="checkbox"/> | 3               | 45'                            | 25                 | 3.65                   | 60                   | 6                   |
| EPRI3040-07-C      | <input type="checkbox"/> | 3               | 45'                            | 40                 | 4.05                   | 75                   | 6                   |
| EPRI3020-10-C      | <input type="checkbox"/> | 3               | 1°                             | 20                 | 3.7                    | 60                   | 6                   |
| EPRI3025-10-C      | <input type="checkbox"/> | 3               | 1°                             | 25                 | 3.87                   | 60                   | 6                   |
| EPRI3030-10-C      | <input type="checkbox"/> | 3               | 1°                             | 30                 | 4.05                   | 75                   | 6                   |
| EPRI3040-10-C      | <input type="checkbox"/> | 3               | 1°                             | 40                 | 4.4                    | 75                   | 6                   |
| EPRI3025-15-C      | <input type="checkbox"/> | 3               | 1° 30'                         | 25                 | 4.31                   | 60                   | 6                   |
| EPRI3040-15-C      | <input type="checkbox"/> | 3               | 1° 30'                         | 40                 | 5.09                   | 75                   | 6                   |
| EPRI3025-20-C      | <input type="checkbox"/> | 3               | 2°                             | 25                 | 4.75                   | 60                   | 6                   |
| EPRI3030-20-C      | <input type="checkbox"/> | 3               | 2°                             | 30                 | 5.1                    | 75                   | 6                   |
| EPRI3040-20-C      | <input type="checkbox"/> | 3               | 2°                             | 40                 | 5.79                   | 75                   | 6                   |
| EPRI3025-30-C      | <input type="checkbox"/> | 3               | 3°                             | 25                 | 5.62                   | 60                   | 6                   |
| EPRI3040-30-C      | <input type="checkbox"/> | 3               | 3°                             | 40                 | 7.19                   | 80                   | 8                   |

☐印：特定代理店在庫です。弊社営業へお問合せください。  
☐ : Stocked by specified distributor. Contact with our sales department.